








Issue Report

Site quality report for
file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.IN
V.htm produced on February 7, 2025.

Overall Quality		13 pages with quality issues
Errors		3 pages with broken links or other errors
Accessibility		2 pages with accessibility problems
Compatibility		0 pages with browser specific issues
Search		1 pages with search engine issues
Standards		13 pages have W3C standards issues
Usability		13 pages with usability issues
Totals		36 URLs checked

Errors

This section shows site quality issues, including broken links and server mis-configurations.

Priority 1

1 issues on 3 pages

- This page contains some spelling errors.

Click the word to add it to the dictionary. Click it again if you want to remove it.

de line 85

sesión line 85

cerebro line 85

file:///C:/sonar/Comprension_Proyecto/index.html

de line 5

sesión line 5

cerebro line 5

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ALL.htm>

cerebro line 10

cerebro line 10

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.MAP.htm>

Accessibility

This section shows accessibility issues, indicating problems for older users, people with disabilities or accessibility needs. Automated testing cannot detect all accessibility issues, so should be used alongside human testing.

Level AA

2 issues on 1 pages

- Ensure that text and background colors have enough contrast.

Some users find it hard to read light gray text on a white background, dark gray text on a black background and white text on a red background.

- The contrast ratio should be 3.0 or more for 18 point text, or larger
- The contrast ratio should be 3.0 or more for 14 point bold text, or larger
- The contrast ratio should be 4.5 or more for all other text

[WCAG 2.1 AA 1.4.3 Section 508 \(2017\) AA 1.4.3](#)

The text color to background color contrast ratio after composition is:

3.29 with color: rgb(255,255,255) background: rgb(112,144,185) font-size: 11.25pt font-weight: 400

<p>Este es un juego de memoria y ... el desarrollo cognitivo.
...</p> line 22

3.29 with color: rgb(255,255,255) background: rgb(112,144,185) font-size: 12pt font-weight: 400

INTEGRANTES: Aisalla Sebastian ... Francis - Zumbana Álvaro line 68

3.29 with color: rgb(255,255,255) background: rgb(112,144,185) font-size: 11.25pt font-weight: 700

¡Diviértete mientras ejercitas tu mente! line 28

3.29 with color: rgb(255,255,255) background: rgb(112,144,185) font-size: 12.75pt font-weight: 500

<button class='cssbuttons-io-button' onclick='...'>Iniciar sesión...</button> line 40

3.29 with color: rgb(255,255,255) background: rgb(112,144,185) font-size: 12.75pt font-weight: 500

<button class='cssbuttons-io-button' onclick='...'>Registrarse...</button> line 51

<file:///C:/sonar/Comprension Proyecto/index.html>

- Provide two or more ways to reach each page: via links, search, a site map or table of contents.

You should provide a link labeled 'Site Map' or 'Sitemap' or the equivalent in your language, or a search option on every page, or links to all pages from the home page.

[WCAG 2.1 AA 2.4.5 Section 508 \(2017\) AA 2.4.5](#)

`<html lang='es'><head><meta charset='utf-8'>...</head>...</html>` line 2

file:///C:/sonar/Comprension_Proyecto/index.html

Level AAA

1 issues on 1 pages

- Several links on a page share the same link text, but go to different destinations.

Make the link text unique for each target, or add additional text using aria-label.

[WCAG 2.1 AAA 2.4.9](#)

Link text: Google

Link text: Google

file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map_SEO.htm

Informative

These messages are for information only and do not indicate errors or conformance problems.

- WCAG Success Criteria 4.1.1 is always satisfied for HTML and XML pages.

Since WCAG 2 4.1.1 was written, the HTML Standard has added requirements specifying exactly how browsers handle incomplete markup, incorrectly nested elements, duplicate attributes, and duplicate IDs. This means the "except where the specifications allow" condition in 4.1.1 is satisfied.

[WCAG 2.1 4.1.1](#)

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm> line 1

Compatibility

This section shows pages that exhibit browser-specific behavior, or trigger browser bugs.

Search

This section shows search engine guideline violations, and pages that don't comply with search optimization best practices.

Priority 1

2 issues on 1 pages

- Google recommends separating keywords in URLs by dashes instead of underscores.

Dashes perform better than underscores in Google as keyword separators, and underscores perform better than no separators.

[Google](#)

[file:///C:/sonar/Comprension Proyecto/index.html](file:///C:/sonar/Comprension%20Proyecto/index.html) line 1

- This page has no `h1` element, which violates Bing webmaster guidelines.

Add an `h1` element just before the main content describing the page.

[Bing](#)

`<body><h2><button class='BytePrensión'>...</button></h2>...</body>` line 12

[file:///C:/sonar/Comprension Proyecto/index.html](file:///C:/sonar/Comprension%20Proyecto/index.html)

Priority 3

1 issues on 1 pages

- No meta description tag found. Use a description tag that accurately describes the contents of a web page.

A well-written meta description attracts more clicks in search results than an irrelevant or missing description.

[Yahoo](#) [Google](#) [Bing](#)

`<html lang='es'><head><meta charset='utf-8'>...</head>...</html>` line 2

[file:///C:/sonar/Comprension Proyecto/index.html](file:///C:/sonar/Comprension%20Proyecto/index.html)

Informative

These messages are for information only and do not indicate errors or conformance problems.

- No search keywords are set in SortSite, so no keyword optimization rules have been run.

If you want to check keyword optimization, set the keywords using the Scan Options command.

Best Practice

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm> line 1

- Search engines will not index this page because it has a `noindex` meta tag.

[Robots.txt](#)

`<meta name='robots' content='noindex'>` line 3

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ALL.htm>

`<meta name='robots' content='noindex'>` line 3

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ERR.htm>

`<meta name='robots' content='noindex'>` line 3

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.htm>

`<meta name='robots' content='noindex'>` line 7

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm>

Standards

This section shows pages that do not comply with W3C standards.

Priority 1

2 issues on 13 pages

- Bad value for attribute href .

[HTML5](#)

Invalid Windows file URL C:

```
<a rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ALL.htm>

Invalid Windows file URL C:

```
<a rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 11
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 11
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 11
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 11
```

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ERR.htm>

Invalid Windows file URL C:


```
<a rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm>

Invalid Windows file URL C:

```
<a rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/index.html'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/img/logo.png'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/img/cerebro.jpg'></a> line 5
```

```
<a class='viewsource' rel='nofollow' target='_top'
href='file:///C:/sonar/Comprension_Proyecto/css/styles.css'></a> line 5
```

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm>

- Element `div` not allowed as child element in this context.

HTML5

```
<button class='cssbuttons-io-button' onclick='...'>...n<div>...</div></button> line 42
```

```
<button class='cssbuttons-io-button' onclick='...'>Registrarse<div>...</div></button> line 53
```

file:///C:/sonar/Comprension_Proyecto/index.html

Informative

These messages are for information only and do not indicate errors or conformance problems.

- Property or at-rule is vendor specific.

Properties and at-rules prefixed by a dash or underscore, the zoom property and the expression() function are vendor specific and only work on one browser engine.

CSS Validation

`-webkit-background-clip`

-webkit-text-fill-color

-webkit-tap-highlight-color

[file:///C:/sonar/Comprension Proyecto/css/styles.css](file:///C:/sonar/Comprension%20Proyecto/css/styles.css)

-ms-high-contrast-adjust

-ms-high-contrast-adjust

-ms-high-contrast-adjust

-ms-high-contrast-adjust

-ms-high-contrast-adjust

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/Report/report-min-20240912.css>

Usability

This section shows general usability issues, indicating navigation problems for all users.

Priority 2

1 issues on 1 pages

- Omitting `img width` or `height` attributes makes the page layout jump about as images load.

This makes the page very hard to read or click while it's loading. Fix by adding width and height attributes to the `img` tag matching the image dimensions. In responsive layouts, specifying `width` and `height` prevents layout jumping because the browser can pre-calculate the final image size when CSS like this is used: `img { max-width: 100%; height: auto }`

[Usability.gov 14:3 W3C](#)

`` line 67

`` line 35

file:///C:/sonar/Comprension_Proyecto/index.html

Priority 3

1 issues on 13 pages

- Use at least a 12-point font on all web pages.

For users over age 65, it may be better to use at least fourteen-point fonts. Never use less than nine-point font on a Web site. The following are all smaller than 12 point:

- `<p style="font-size: 11pt;" >`
- `<p style="font-size: 15px;" >`
- `<p style="font-size: small;" >`
- ``
- ``

[Usability.gov 11:8](#)

`font-size: 11.25pt`

`<p>Este es un juego de memoria y ... el desarrollo cognitivo.
...</p>` line 22

file:///C:/sonar/Comprension_Proyecto/index.html

font-size: 10.80pt

...! line 5

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.ERR.htm>

font-size: 10.80pt

...! line 5

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.htm>

font-size: 10.80pt

...! line 39

<file:///C:/Users/SEBAST~1/AppData/Local/Temp/SortSite3096/PowerMapper/Map1/map.INV.htm>