

Informe de Evidencias - Proyecto Explora Más

Alumno: Francisco Bascur


Proyecto: Explora Más

Introducción

El presente documento contiene evidencias del desarrollo inicial del proyecto "Explora Más", una aplicación orientada a centralizar información sobre eventos, lugares y actividades culturales mediante una arquitectura backend desarrollada con Spring Boot.

2. Configuración inicial del proyecto

Se realizó la configuración inicial del backend utilizando Spring Initializr, seleccionando dependencias necesarias para el desarrollo del sistema.



3. Ejecución del backend

Se verificó la correcta ejecución del backend desarrollado con Spring Boot y la conexión inicial con PostgreSQL mediante Maven.

```
Terminal Shell Edición Visualización Ventana Ayuda
backend -- java -java --enable-native-access=ALL-UNNAMED -classpath ~/m2/wrapper/dists/apache-maven-3.9.15/9925cc1d/boot/plexus-classworlds-2.9.0.jar-Dclassworlds.conf=/Users/renacer/m2/wrapper/dist...

Downloaded from central: https://repo.maven.apache.org/maven2/org/vafer/jdependency/2.10/jdependency-2.10.jar (416 kB at 156 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/net/java/dev/jna/jna-platform/5.17.0/jna-platform-5.17.0.jar (1.4 MB at 482 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/httpcomponents/client5/httpclient5/5.2/httpclient5-5.2.jar (761 kB at 336 kB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/net/java/dev/jna/jna/5.17.0/jna-5.17.0.jar (2.0 MB at 622 kB/s)
[INFO] Attaching agents: []

:: Spring Boot :: (v3.5.14)

2026-05-21T07:58:58.486-04:00 INFO 18090 --- [backend] [ restartedMain] c.exploraapp.backend.BackendApplication : Starting BackendApplication using Java 21.0.11 with PID 18090 (/Users/renacer/Desktop/Proye
ctoPortfolio/Fase 2/evidencia proyecto/backend/jvaspringboot/backend/target/classes started by renacer in /Users/renacer/Desktop/ProyectoPortfolio/Fase 2/evidencia proyecto/backend/jvaspringboot/backend)
2026-05-21T07:58:58.487-04:00 INFO 18090 --- [backend] [ restartedMain] c.exploraapp.backend.BackendApplication : No active profile set, falling back to 1 default profile: 'default'
2026-05-21T07:58:58.588-04:00 INFO 18090 --- [backend] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : DevTools property defaults active! Set 'spring.devtools.add-properties' to 'false' to disab
le
2026-05-21T07:58:58.588-04:00 INFO 18090 --- [backend] [ restartedMain] .e.DevToolsPropertyDefaultsPostProcessor : For additional web related logging consider setting the 'logging.level.web' property to 'DE
BUG'
2026-05-21T07:58:58.689-04:00 INFO 18090 --- [backend] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2026-05-21T07:58:58.695-04:00 INFO 18090 --- [backend] [ restartedMain] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 3 ms. Found 0 JPA repository interfaces.
2026-05-21T07:58:58.838-04:00 INFO 18090 --- [backend] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port 8080 (http)
2026-05-21T07:58:58.843-04:00 INFO 18090 --- [backend] [ restartedMain] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-05-21T07:58:58.843-04:00 INFO 18090 --- [backend] [ restartedMain] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.54]
2026-05-21T07:58:58.853-04:00 INFO 18090 --- [backend] [ restartedMain] o.a.e.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2026-05-21T07:58:58.853-04:00 INFO 18090 --- [backend] [ restartedMain] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 352 ms
2026-05-21T07:58:58.878-04:00 INFO 18090 --- [backend] [ restartedMain] o.hibernate.jpa.internal.util.LogHelper : HHH000284: Processing PersistenceUnitInfo [name: default]
2026-05-21T07:58:58.926-04:00 INFO 18090 --- [backend] [ restartedMain] org.hibernate.Version : HHH000412: Hibernate ORM core version 6.6.49.Final
2026-05-21T07:58:58.926-04:00 INFO 18090 --- [backend] [ restartedMain] o.h.e.internal.RegionFactoryInitiator : HHH000025: Second-level cache disabled
2026-05-21T07:58:59.003-04:00 INFO 18090 --- [backend] [ restartedMain] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer
2026-05-21T07:58:59.011-04:00 INFO 18090 --- [backend] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2026-05-21T07:58:59.052-04:00 INFO 18090 --- [backend] [ restartedMain] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection org.postgresql.jdbc.PgConnection@291abdb8
2026-05-21T07:58:59.053-04:00 INFO 18090 --- [backend] [ restartedMain] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2026-05-21T07:58:59.065-04:00 WARN 18090 --- [backend] [ restartedMain] org.hibernate.orm.deprecation : HHH000025: PostgreSQLDialect does not need to be specified explicitly using 'hibernate.di
ialect' (remove the property setting and it will be selected by default)
2026-05-21T07:58:59.078-04:00 INFO 18090 --- [backend] [ restartedMain] org.hibernate.orm.connections.pooling : HHH10001806: Database info:
{
  Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-1)']
  Database driver: undefined/unknown
  Database version: 16.14
  Autocommit mode: undefined/unknown
  Isolation level: undefined/unknown
  Minimum pool size: undefined/unknown
  Maximum pool size: undefined/unknown
}
2026-05-21T07:58:59.108-04:00 INFO 18090 --- [backend] [ restartedMain] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable J
A platform integration)
2026-05-21T07:58:59.161-04:00 INFO 18090 --- [backend] [ restartedMain] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2026-05-21T07:58:59.175-04:00 WARN 18090 --- [backend] [ restartedMain] jpaDatabaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed
during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2026-05-21T07:58:59.279-04:00 WARN 18090 --- [backend] [ restartedMain] .s.s.UserDetailsServiceAutoConfiguration :


Using generated security password: 6f50dda3-3d9f-4f3e-990f-8aa102cc53b3

This generated password is for development use only. Your security configuration must be updated before running your application in production.

2026-05-21T07:58:59.281-04:00 INFO 18090 --- [backend] [ restartedMain] rsInitializeUserDetailsServiceConfigurer : Global AuthenticationManager configured with UserDetailsService bean with name inMemoryUser
DetailsService
2026-05-21T07:58:59.316-04:00 INFO 18090 --- [backend] [ restartedMain] o.s.b.d.a.OptionalLiveReloadServer : LiveReload server is running on port 35729
2026-05-21T07:58:59.323-04:00 INFO 18090 --- [backend] [ restartedMain] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port 8080 (http) with context path '/'
2026-05-21T07:58:59.326-04:00 INFO 18090 --- [backend] [ restartedMain] c.exploraapp.backend.BackendApplication : Started BackendApplication in 0.947 seconds (process running for 1.067)
```


4. Estructura del proyecto y entidades

Se desarrolló la estructura base del proyecto utilizando una organización modular por paquetes para usuarios, eventos, lugares, categorías y favoritos.



5. Control de versiones con Git y GitHub

Durante el desarrollo se utilizo Git y GitHub para mantener un historial ordenado de commits, permitiendo evidenciar el progreso del sistema.



Estado actual del proyecto

Actualmente el proyecto cuenta con la configuración inicial del backend, integración con PostgreSQL, estructura base de entidades y organización del código fuente.