



# Dani's Indoor Grow Towers User Manual

Rev. 0.0.1



## 5 Cleaning Suggestions




Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.



Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

# Contents


|          |                                     |           |
|----------|-------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                 | <b>1</b>  |
| <b>2</b> | <b>Precautions</b>                  | <b>2</b>  |
| <b>3</b> | <b>Assembly Instructions – 80mm</b> | <b>3</b>  |
| 3.1      | Parts . . . . .                     | 3         |
| 3.2      | Assembly . . . . .                  | 5         |
| <b>4</b> | <b>Assembly Instructions – 50mm</b> | <b>11</b> |
| 4.1      | Parts . . . . .                     | 11        |
| 4.2      | Assembly . . . . .                  | 13        |
| <b>5</b> | <b>Cleaning Suggestions</b>         | <b>19</b> |





14. Insert the **bucket lid cap**, with its flat side facing upward, into the cap opening in the bucket lid.
15. Place the **chimney lid**, with its flat side facing upward, on top of the tower chimney.

won't sit properly on the bucket.



9. Place your **submersible pump** in the **5L bucket**.
10. If using an Aqua One 103 pump or other Aqua One pump with the same outlet, insert the 13mm end of the **13mm hose adapter** into the free end of the 13mm hose. If using a different pump, appropriate adapters will need to be provided by the user.
11. While holding the tower so that the bucket lid hovers just above the lip of the bucket, connect the free end of the 13mm hose to the outlet of the submersible pump. You may need to adjust the position of the pump in the bucket to ensure that the pump outlet aligns with the hose.
12. Lower the bucket lid onto the lip of the bucket, ensuring that the power cord of the pump is routed through the bucket lid cable gland. As the bucket lid is lowered, gently pull the shower head upward inside the chimney so that the hose is straightened but not taut.
13. Lower the **bucket lid lock-ring**, with its flat side facing upward, down over the top of the tower. Align the lock-ring with the edge of the bucket lid, then carefully push the lock-ring down into place around the bucket-lid. It may be easiest to work from one point on the lock-ring and around to the other side in both directions simultaneously with both thumbs.


## 1 Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

## 2 Precautions


- Proper sanitation is paramount! Ensure your system is cleaned: before and after each growing cycle; if excessive growth of algae, fungus, or biofilm occurs; or if you notice any other signs of bacterial, fungal, algal, or other unwanted contamination. This is to minimize the risk of hazardous pathogens both to your plants **and** to you.
- Remember that your tower is a water vessel. To minimize risk in the event of a spill, place your tower well away from electrical devices, electrical outlets, and any other items which may be damaged by water or which may present a hazard in the presence of water.
- The components of your tower are not dishwasher-safe.
- Your tower is designed only to be placed indoors. Placing your tower outdoors may result in damage.



7. Insert the opposite end of the **13mm hose** into the tower through the top of the **chimney module**, then insert the **shower head** into the top of the chimney module and push it down as far as it will go. Do not force the shower head further into the chimney module than it will go. The shower head is designed to fit snugly into the chimney module to aid the laminar flow of water over the inner wall of the tower, so **be careful not to angle the shower head as you insert it.**

8. Insert the appropriate **bucket lid cable gland** for your chosen pump's power cord into the cable gland receiver of the **bucket lid**. Be careful to ensure that the cable gland is oriented correctly, or the bucket lid










- Align the bottom of a **snap-fit module** with the top of the **twist-lock base module** so that the foot of the upper module fits into the receiver of the lower module, then gently push the upper module down until it snaps snugly together with the lower module.




- Repeat step 3 with the remaining planter modules.
- Using the same method, insert the **chimney module** into the snap-fit receiver of the topmost planter module.
- Insert the water inlet of the **shower head** into one end of the **13mm hose**.


## 3 Assembly Instructions – 80mm

### 3.1 Parts

|   |   |   |
|---|---|---|
|   |    |    |
| 1x Bucket Lid   | 1x Bucket lid lock-ring   | 1x Bucket lid cap   |
|   |    |    |
| 1x Two-wire cable gland   | 1x Three-wire cable gland   | 1x Twist-lock base module   |
|  |  |  |
| 4x Snap-fit module  | 1x Chimney module   | 1x Shower head  |




1x Chimney lid



1x 13mm hose adapter




1x 13mm Hose





1x 5L Bucket

## 4.2 Assembly


1. Align the arrow at the base of the **twist-lock base module** with the arrow on the top of the **bucket lid**. Carefully insert the base of the module into the hole in the center of the bucket lid when the arrows are aligned.
2. Once the **twist-lock base module** is inserted into the **bucket lid**, twist the module clockwise until you feel it stop. **Do not twist past this point.**







- ### 3.2 Assembly
1. Align the arrow at the base of the **twist-lock base module** with the arrow on the top of the **bucket lid**. Carefully insert the base of the module into the hole in the center of the bucket lid when the arrows are aligned.
  2. Once the **twist-lock base module** is inserted into the **bucket lid**, twist the module clockwise until you feel it stop. **Do not twist past this point.**




3. Align the bottom of a **snap-fit module** with the top of the **twist-lock**

**base module** so that the net pot receptacles of each module are facing 180 degrees away from one another.










4. With the pot receptacle of the lower module facing toward you, first push the **rear** of the upper module down into the snap-fit receiver of the lower module.

5. With the rear of the upper module seated in the snap-fit receiver of the lower module, carefully push down the **fore** of the upper module into the snap-fit receiver of the lower module. The foot of the upper module should seat fully into the snap-fit receiver of the lower module.




## 4 Assembly Instructions – 50mm


### 4.1 Parts

|   |   |   |
|---|---|---|
|  |  |  |
| 1x Bucket Lid   | 1x Bucket lid lock-ring   | 1x Bucket lid cap   |
|    |    |    |
| 1x Two-wire cable gland   | 1x Three-wire cable gland   | 1x Twist-lock base module   |
|    |    |    |
| 5x Snap-fit module  | 1x Chimney module   | 1x Shower head  |

tower chimney.



6. Repeat steps 3 through 5 with the remaining planter modules.
7. Using the same method, insert the **chimney module** into the snap-fit receiver of the topmost planter module.
8. Insert the water inlet of the **shower head** into one end of the **13mm hose**.




9. Insert the opposite end of the **13mm hose** into the tower through the top of the **chimney module**, then insert the **shower head** into the top of the chimney module and push it down as far as it will go. Do not force the shower head further into the chimney module than it will go.

The shower head is designed to fit snugly into the chimney module to aid the laminar flow of water over the inner wall of the tower, so **be careful not to angle the shower head as you insert it.**

10. If needed, twist the shower head so that the hose descends the tower adjacent to the net pot receptacles.

11. Insert the appropriate **bucket lid cable gland** for your chosen pump's power cord into the cable gland receiver of the **bucket lid**. Be careful to ensure that the cable gland is oriented correctly, or the bucket lid won't sit properly on the bucket.




12. Place your **submersible pump** in the **5L bucket**.

13. If using an Aqua One 103 pump or other Aqua One pump with the same outlet, insert the 13mm end of the **13mm hose adapter** into the free end of the 13mm hose. If using a different pump, appropriate adapters will need to be provided by the user.


14. While holding the tower so that the bucket lid hovers just above the lip of the bucket, connect the free end of the 13mm hose to the outlet of the submersible pump. You may need to adjust the position of the pump in the bucket to ensure that the pump outlet aligns with the hose.

15. Lower the bucket lid onto the lip of the bucket, ensuring that the power cord of the pump is routed through the bucket lid cable gland. As the bucket lid is lowered, gently pull the shower head upward inside the chimney so that the hose is straightened but not taut.



16. Lower the **bucket lid lock-ring**, with its flat side facing upward, down over the top of the tower. Align the lock-ring with the edge of the bucket lid, then carefully push the lock-ring down into place around the bucket-lid. It may be easiest to work from one point on the lock-ring and around to the other side in both directions simultaneously with both thumbs.

17. Insert the **bucket lid cap**, with its flat side facing upward, into the cap opening in the bucket lid.



18. Place the **chimney lid**, with its flat side facing upward, on top of the