

⑧ + Bs. AS + San Juan. Entran sin overflow

Overflow	Bits	Carry 1	Carry 2
0	0	0	0
1001	0100	Bs. AS	San Juan

+ Entre Ríos -> overflow en B0. creo B1 con overflow 01

Overflow	Bits	Carry 1	Carry 2
00	0	0	1
01	1	1	1
		San Juan	Entre Ríos
		Bs. AS	

+ Corrientes (0010) -> overflow en B0, duplico tabla

Overflow	Bits	Carry 1	Carry 2
00	0	0	2
01	1	1	1
10	2	1	1
11	1	2	2
		San Juan	Bs. AS
		Entre Ríos	Corrientes

+ San Luis (0101) -> B1 sin overflow

Overflow	Bits	Carry 1	Carry 2
00	0	0	2
01	1	1	1
10	2	1	1
11	1	2	2
		San Juan	Bs. AS
		Entre Ríos	San Luis
			Corrientes

+ Tucumán (0111) -> overflow B1. creo nuevo bloque

Overflow	Bits	Carry 1	Carry 2
00	0	0	2
01	1	1	2
10	2	2	2
11	3	3	2
		San Juan	Bs. AS
		Entre Ríos	San Luis
		Tucumán	Corrientes

+ Río Negro (0001) → va en B3 sin overflow

+ SALTA (1010) → overflow B2, creo nuevo bloque y duplico tabla

BITS = 3

SUF 150	Bloque		Bloque	BITS	C1	C2
0 0 0	0		0	2	San Juan	
0 0 1	1		1	2	BS.AJ	San Luis
0 1 0	2		2	3	Corrientes	Salta
0 1 1	3		3	2	Tucumán	Río Negro
1 0 0	0		4	3	Entre Ríos	
1 0 1	1					
1 1 0	4					
1 1 1	3					

- Río Negro (0011) → se borra sin overflow normalmente