

(17) + Aconcagua (10100111)
 + Kilimanjaro (10101010) } NO hay Overflow

BITS = 0

SUFISO	Bloque	Bloque	BITS	C1	C2
0	0	0	0	Aconcagua	Kilimanjaro

+ Mont Blanc (00111110) -> OF en B0, duplico tabla B0 -> 1 B1 -> 0

BITS = 1

SUFISO	Bloque	Bloque	BITS	C1	C2
0	1	0	1	Aconcagua	Aconcagua
1	0	1	1	Kilimanjaro	Mont Blanc

+ Cervino (01101111) -> B0 sin overflow

+ Etna (00110101) -> B0, overflow, duplico tabla. B0 -> 01 B2 -> 10

BITS = 2

SUFISO	Bloque	Bloque	BITS	C1	C2
0 0	1	0	2	Etna	
0 1	0	1	1	Kilimanjaro	Mont Blanc
1 0	1	2	2	Aconcagua	Cervino
1 1	2				

+ Chail (11110000) -> B1 overflow, creo B3 con suf. 10

BITS = 2

SUFISO	Bloque	Bloque	BITS	C1	C2
0 0 0	1	0	2	Etna	
0 0 1	0	1	2	Chail	
0 1 0	3	2	2	Aconcagua	Cervino
0 1 1	2	3	2	Kilimanjaro	Mont Blanc

+ Cho Oyu (01011101) -> B0 sin overflow

+ Vinicunca (01011011) -> B2, overflow y duplico tabla. B4 -> 111 suf.

BITS = 3

SUFISO	Bloque	Bloque	BITS	C1	C2
0 0 0	1	0	2	Etna	Cho Oyu
0 0 1	0	1	2	Chail	
0 1 0	3	2	3	Vinicunca	
0 1 1	2	3	2	Kilimanjaro	Mont Blanc
1 0 0	1	4	3	Aconcagua	Cervino
1 0 1	0				
1 1 0	3				
1 1 1	4				

- Chañi → Underflow B1. B3 es hermano. Disminución de B3 y desreferencia B1 cambiando por B3

BITS = 3

		BICAVE	BITS	C1	C2
0 0 0	3	0	2	Etna	Cho Oyu
0 0 1	0	2	3	Vinjuela	
0 1 0	3	3	1	Killimayro	Mont Blanc
0 1 1	2	4	3	Aconcagua	Cervino
1 0 0	3				
1 0 1	0				
1 1 0	3				
1 1 1	4				

- Cervino → No produce underflow, lo borro y listo

