- 1. Creación de un repositorio remoto en GitHub:
- 2. Clonación del repositorio en local:

3. Estructura de archivos y carpetas:

```
an@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (ma
total 0
drwxr-xr-x 1 galan 197609 0 Nov 25 16:06 assets/
drwxr-xr-x 1 galan 197609 0 Nov 25 16:06 docs/
drwxr-xr-x 1 galan 197609 0 Nov 25 16:06 miConfiguracionPersonal/
drwxr-xr-x 1 galan 197609 0 Nov 25 16:06 src/
            ierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavi
    _nov24/assets (main)
$ 11
total 36
 -rw-r--r-- 1 galan 197609 33864 Nov 25 16:15 logo.png
 galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJaver_nov24/docs (main)
$ 11
total 648
-rw-r--r-- 1 galan 197609 660630 Nov 25 16:13 202411_EjercicioPractico_EEDD.pdf
 galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24/sro
(main)
$ 11
total 1
  rw-r--r-- 1 galan 197609 480 Nov 25 16:11 index.html
```

Git add + Commit:

4. Uso de .gitignore

```
galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (main)
$ touch .gitignore
```

```
galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (main)
$ git add .gitignore

galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (main)
$ git commit -m "Actualizo para añadir .gitignore"
[main 7e6a1fe] Actualizo para añadir .gitignore
1 file changed, 5 insertions(+)
create mode 100644 .gitignore
```

Subo a la carpeta de GitHub

```
an@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24
in)
$ git push origin
Enter passphrase for key '/c/Users/galan/.ssh/id_ed25519':
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 16 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (11/11), 660.37 KiB | 4.79 MiB/s, done.
Total 11 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To github.com:FranciscoJavierGalanAlba/Galan_FranciscoJavier_nov24.git
* [new branch] main -> main
            [new branch]
                                                                      main -> main
```

Creación de una rama secundaria:

```
DavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24
 git branch FranciscoJavierGalanAlba
alan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (ma
$ git checkout FranciscoJavierGalanAlba
Switched to branch 'FranciscoJavierGalanAlba'
alan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (Fi
nciscoJavierGalanAlba)
$ code src/index.html
```

Utilizo git status

```
galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (Fr
anciscoJavierGalanAlba)
$ git status
On branch FranciscoJavierGalanAlba
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git restore <file>..." to discard changes in working directory)

modified: src/index.html
no changes added to commit (use "git add" and/or "git commit -a")
```

Utilizo add + commit + push

```
c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24/
 anciscoJavierGalanAlba)
 $ git add src/index.html
  galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (F
 anciscoJavierGalanAlba)
$ git commit -m "Actulizo archivo index.html del punto 5"
[FranciscoJavierGalanAlba 3486ffa] Actulizo archivo index.html del punto 5
  1 file changed, 11 insertions(+)
  galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (F
 anciscoJavierGalanAlba)
anciscoJavierGalanAlba)
$ git push origin FranciscoJavierGalanAlba
Enter passphrase for key '/c/Users/galan/.ssh/id_ed25519':
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 850 bytes | 850.00 KiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
 remote:
 remote: Create a pull request for 'FranciscoJavierGalanAlba' on GitHub by visiting:
remote: https://github.com/FranciscoJavierGalanAlba/Galan_FranciscoJavier_nov24/pull/ne
w/FranciscoJavierGalanAlba
  emote:
  To github.com:FranciscoJavierGalanAlba/Galan_FranciscoJavier_nov24.git
                                       FranciscoJavierGalanAlba -> FranciscoJavierGalanAlba
```

6. Une la rama secundaria con la rama main:

```
galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (FranciscoJavierGalanAlba)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (main)
$ git merge FranciscoJavierGalanAlba
Updating 7e6alfe..3486ffa
Fast-forward
src/index.html | 11 ++++++++++
1 file changed, 11 insertions(+)

galan@JavierGalba MINGW64 /c/DAM/0102_ED/ExamenPractico24nov/Galan_FranciscoJavier_nov24 (main)
$ git push origin main |
```