Définition des chemins d'accès au WebService - DaDaKar

1 Chemins de base :

1. findAll:

http://{server.address}:{server.port}/dadakar/{entity.name}s/

2. findById:

http://{server.address}:{server.port}/dadakar/{entity.name}s/{id}

3. save:

http://{server.address}:{server.port}/dadakar/{entity.name}s/save

4. update:

http://{server.address}:{server.port}/dadakar/{entity.name}s/update

5. delete:

http://{server.address}:{server.port}/dadakar/{entity.name}s/del/{id}

2 Chemins spécifiques à Account :

1. findByUsername:

http://{server.address}:{server.port}/dadakar/accounts/username:{username}

2. findUsers:

http://{server.address}:{server.port}/dadakar/accounts/users

3. findAdmins:

http://{server.address}:{server.port}/dadakar/accounts/admins

4. findSuperUsers:

http://{server.address}:{server.port}/dadakar/accounts/superusers

5. findAdminsAndSuperUsers:

http://{server.address}:{server.port}/dadakar/accounts/adminandsuperusers

6. findBanned:

http://{server.address}:{server.port}/dadakar/accounts/banned

7. findNotBanned:

http://{server.address}:{server.port}/dadakar/accounts/notbanned

8. findDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted

9. findUsersDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted:users

10. findAdminDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted:admins

11. findNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted

12. findUsersNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted:users

13. findAdminNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted:admins

3 Chemins spécifiques à Address :

1. findByTown:

http://{server.address}:{server.port}/dadakar/addresses/town:{town}

2. findByTownAndDistrict:

http://{server.address}:{server.port}/dadakar/addresses/town:{town}/district:{district}

4 Chemins spécifiques à Passenger :

1. findByUserId:

http://{server.address}:{server.port}/dadakar/passengers/user:{id}

5 Chemins spécifiques à RunPrice :

1. findByPower:

http://{server.address}:{server.port}/dadakar/runprices/power:{power}

6 Chemins spécifiques à Run :

1. FindByDriverId:

http://{server.address}:{server.port}/dadakar/runs/driver:{id}

2. findNotCancelledByDriverId:

http://{server.address}:{server.port}/dadakar/runs/driver:{id}/notcancelled

3. findByPassengerId:

http://{server.address}:{server.port}/dadakar/runs/passenger:{id}

4. findNotCancelledByPassengerId:

http://{server.address}:{server.port}/dadakar/runs/passenger:{id}/notcancelled

5. findByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}

6. findNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/notcancelled

7. findCurrentByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/current

8. findCurrentNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/current/notcancelled

9. findPassedByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed

10. findPassedNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed/notcancelled

11. findRuns:

http://{server.address}:{server.port}/dadakar/runs/searchrun

7 Chemins spécifiques à Transaction :

1. findByTransactionNumber:

http://{server.address}:{server:port}/dadakar/transactions/txnumber:{txnumber}

2. findByTransactionDate:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}

3. findBySenderId:

http://{server.address}:{server:port}/dadakar/transactions/sid:{sid}

4. findByReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/rid:{rid}

5. findByState:

http://{server.address}:{server:port}/dadakar/transactions/state:{state}

6. findByTransactionDateAndSenderId:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}/sid:{sid}

7. findByTransactionDateAndReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}/rid:{rid}

8. findBySenderIdAndReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/sid:{sid}/rid:{rid}

9. findByTransactionDateAndState:

 $http://\{server.address\}: \{server:port\}/dadakar/transactions/txdate: \{txdate\}/state: \{state\}$

8 Chemins spécifiques à User :

1. findByLastName:

http://{server.address}:{server.port}/dadakar/users/name:{name}

2. findByAccountUsername:

http://{server.address}:{server.port}/dadakar/users/username:{username}

9 Chemins spécifiques à Message :

1. findByHoroLessThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/lte:{end}

2. findByHoroGreaterThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/gte:{start}

3. findByHoroBetween:

http://{server.address}:{server.port}/dadakar/msgs/gte:{start}/lte:{end}

4. findBySenderId:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}

5. findBySenderIdAndHoroLessThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/lte:{end}

6. findBySenderIdAndHoroGreaterThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/gte:{start}

7. findBySenderIdAndHoroBetween:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/gte:{start}/lte:{end}

8. findByReceiverId:

http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}

9. findByReceiverIdAndHoroLessThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/lte:{end}

10. findByReceiverIdAndHoroGreaterThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/gte:{start}

11. findByReceiverIdAndHoroBetween:

http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/gte:{start}/lte:{end}

12. findBySenderIdAndReceiverId:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}

 $13.\ find By Sender Id And Receiver Id And Horo Less Than Equal:$

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}/lte:{end}

14. findBySenderIdAndReceiverIdAndHoroGreaterThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}/gte:{start}

15. findBySenderIdAndReceiverIdAndHoroBetween:

 $http://\{server.address\}: \{server.port\}/dadakar/msgs/sid: \{sid\}/rid: \{rid\}/gte: \{start\}/lte: \{end\}$

10 Chemins spécifiques au stockage des images :

(les chemins de base ne sont pas utilisés)

1. store:

http://{server.address}:{server:port}/dadakar/img/upload

2. getImageAsResource:

http://{server.address}:{server:port}/dadakar/img/{id}

3. getImageByFilename:

http://{server.address}:{server:port}/dadakar/img/name:{filename:.+}

4. getAllImages:

http://{server.address}:{server:port}/dadakar/img

11 Chemins spécifiques à la securité :

1. Authenticate:

http://{server.address}:{server.port}/authenticate

2. authorize:

http://{server.address}:{server.port}/login

3. getDetails:

http://{server.address}:{server.port}/details/{username}

4. signup:

http://{server.address}:{server.port}/signup