<<Interface>>

IAccountWebService

- + add(AccountDTO): AccountDTO
- + update(AccountDTO): AccountDTO
- + delete(AccountDTO): void
- + findAll(void): ResponseEntity<List<AccountDTO>>>
- + findByld(String): AccountDTO
- + findByUsername(String): AccountDTO
- + findUsers(void): ResponseEntity<List<AccountDTO>
- + findAdmins(void): ResponseEntity<List<AccountDTO>>
- + findSuperUsers(void): ResponseEntity<List<AccountDTO>>>
- + findAdminsAndSuperUsers(void): ResponseEntity<List<AccountDTO>>>
- + findBanned(void): ResponseEntity<List<AccountDTO>>
- + findNotBanned(void): ResponseEntity<List<AccountDTO>>
- + findDeleted(void): ResponseEntity<List<AccountDTO>>
- + findUsersDeleted(void): ResponseEntity<List<AccountDTO>>>
- + findAdminsDeleted(void): ResponseEntity<List<AccountDTO>>>
- + findNotDeleted(void): ResponseEntity<List<AccountDTO>>>
- + findUsersNotDeleted(void): ResponseEntity<List<AccountDTO>>
- + findAdminsNotDeleted(void): ResponseEntity<List<AccountDTO>>



AccountWebService

accountService: IAccountService

<<Interface>>

IUserWebService

- + add(UserDTO): UserDTO
- + update(UserDTO): UserDTO
- + delete(UserDTO): void
- + findAll(void): ResponseEntity<List<UserDTO>>>
- + findByld(String): UserDTO
- + findByLastName(String): ResponseEntity<List<UserDTO>>>
- + findByAccountUsername(AccountDTO): UserDTO



UserWebService

- userService: IUserService

<<Interface>>

IRatingWebService

- + add(RatingDTO): RatingDTO
- + update(RatingDTO): RatingDTO
- + delete(RatingDTO): void
- + findAll(void): ResponseEntity<List<RatingDTO>>
- + findByld(String): RatingDTO



RatingWebService

- ratingService: IRatingService

<<Interface>>

IVehicleWebService

- + add(VehicleDTO): VehicleDTO
- + update(VehicleDTO): VehicleDTO
- + delete(VehicleDTO): void
- + findAll(void): ResponseEntity<List<VehicleDTO>>
- + findByld(String): VehicleDTO



VehicleWebService

- vehicleService: IVehicleService

 $\hbox{-} image Storage Repository: II mage Storage Repository \\$

<<Interface>> **IRunService**

- + addOrUpdate(RunDTO): RunDTO
- + delete(RunDTO): void
- + findAll(void): List<RunDTO>
- + findByld(String): RunDTO
- + findByDriver(UserDTO): List<RunDTO>
- + findNotCancelledByDriver(UserDTO): List<RunDTO>
- + findByPassenger(UserDTO): List<RunDTO>
- + findNotCancelledByPassenger(UserDTO): List<RunDTO>
- + findByUser(UserDTO): List<RunDTO>
- + findNotCancelledByUser(UserDTO): List<RunDTO>
- + findCurrentByUser(UserDTO): List<RunDTO>
- + findCurrentNotCancelledByUser(UserDTO): List<RunDTO>
- + findPassedByUser(UserDTO): List<RunDTO>
- + findPassedNotCancelledBvUser(UserDTO): List<RunDTO>
- + find(String, String, Date, String, String): List<RunDTO>

RunService

- runRepository: RunRepository

<<Interface>>

<<Interface>>

ISubRunService

+ addOrUpdate(SubRunDTO): SubRunDTO

SubRunService

- subRunRepository: SubRunRepository

+ delete(SubRunDTO): void

+ findAll(void): List<SubRunDTO>

+ findByld(String): SubRunDTO

IPassengerService

- + addOrUpdate(PassengerDTO): PassengerDTO
- + delete(PassengerDTO): void
- + findAll(void): List<PassengerDTO>
- + findById(String): PassengerDTO
- + findByUser(UserDTO): PassengerDTO

<<Interface>> **IWayPointService**

- + addOrUpdate(WayPointDTO): WayPointDTO
- + delete(WayPointDTO): void
- + findAll(void): List<WayPointDTO>
- + findByld(String): WayPointDTO
- + findByDistrict(String): List<WayPointDTO> + findByTown(String):: List<WayPointDTO>
- + findByPostCode(String): List<WayPointDTO>

WayPointService

- wayPointRepository: WayPointRepository

PassengerService

- PassengerRepository: PassengerRepository

<<Interface>> **ITollService**

- + addOrUpdate(TollDTO): TollDTO
- + delete(TolIDTO): void
- + findAll(void): List<TollDTO>
- + findByld(String): TolIDTO

TollService

- tollRepository: TollRepository

<<Interface>> **IRunPriceService**

- + addOrUpdate(RunPriceDTO): RunPriceDTO
- + delete(RunPriceDTO): void
- + findAll(void): List<RunPriceDTO>
- + findByld(String): RunPriceDTO
- + findByPower(int): RunPriceDTO



runPriceRepository: RunPriceRepository

<<Interface>>

ITransactionService

- + addOrUpdate(TransactionDTO): TransactionDTO + delete(TransactionDTO): void
- + findAll(void): List<TransactionDTO>
- + findByld(int): TransactionDTO
- + findByReceiver(int): TransactionDTO
 + findByReceiver(int): List<TransactionDTO>
 + findByReceiver(int): List<TransactionDTO>
 + findByReceiver(int): List<TransactionDTO>
 + findByReceiver(int): List<TransactionDTO>
 findByReceiver(int): List<TransactionDTO>

- + findByTransactionDateAndSenderId(DateTime, String): List<TransactionDTO> + findByTransactionDateAndReceiverId(DateTime, String): List<TransactionDTO> + findBySenderIdAndReceiverId(String, String): List<TransactionDTO>
- + findByTransactionDateAndState(DateTime, TxState): List<TransactionDTO>

TransactionService

- transactionRepository: TransactionRepository