<<Interface>> **IAccountService**

- + addOrUpdate(AccountDTO): AccountDTO
- + delete(String id): void
- + findAll(void): List<AccountDTO>
- + findByld(String): AccountDTO
- + findByUsername(String): AccountDTO
- + findByRole(String): List<AccountDTO>
- + findBanned(void): List<AccountDTO>
- + findDeleted(void): List<AccountDTO>

AccountService

- accountRepository: AccountRepository

<<Interface>>

IVehicleService

- + addOrUpdate(VehicleDTO): VehicleDTO
- + delete(String): void
- + findAll(void): List<VehicleDTO>
- + findByld(String): VehicleDTO

VehicleService

- vehicleRepository: VehicleRepository

<<Interface>> **IUserService**

- + addOrUpdate(UserDTO): UserDTO
- + delete(String): void
- + findAll(void): List<UserDTO>
- + findByld(String): UserDTO
- + findByLastName(String): List<UserDTO>
- + findByAccount(AccountDTO): UserDTO
- + findByAccountUsername(String): UserDTO



UserService

- userRepository: UserRepository

<<Interface>> **IRatingService**

- + addOrUpdate(RatingDTO): RatingDTO
- + delete(String): void
- + findAll(void): List<RatingDTO>
- + findById(String): RatingDTO



RatingService

- ratingRepository: RatingRepository

dadakar-back-img

<<Interface>>

IlmageStorageService

- + store(InputStream, String, String, DBObject): String
- + getById(String): GridFSDBFile
- +getByFilename(String): GridFSDBFile
- + findAll(void): List<GridFSDBFile>



ImageStorageService

- imageStorageRepository: IImageStorageRepository

<<Interface>> IMessageService

- + addOrUpdate(MessageDTO): MessageDTO
- + delete(String): void
- + findAll(void): List<MessageDTO>
- + findByld(String): MessageDTO
- + findByHoroLessThanEqual(LocalDateTime): List<MessageDTO>
- + findByHoroGreaterThanEqual(LocalDateTime): List<MessageDTO>
- + findByHoroBetween(LocalDateTime, LocalDateTime): List<MessageDTO>
- + findBySenderId(String): List<MessageDTO>
- + findBySenderIdAndHoroLessThanEqual(String, LocalDateTime): List<MessageDTO>
- + findBySenderIdAndHoroGreaterThanEqual(String, LocalDateTime): List<MessageDTO>
- + findBySenderIdAndHoroBetween(String, LocalDateTime, LocalDateTime): List<MessageDTO>
- + findByReceiverId(String): List<MessageDTO>
- + findByReceiverIdAndHoroLessThanEqual(String, LocalDateTime): List<MessageDTO>
- + findByReceiverIdAndHoroGreaterThanEqual(String, LocalDateTime): List<MessageDTO>
- + findByReceiverIdAndHoroBetween(String, LocalDateTime, LocalDateTime): List<MessageDTO>
- + findBySenderIdAndReceiverId(String, String): List<MessageDTO>
- + findBySenderIdAndReceiverIdAndHoroLessThanEqual(String, String, LocalDateTime): List<MessageDTO>
- + findBySenderIdAndReceiverIdAndHoroGreaterThanEqual(String, String, LocalDateTime): List<MessageDTO>
- + findBySenderIdAndReceiverIdAndHoroBetween(String, String, LocalDateTime, LocalDateTime): List<MessageDTO>



MessageService

- messageRepository: MessageRepository

dadakar-back-transaction

<<Interface>>

ITransactionService

- + addOrUpdate(TransactionDTO): TransactionDTO
- + delete(String): void
- + findAll(void): List<TransactionDTO>
- + findById(int): TransactionDTO
- + findByTransactionNumber(String): TransactionDTO
- + findByTransactionDate(DateTime): List<TransactionDTO>
- + findBySenderId(int): LIst<TransactionDTO>
- + findByReceiver(int): List<TransactionDTO>
- + findByState(TxSTate): List<TransactionDTO>
- + findByTransactionDateAndSenderId(DateTime, String): List<TransactionDTO>
- + findByTransactionDateAndReceiverId(DateTime, String): List<TransactionDTO>
- + findBySenderIdAndReceiverId(String, String): List<TransactionDTO>
- + findByTransactionDateAndState(DateTime, TxState): List<TransactionDTO>

v

TransactionService

- transactionRepository: TransactionRepository

<<Interface>> **IRunService**

- + addOrUpdate(RunDTO): RunDTO
- + delete(String): void
- + findAll(void): List<RunDTO>
- + findByld(String): RunDTO
- + findByDriverId(String): List<RunDTO>
- + findNotCancelledByDriverId(String): List<RunDTO>
- + findByPassengerId(String): List<RunDTO>
- + findNotCancelledByPassengerId(String): List<RunDTO>
- + findByUserId(String): List<RunDTO>
- + findNotCancelledByUserId(String): List<RunDTO>
- + findCurrentByUserId(String): List<RunDTO>
- + findCurrentNotCancelledByUserId(String): List<RunDTO>
- + findPassedByUserId(String): List<RunDTO>
- + findPassedNotCancelledByUserId(String): List<RunDTO>
- + find(String, String, Date, String, String): List<RunDTO>



RunService

- runRepository: RunRepository

<<Interface>> **IWayPointService**

- + addOrUpdate(WayPointDTO): WayPointDTO + delete(String): void
- + findAll(void): List<WayPointDTO>
- + findById(String): WayPointDTO



WayPointService

- wayPointRepository: WayPointRepository

<<Interface>>

IAddressService

- + addOrUpdate(AddressDTO): AddressDTO
- + delete(String): void
- + findAll(void): List<AddressDTO>
- + findByld(String): AddressDTO
- + findBvTown(String): List<AddressDTO>
- + findByTownAndDistrict(String, String): AddressDTO



AddressService

- addressRepository: AddressRepository

<<Interface>> **ISubRunService**

- + addOrUpdate(SubRunDTO): SubRunDTO
- + delete(String): void
- + findAll(void): List<SubRunDTO>
- + findByld(String): SubRunDTO

SubRunService

- subRunRepository: SubRunRepository

<<Interface>> **ITollService**

- + addOrUpdate(TollDTO): TollDTO
- + delete(String): void
- + findAll(void): List<TollDTO>
- + findByld(String): TolIDTO

TollService

- tollRepository: TollRepository

<<Interface>>

IPassengerService

- + addOrUpdate(PassengerDTO): PassengerDTO
- + delete(String): void
- + findAll(void): List<PassengerDTO>
- + findByld(String): PassengerDTO
- + findByUserId(String): PassengerDTO



PassengerService

- PassengerRepository: PassengerRepository

<<Interface>> **IRunPriceService**

- + addOrUpdate(RunPriceDTO): RunPriceDTO
- + delete(String): void
- + findAll(void): List<RunPriceDTO>
- + findByld(String): RunPriceDTO
- + findByPower(int): RunPriceDTO



RunPriceService

- runPriceRepository: RunPriceRepository