

- + findByDriverIdAndSubRunsPassengersReservationStateNotIn(String, List<ResState>): List<Run>
- + findBvSubRunsExists(SubRun): List<Run>
- + findBySubRunsPassengersUserId(String): List<Run>
- + findBySubRunsPassengersUserIdAndSubRunsPassengersReservationStateNotIn(String, List<ResState>); List<Run>
- + findByDriverIdOrSubRunsPassengersUserId(String, String): List<Run>
- + findByDriverIdOrSubRunsPassengersUserIdAndSubRunsPassengersReservationStateNotIn(String, String, List<ResState>) : List<Run>
- + findByDriverIdOrSubRunsPassengersUserIdAndSubRunsEstimatedEndDateGreaterThanEqualAndSubRunsEstimatedEndTime GreaterThan(String, String, LocalDate, LocalTime): List<Run>
- + findByDriverIdOrSubRunsPassengersUserIdAndSubRunsPassengersReservationStateNotInAndSubRunsEstimatedEndDate GreaterThanEqualAndSubRunsEstimatedEndTimeGreaterThan(String, List<ResState>, LocalDate, LocalTime): List<Run>
- + findByDriverIdOrSubRunsPassengersUserIdAndSubRunsEstimatedEndDateLessThan(String, String, LocalDate): List<Run>
- + findByDriverIdOrSubRunsPassengersUserIdAndSubRunsPassengersReservationStateNotInAndSubRunsEstimatedEndDate LessThan(String, String, List<ResState>, LocalDate): List<Run>
- + findBySubRunsStartingPointsDistrictAndSubRunsStartingPointsTownAndSubRunsStartDateAndSubRunsEndPlaceDistrict AndSubRunsEndPlaceTownAndSubRunsAvailableSeatsGreaterThan(String, String, LocalDate, String, String, int): List<Run>

