Définition des chemins d'accès au WebService - DaDaKar

1 Chemins de base :

```
1. findAll:
```

http://{server.address}:{server.port}/dadakar/{entity.name}s/

2. findById:

http://{server.address}:{server.port}/dadakar/{entity.name}s/{id}

3. save:

http://{server.address}:{server.port}/dadakar/{entity.name}s/save

4. update:

http://{server.address}:{server.port}/dadakar/{entity.name}s/update

5. delete:

http://{server.address}:{server.port}/dadakar/{entity.name}s/del/{id}

2 Chemins spécifiques à la securité :

6. Authenticate:

http://{server.address}:{server.port}/authenticate

7. authorize:

http://{server.address}:{server.port}/login

8. getDetails:

http://{server.address}:{server.port}/details/{username}

9. signup:

http://{server.address}:{server.port}/signup

3 Chemins spécifiques à Account :

1. findByUsername:

http://{server.address}:{server.port}/dadakar/accounts/username:{username}

2. findUsers:

http://{server.address}:{server.port}/dadakar/accounts/users

3. findAdmins:

http://{server.address}:{server.port}/dadakar/accounts/admins

4. findSuperUsers:

http://{server.address}:{server.port}/dadakar/accounts/superusers

5. findAdminsAndSuperUsers:

http://{server.address}:{server.port}/dadakar/accounts/adminandsuperusers

6. findBanned

http://{server.address}:{server.port}/dadakar/accounts/banned

7. findNotBanned:

http://{server.address}:{server.port}/dadakar/accounts/notbanned

8. findDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted

9. findUsersDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted:users

10. findAdminDeleted:

http://{server.address}:{server.port}/dadakar/accounts/deleted:admins

11. findNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted

12. findUsersNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted:users

13. findAdminNotDeleted:

http://{server.address}:{server.port}/dadakar/accounts/notdeleted:admins

4 Chemins spécifiques à Address :

1. findByTown:

http://{server.address}:{server.port}/dadakar/addresses/town:{town}

2. findByTownAndDistrict:

5 Chemins spécifiques à RunPrice :

1. findByPower:

http://{server.address}:{server.port}/dadakar/runprices/power:{power}

6 Chemins spécifiques à Run :

1. FindByDriverId:

http://{server.address}:{server.port}/dadakar/runs/driver:{id}

2. findNotCancelledByDriverId:

http://{server.address}:{server.port}/dadakar/runs/driver:{id}/notcancelled

3. findByPassengerId:

http://{server.address}:{server.port}/dadakar/runs/passenger:{id}

4. findNotCancelledByPassengerId:

http://{server.address}:{server.port}/dadakar/runs/passenger:{id}/notcancelled

5. findByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}

6. findNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/notcancelled

7. findCurrentByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/current

8. findCurrentNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/current/notcancelled

9. findPassedByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed

10. findPassedNotCancelledByUserId:

http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed/notcancelled

11. findRuns:

http://{server.address}:{server.port}/dadakar/runs/searchrun

7 Chemins spécifiques à Transaction :

1. findByTransactionNumber:

http://{server.address}:{server:port}/dadakar/transactions/txnumber:{txnumber}

2. findByTransactionDate:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}

3. findBySenderId:

http://{server.address}:{server:port}/dadakar/transactions/sid:{sid}

4. findByReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/rid:{rid}

5. findByState:

http://{server.address}:{server:port}/dadakar/transactions/state:{state}

6. findByTransactionDateAndSenderId:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}/sid:{sid}

7. findByTransactionDateAndReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/txdate:{txdate}/rid:{rid}

8. findBySenderIdAndReceiverId:

http://{server.address}:{server:port}/dadakar/transactions/sid:{sid}/rid:{rid}

9. findByTransactionDateAndState:

 $http: \! /\! \{server.address\} : \{server:port\} / dadakar / transactions / txdate: \{txdate\} / state\}$

8 Chemins spécifiques à User :

1. findByLastName:

http://{server.address}:{server.port}/dadakar/users/name:{name}

2. findByAccountId:

http://{server.address}:{server.port}/dadakar/users/accountid:{accountid}

9 Chemins spécifiques à Message :

1. findByHoroLessThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/lte:{end}

2. findByHoroGreaterThanEqual:

http://{server.address}:{server.port}/dadakar/msgs/gte:{start}

3. findByHoroBetween:

```
http://{server.address}:{server.port}/dadakar/msgs/gte:{start}/lte:{end}
4. findBySenderId:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}
5. findBySenderIdAndHoroLessThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/lte:{end}
6. findBySenderIdAndHoroGreaterThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/gte:{start}
7. findBySenderIdAndHoroBetween:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/gte:{start}/lte:{end}
8. findByReceiverId:
          http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}
9. findByReceiverIdAndHoroLessThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/lte:{end}
10. findByReceiverIdAndHoroGreaterThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/gte:{start}
11. findByReceiverIdAndHoroBetween:
          http://{server.address}:{server.port}/dadakar/msgs/rid:{rid}/gte:{start}/lte:{end}
12. findBySenderIdAndReceiverId:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}
13. findBySenderIdAndReceiverIdAndHoroLessThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}/lte:{end}
14. findBySenderIdAndReceiverIdAndHoroGreaterThanEqual:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}/gte:{start}
15. findBySenderIdAndReceiverIdAndHoroBetween:
          http://{server.address}:{server.port}/dadakar/msgs/sid:{sid}/rid:{rid}/gte:{start}/lte:
    {end}
  Chemins spécifiques au stockage des images :
  (les chemins de base ne sont pas utilisés)
1. store:
          http://{server.address}:{server:port}/dadakar/img/upload
2. getImageAsResource:
          http://{server.address}:{server:port}/dadakar/img/{id}
3. getImageByFilename:
          http://{server.address}:{server:port}/dadakar/img/name:{filename:.+}
4. getAllImages:
          http://{server.address}:{server:port}/dadakar/img
```