

Définition des chemins d'accès au Webservice – DaDaKar

1 Chemins de base :

1. findAll :
http://{server.address}:{server.port}/dadakar/{entity.name}s/
2. findById :
http://{server.address}:{server.port}/dadakar/{entity.name}s/{id}
3. save :
http://{server.address}:{server.port}/dadakar/{entity.name}s/save
4. update :
http://{server.address}:{server.port}/dadakar/{entity.name}s/update
5. delete :
http://{server.address}:{server.port}/dadakar/{entity.name}s/del/{id}

2 Chemins spécifiques à Account :

1. findByUsername :
http://{server.address}:{server.port}/dadakar/accounts/username:{username}
2. findUsers :
http://{server.address}:{server.port}/dadakar/accounts/users
3. findAdmins :
http://{server.address}:{server.port}/dadakar/accounts/admins
4. findSuperUsers :
http://{server.address}:{server.port}/dadakar/accounts/superusers
5. findAdminsAndSuperUsers :
http://{server.address}:{server.port}/dadakar/accounts/adminandsuperusers
6. findBanned :
http://{server.address}:{server.port}/dadakar/accounts/banned
7. findNotBanned :
http://{server.address}:{server.port}/dadakar/accounts/notbanned
8. findDeleted :
http://{server.address}:{server.port}/dadakar/accounts/deleted
9. findUsersDeleted :
http://{server.address}:{server.port}/dadakar/accounts/deleted:users
10. findAdminDeleted :
http://{server.address}:{server.port}/dadakar/accounts/deleted:admins
11. findNotDeleted :
http://{server.address}:{server.port}/dadakar/accounts/notdeleted
12. findUsersNotDeleted :
http://{server.address}:{server.port}/dadakar/accounts/notdeleted:users
13. findAdminNotDeleted :
http://{server.address}:{server.port}/dadakar/accounts/notdeleted:admins

3 Chemins spécifiques à Address :

1. findByTown :
http://{server.address}:{server.port}/dadakar/addresses/town:{town}
2. findByTownAndDistrict :
http://{server.address}:{server.port}/dadakar/addresses/town:{town}/district:{district}

4 Chemins spécifiques à Passenger :

1. findByUserId :
http://{server.address}:{server.port}/dadakar/passengers/user:{id}

5 Chemins spécifiques à RunPrice :

1. findByPower :
http://{server.address}:{server.port}/dadakar/runprices/power:{power}

6 Chemins spécifiques à Run :

1. FindByDriverId :
http://{server.address}:{server.port}/dadakar/runs/driver:{id}
2. findNotCancelledByDriverId :
http://{server.address}:{server.port}/dadakar/runs/driver:{id}/notcancelled
3. findByPassengerId :
http://{server.address}:{server.port}/dadakar/runs/passenger:{id}
4. findNotCancelledByPassengerId :
http://{server.address}:{server.port}/dadakar/runs/passenger:{id}/notcancelled
5. findByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}
6. findNotCancelledByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}/notcancelled
7. findCurrentByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}/current
8. findCurrentNotCancelledByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}/current/notcancelled
9. findPassedByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed
10. findPassedNotCancelledByUserId :
http://{server.address}:{server.port}/dadakar/runs/user:{id}/passed/notcancelled
11. findRuns :
http://{server.address}:{server.port}/dadakar/runs/searchrun

7 Chemins spécifiques à Transaction :

1. findByTransactionNumber :
http://{server.address}:{server.port}/dadakar/transaction/txnumber:{txnumber}
2. findByTransactionDate :
http://{server.address}:{server.port}/dadakar/transaction/txdate:{txdate}
3. findBySenderId :
http://{server.address}:{server.port}/dadakar/transaction/sid:{sid}
4. findByReceiverId :
http://{server.address}:{server.port}/dadakar/transaction/rid:{rid}
5. findByState :
http://{server.address}:{server.port}/dadakar/transaction/state:{state}
6. findByTransactionDateAndSenderId :
http://{server.address}:{server.port}/dadakar/transaction/txdate:{txdate}/sid:{sid}
7. findByTransactionDateAndReceiverId :
http://{server.address}:{server.port}/dadakar/transaction/txdate:{txdate}/rid:{rid}
8. findBySenderIdAndReceiverId :
http://{server.address}:{server.port}/dadakar/transaction/sid:{sid}/rid:{rid}
9. findByTransactionDateAndState :
http://{server.address}:{server.port}/dadakar/transaction/txdate:{txdate}/state:{state}

8 Chemins spécifiques à User :

1. findByLastName :
http://{server.address}:{server.port}/dadakar/users/name:{name}
2. findByAccountUsername :
http://{server.address}:{server.port}/dadakar/users/username:{username}

9 Chemins spécifiques au stockage des images : *(les chemins de base ne sont pas utilisés)*

1. store :
http://{server.address}:{server.port}/dadakar/img/upload
2. getImageAsResource :
http://{server.address}:{server.port}/dadakar/img/{id}
3. getImageByFilename :
http://{server.address}:{server.port}/dadakar/img/name:{filename:.+}
4. getAllImages :
http://{server.address}:{server.port}/dadakar/img