

- TileBrush, 371
- TileMode property, 362, 396
- TileView class
 - adding set of properties to, 722
 - BasedOn property, 719
 - changes to, after selecting TileView style, 719
 - ComponentResourceKey, 718
 - ItemTemplate property, 717
 - markup for TileView style, 719
 - retrieving default styles using generic.xaml, 718
 - TargetType property, 719
 - TileView style, 717
 - TileViewItem style, 717
- Time data types, data binding format string, 647
- Timeline class
 - AccelerationRatio property, 438
 - BeginTime property, 445
 - DecelerationRatio property, 438, 462
 - DesiredFrameRate attached property, 461
 - RepeatBehavior property, 438
 - SpeedRatio property, 445
 - table of properties, 437
- TimelineGroup class, 437
- timer code, animation programming, 493
- timer-based animation, 424
- Timestamp property, 137
- TimeTracker class, 487
- Title property
 - JumpTask class, 772, 782
 - Page class, 795
 - Window class, 753
- To property, 430, 432, 577
- To transitions, 577
- ToggleButton class, 178–179
- ToggleButton element, FlipPanel control, 574, 581
- ToggleButton states, FlipPanel control, 573
- ToList() method, 618
- ToolBar class, 847–849
- ToolBarOverflowPanel, 65
- ToolBarPanel, 65
- ToolBarTray class, 850
- ToolTip class, 180
- ToolTip control, 171
- ToolTip property, 180, 185, 939
- ToolTipDescription property,
 - RibbonCommand class, 856
- ToolTipFooterDescription property,
 - RibbonCommand class, 856
- ToolTipFooterImageSource property,
 - RibbonCommand class, 856
- ToolTipFooterTitle property, RibbonCommand class, 856
- ToolTipImageSource property,
 - RibbonCommand class, 856
- Tooltips control
 - configuring ToolTip-related settings, 181
 - CustomPopupPlacementCallback property, 183
 - inability of ToolTip window to accept focus, 181
 - options for placing tooltip, 183
 - Placement property, 183
 - PlacementTarget property, 183
 - ToolTip class, 180
 - ToolTip properties, table of, 181
 - ToolTipService class, 184
- ToolTipService class, 184
- ToolTipTitle property, RibbonCommand class, 856
- Top property
 - Canvas class, 488, 492
 - Window class, 752
- top-level elements in XAML, 28
- ToString() method, 139, 171, 173, 203, 207, 611, 732
- total-fit algorithm, 959
- TouchDown event, 150
- TouchEnter event, 151
- TouchLeave event, 151
- TouchMove event, 150
- TouchUp event, 151
- ToXml() method, 887
- Track class, 534, 536
- trackball, virtual, 923–925
- TrackballDecorator class, 925
- Transform class, 365, 891
- Transform object, 993–994
- Transform property, 402
- Transform3D class, 891
- Transform3DGroup class, 919

TransformGroup class, 366

transforms

- animating element's visual appearance, 468
- animating multiple transforms, 471
- approaches for creating dynamic 3-D effects, 919
- assigning RenderTransform property to transform object, 367
- comparing RenderTransform and LayoutTransform, 369, 470
- creating databound Slider for rotating 3-D objects, 920
- creating document window that jumps into view, 471
- defining transform, 468
- definition of, 365
- deriving from Freezable, 366
- Expression Blend design tool, 472
- Frame element, 370
- LayoutTransform property, 369, 468
- manipulating 3-D objects using, 919
- Model3D class, 919
- Model3DGroup class, 919
- ModelVisual3D class, 919
- naming transform objects using x:Name attribute, 919
- nesting transforms inside TransformGroup, 471
- pixel shaders, 416
- RenderTransform property, 468
- RenderTransformOrigin property, 368
- RotateTransform, 468, 472
- RotateTransform class, 367
- RotateTransform3D, 920, 932
- rotating button on mouseover, 469
- ScaleTransform, 468, 472
- ScaleTransform3D, 919
- setting RenderTransform property of Border object, 472
- setting RenderTransformOrigin property, 469
- setting shape's center point, 368
- Transform3DGroup class, 919
- transforming any element, 369
- TranslateTransform, 468
- TranslateTransform3D class, 919

- use of matrix math to alter shape coordinates, 366

- WindowsFormsHost, 370

transitions, animations, 577

Transitions collection, 577

TranslateTransform class, 365, 468

TranslateTransform object, 521

TranslateTransform3D class, 919

transparency, 2, 370–372

TreeView control

- adding non-TreeViewItem elements to TreeView, 724
- adding placeholder under each drive node, 730
- applying data templates by data type instead of by position, 727
- constructing TreeViewItem objects programmatically, 724
- displaying CategoryName property of each Category object, 726
- displaying folders on hard drive using just-in-time TreeView, 730
- displaying non-UIElement object, 724
- filling TreeView with data, 725
- handling TreeViewItem.Expanded event, 730
- HierarchicalDataTemplate, 727
- implementing Category class and INotifyPropertyChanged, 725
- incorporating hierarchical data with nested structure, 725
- ItemsSource property, 727
- ItemTemplate property, 727
- just-in-time node creation, 729
- markup for basic TreeView, 724
- setting ItemsSource property, 725
- as specialized ItemsControl that hosts TreeViewItem objects, 724
- specifying right data templates for different levels of data, 725
- System.IO.DriveInfo class, 730
- System.IO.FileSystemWatcher, 731
- TreeViewItem objects, 724
- using name of DataRelation as ItemsSource, 728
- using TreeView to show multilayered DataSet, 728

- TreeViewItem, 730
- TriangleIndices property, 893–894, 905
- Trigger class, 321
- Trigger.EnterActions, 443
- Trigger.ExitActions, 443
- triggers
 - applying event triggers using
 - FrameworkElement.Triggers collection, 320
 - attaching simple trigger to dependency property, 321
 - automating simple style changes, 320
 - Conditions collection, 323
 - considering trigger order when modifying elements, 322
 - creating multiple triggers that apply to same element, 322
 - event triggers, 323
 - linking triggers to styles through
 - Style.Triggers collection, 320
 - performing animation when dependency property hits specific value, 324
 - returning to pre-trigger appearance of element, 321
 - setting sequential order for conflicting trigger settings, 519
 - setting Trigger.EnterActions and Trigger.ExitActions properties, 324
 - System.Windows.TriggerBase, classes deriving from, 320
 - TargetName property and, 507
 - using MultiTrigger, 323
 - waiting for button to get keyboard focus, 321
- Triggers collection, 442
- Triggers property, Style class, 313
- Trusted Publishers store, 826
- TryFindResource() method, 300
- TryParse() method, 649
- tunneling events, 124, 131
- type converters, 34–35
- TypeArguments attribute, 816
- TypeConverter attribute, 34
- TypeExtension, 38
- TypeNameAnimationBase class, 427
- Typography object, 941
- Typography property, 164

■ U

- UAC (User Account Control), 232
- UI virtualization, 619–620
- Uid attribute, adding to elements for localization, 242
- UIElement class, 13, 15, 121, 400
 - AddHandler() method, 289
 - Arrange() method, 994
 - IsMouseDownDirectlyOver property, 144
 - IsMouseOver property, 144
 - Label, 172
 - Measure() method, 994
 - OnRender() method, 591
 - TextBlock, 172
 - Visibility property, enumeration values, 103
- UIElement3D class, 927
- UIElement.AddHandler() method, 123
- UNC path, accessing installed ClickOnce application from, 1087
- Underline element, 949
- Undo command, 286
- Undo feature, 199
- UndoCommand.CanExecute() method, 557
- UndoCommand.Executed() method, 557
- Uniform Resource Identifiers (URIs), 237–238
- UniformGrid, 65, 93
- UnmanagedMemoryStream object, 236–237
- Unselected event, 206
- Update() method, 1068
- UpdateProduct() method, 607
- UpdateSourceTrigger property, 257, 259, 627
- UpperLatin value, MarkerStyle property, 944
- UpperRoman value, MarkerStyle property, 944
- URI format, 29
- URIs (Uniform Resource Identifiers), 237–238
- Use Windows XP Style DPI Scaling, 10–11
- User Account Control (UAC), 232
- user controls
 - adding command bindings, 555
 - adding command support to controls, 555
 - adding user control to custom control library project, 548
 - animation programming, 489
 - bomb-dropping game, 490–491
 - Color property, 548
 - ContentControl template, 558

- control consumer, 548
- control template, 558
- creating basic color picker, 547
- creating lookless control, 559
- creating new RoutedUICommand object for command, 555
- creating undo stack that stores series of values, 557
- defining and adding routed events, 551
- designing public interface, 548
- goal of, 559
- InitializeComponent() method, 558
- naming, 554
- property coercion callbacks, role of, 551
- UserControl class, 548, 558
- using binding expressions to repurpose core property, 553
- writable control properties as usually dependency properties, 548
- user interface
 - accommodating large monitors and high-resolution displays, 24
 - bitmap-based interfaces as resolution-dependent, 24
 - building localizable interfaces, 240
 - creating modular interfaces, 102
 - creating resolution-independent, size-independent interfaces in WPF, 62
 - handling localized text, 101
 - integrating video content into, 5
 - localizing FontFamily property, 241
 - migrating from Windows Forms to WPF, 1020
 - separating completely from code, 5
 - vector graphics and, 12
 - window as only holding single element, 62
- User32, 1, 13, 21
 - lack of support for graphical scaling, 7
 - windowing model, 334
 - WPF and, 2
- UserControl class, 171, 548
 - Binding.RelativeSource property, 554
 - Border element, 558
 - changing source of routed events, 558
 - ContentPresenter, 558–559
 - description of, 545

- differentiating user controls and custom controls, 558
- Focusable property, 558
- HorizontalAlignment property, 558
- InitializeComponent() method, 558
- IsTabStop property, 558
- Name property, 554
- Padding property, 553
- VerticalAlignment property, 558
- user-interface functionality, 325
- UserPageRangeEnabled property, 1012

■ V

- ValidateValueCallback, 109, 112, 114
- ValidatingType property, 1032
- validation
 - adding to Binding.ValidationRules collection, 627
 - AdornedElementPlaceholder, 630, 632
 - applying property validation carelessly, 623
 - applying when using TwoWay or OneWayToSource binding, 622
 - bubbling, 628
 - building validation directly into controls, 621
 - callbacks, 115
 - checking InnerException property of TargetInvocationException, 629
 - code example for disallowing negative numbers, 622
 - contents of ValidationError object, 628
 - creating error templates, 630
 - DataErrorValidationRule, 624–625
 - DataGrid, 748
 - defining at binding level, 621
 - displaying error content in ToolTip, 631
 - ErrorContent property, 627–628
 - ExceptionValidationRule, 623, 627
 - FormHasErrors() method, 630
 - getting list of all outstanding errors, 629
 - handling Error event, 628
 - HasError property, 623
 - how WPF handles validation failures, 623
 - IsValid property, 627
 - item-level, 633
 - NotifyOnValidationError property, 623

- options for catching invalid values, 621
- raising errors in data object, 621–622
- reacting to validation errors, 628
- setting `NotifyOnValidationError` property, 628
- `TargetInvocationException`, 629
- using same validation rule for more than one binding, 627
- `Validation` class, 623
- validation rule for restricting decimal values, 626
- `ValidationError` object, 623
- `Validation.ErrorTemplate` property, 624
- `ValidationResult` object, 627
- `ValidationRules` collection, 623
- `ValidationRule.Validate()` method, 623
- visual indication of errors in bound controls, 624
 - writing custom validation rules, 626
- `Validation` class, 623
- `ValidationError` object, 623, 628
- `Validation.ErrorTemplate` property, 624
- `ValidationResult` object, 627
- `ValidationRules` collection, 623
- `ValidationRule.Validate()` method, 623
- validator controls, 566
- value converters, 675
 - applying conditional formatting, 653
 - `BitmapImage` class, 652
 - converting from display format back to number, 649
 - converting raw binary data into WPF `BitmapImage` object, 651
 - creating, 648
 - creating converter object in `Resources` collection, 650
 - creating objects with, 650
 - data triggers, 654
 - `Decimal.ToString()` method, 649
 - evaluating multiple properties, 654
 - format strings, 646
 - formatting strings, 648
 - `ImagePathConverter`, code example, 651
 - `MultiValueConveter` interface, 655
 - mapping project namespace to XML namespace prefix, 650
 - `Parse()` method, 649
 - `PriceConverter` class, 650
 - reusing formatting logic with other templates, 676
 - `SuppressExceptions` property, 652
 - `System.Globalization.NumberStyles` value, 649
 - `TryParse()` method, 649
 - uses for, 648
 - using custom `IValueConverter`, 653
- `Value` property, 207, 565
- `ValueChanged` event, 207
- vector graphics, designing interfaces with, 12
- `Vector3DAnimationUsingKeyFrames`, 478
- `VerifyAccess()` method, 1043
- vertex shaders, definition of, 4
- `VerticalAlignment` property, 67–68, 558
- `VerticalAnchor` property, `Figure` class, 955
- `VerticalContentAlignment` property, 173–174
- `VerticalGridlinesBrush` property, 733
- `VerticalOffset` property, 182, 185, 955
- `VerticalScrollBarVisibility` property, 189, 198, 733
- video cards, 3–4
- video, mapping to 3-D surface, 917
- `VideoDrawing` class, 393, 884
- `View` property, 696, 710
- `ViewBase` class, 710
- `Viewbox` class, 341–343
- `Viewport` property, hit testing in, 925–927
- `Viewport2DVisual3D` class, 930
- `Viewport3D` class, 898–899
- `Viewport3DVisual` class, 400
- `ViewportSize` property, 536
- `ViewportUnits` property, 361
- views
 - add-in, 1064
 - host, 1066
- `ViewToContractAdapter()` method, 1078
- virtual key state, 142
- virtual trackball, 923–925
- virtualization, 619–620, 742
- `VirtualizingStackPanel`, description of, 65
- `Visibility` property, 103, 141, 467, 736, 755, 787, 1029
- visual add-ins, 1076–1079
- `Visual Basic`, 24

- Visual class, 13, 15, 891
 - AddLogicalChild() method, 402
 - AddVisualChild() method, 402
 - ContainerVisual class, 400
 - defining graphical element as Visual object, 400
 - DrawingVisual class, 394, 400
 - overriding GetVisualChild(), 402
 - overriding VisualChildrenCount property, 402
 - UIElement class, 400
 - Viewport3DVisual class, 400
- visual layer model, 400
- visual states, 540–541, 568–582
 - choosing parts and states, 572–573
 - default control template
 - defining state animations, 575–576
 - defining state transitions, 576–578
 - flip button, 574
 - overview, 573–574
 - wiring up elements, 578–580
 - FlipPanel class, 569
 - FlipPanel control, 580–581
 - using different control template, 581–582
- Visual Studio, 5, 23, 235
 - adding resource dictionary, 522
 - Application class and, 217
 - App.xaml, 217, 527
 - automatically creating partial class for event handling code, 30
 - Automatically Increment Revision with Each Publish setting, 824
 - choosing Custom Control Library (WPF) project type, 544
 - creating PageFunction in, 816
 - creating XAML with, 26–27
 - format strings, 646
 - Main() method, creating, 217
 - and multitargeting, 19–20
 - and .NET client profile, 20
 - overview, 18–19
 - procedure for installing ClickOnce application, 1092–1093
 - publishing ClickOnce application to web server, 1081
 - setting Build Action to Resource, 166
 - Setup Project template, 1080
 - Solution Explorer, 217, 1022, 1026, 1035
 - two-stage compilation process for WPF applications, 53
 - updating ClickOnce application automatically, 1093
 - using Grid in, 82–83
 - using StackPanel in, 66
 - using XAML Browser Application template, 820
 - VS designer, 20–21
 - Windows Forms designer, 1022
 - wrapper class as component-specific, 1029
- visual tree
 - definition of, 501
 - examining programmatically, 504
 - expanding upon logical tree, 501
 - Snoop utility, 506
 - using with styles and templates, 503
 - VisualTreeDisplay window, code example, 505
 - VisualTreeHelper class, list of methods, 503
- Visual3D class, 429, 891
- VisualBrush class, 353
 - animating special effects, 364
 - animation possibilities of, 474
 - creating reflection effect using OpacityMask property, 373
 - filling surface with element's visual content, 363
 - markup for copying button's appearance, 363
 - markup for creating VisualBrush that loops video playback, 917
 - markup for painting text box with mirrored text, 373
- VisualChildrenCount property, 402–403
- visual-layer classes, 1002–1003
- visuals
 - drawing, 400–402
 - overview, 399–400
 - wrapping in element, 402–405
- VisualStateGroups element
 - creating state groups, 575
 - defining state groups, 575
 - Transitions collection, 577
- VisualStateManager element
 - adding to template, 575

- custom transitions, 578
- defining state groups, 575
- GoToState() method, 579
- VisualTransition element, 577–578
- VisualTreeHelper class
 - drilling down through visual tree of window, 503
 - GetChild() method, 503
 - HitTest() method, 406, 408, 925
 - list of methods, 503
- VisualTreeHelper.HitTest() method, 928
- Volume property, 877

■ W

- WAV audio, 865
- WCF (Windows Communication Foundation), 17, 228
- WDDM (Windows Vista Display Driver Model), 3
- Web browser, hosting pages in, 802
- WebBrowser control, 792, 798
 - building DOM tree, 835–837
 - navigating to page, 833–834
 - overview, 833
 - scripting Web page with .NET code, 837–839
- WebBrowser.NavigateToString() method, 840
- WebClick() method, HtmlBridge class, 839
- WebException, 798
- WF (Windows Workflow Foundation), 17, 25
- WF XAML, 25
- whitespace, handling, 42–43
- Width property, 68, 71, 955
- Win32, hosting in WPF, 1041
- Win32PrintDialog, 992
- Window class, 170–171, 795
 - adding sizing grip to shaped window, 769
 - AdornerDecorator class, 771
 - allowing single nested element, 173
 - AllowsTransparency property, 763
 - Background property, 751
 - BorderBrush property, 751
 - BorderThickness property, 751
 - calling SaveSize() when window is closing, 758
 - calling SetSize() when window is first opened, 758
 - centering window in available screen area, 755
 - checking result of dialog box window, 761
 - client and nonclient areas defined, 751
 - Close() method, 755
 - closing window, 755
 - comparison to Page class, 795
 - creating and displaying several modeless windows, 754
 - creating public property in dialog window, 761
 - creating resizable window, 755
 - deciding window location at runtime, 755
 - designating accept and cancel buttons in dialog window, 762
 - dialog model, definition of, 761
 - DialogResult property, 761
 - displaying modal window, 754
 - displaying modeless window, 754
 - DragMove() method, 768
 - Hide() method, 755
 - hiding window from view, 755
 - icon (.ico) files, 752
 - Left property, 756
 - Loaded event, 776
 - LocationChanged event, 754
 - modeless windows and synchronization code, 754
 - MouseLeftButtonDown event, 768
 - obtaining dimensions of current screen, 755
 - owned windows as displayed modelessly, 760
 - OwnedWindows property, 760
 - positioning window on screen, 755
 - removing owned windows, 760
 - removing window frame, 751
 - ResizeMode property, 769, 772
 - RestoreBounds property, 757
 - saving and restoring window location, 756
 - setting exact window position, 755
 - setting Owner property, 760
 - setting Visibility property to Hidden, 755
 - Show() method, 754
 - ShowDialog() method, 754, 761
 - storing current position of several windows, 757

- storing window position in user-specific configuration file, 756
- SystemParameters class, 755
- System.Windows.Rect, 756
- table of properties, 752
- Tag property, 772
- Title property, 772
- Top property, 756
- using CenterOwner for WindowState, 755
- using Left and Right properties, 755
- window ownership, 760
- Windows property, 758
- WindowStartupPosition property, 752
- WindowStateChangeEvent, 754
- WindowStyle property, 751, 763
- Window element, 28
- window handles, 1030
- WindowHeight property, Page class, 795
- Window.Loaded event, 226
- Window.Owner property, 226
- Window.Resources collection, 1048
- Windows 3.0, 2
- Windows 7, taskbar of, programming
 - changing taskbar icon and preview, 784–789
 - overview, 779
 - using jump lists, 779–784
- Windows Communication Foundation (WCF), 17, 228
- Windows Forms, 61
 - accelerator keys, 1038
 - adding ActiveX content to Windows Forms application, 1029
 - airspace rule, 1030
 - ambient properties, 165
 - assessing interoperability with WPF, 1019
 - BackgroundWorker class, 1025
 - BindingList collection, 614
 - C# and, 24
 - CheckedListBox control, 1022
 - classes not needing interoperability, 1025
 - ColorDialog class, 1025
 - comparing dialog model to that in WPF, 762
 - comparison to WPF, 6
 - ContextMenuStrip class, 1026
 - coordinate system for sizing controls, 1034
 - creating user controls, 1034
 - data binding, 1032
 - DialogResult enumeration, 1023
 - ElementHost class, 1024, 1030, 1039
 - EnableModelessKeyboardInterop() method, 1024
 - EnableVisualStyles() method, 1024, 1033
 - EnableWindowsFormsInterop() method, 1024
 - ErrorProvider control, 1022
 - extender providers, 39
 - FlowLayoutPanel, 587
 - FolderBrowserDialog class, 1025
 - FontDialog class, 1025
 - Form.ShowDialog() method, 1023
 - glue code, 1022
 - having WPF controls receive keyboard input, 1024
 - HelpProvider control, 1022
 - hooking events up to controls using XAML, 1033
 - hosting Windows Forms controls in WPF, 1031
 - hosting WPF controls in, 1035
 - Icon property, 1025
 - ImageList, 1022
 - incorporating lower-level GDI+ drawing support in animation, 424
 - interoperability problems with keyboard handling, 1037
 - ISupportInitialize interface, 117
 - MaskedTextBox control, 1022
 - MDI windows, 1022
 - migrating applications to WPF, 1019
 - missing WPF controls and features, table of, 1020
 - mixing windows and forms, 1022–1025
 - mnemonics, 1038
 - no need for wrapper class, 1029
 - NotifyIcon class, 1025
 - overlapping of WPF and Windows Forms content, 1030
 - PageSetupDialog class, 1025
 - preventing naming clashes among Windows Forms and WPF namespaces, 1033
 - primary interop assembly, 1035
 - PrintPreviewDialog class, 1025
 - property map conversions, table of, 1039

- property mapping, 1039
- property translators, 1039
- PropertyGrid control, 1022
- quartz.dll library, 865
- runtime callable wrappers (RCWs), 1034
- SoundPlayer class, 1025
- System.Drawing namespace, 301
- System.Drawing.dll, 1022, 1026
- System.Drawing.Graphics class, 775
- System.Windows.Forms.dll, 1022, 1026
- TypeConverter infrastructure, 1032
- User32 library, 590
- using ampersand character to identify shortcut key, 176
- using separate window handle (hwnd), 1030
- Visual Basic and, 24
- visual styles for controls and, 1024–1025
- visual styles for Windows Forms controls, 1024
- Windows Forms toolkit, 1022
- WindowsFormsHost class, 1030–1031, 1034, 1039
- z-index, 1031
- Windows Forms toolkit, 204
- Windows graphics, 1
- Windows Media Player, 5, 865
- Windows Presentation Foundation (WPF)
 - 3-D model, 889
 - accelerator keys, 1038
 - accessing navigation service, 806
 - accessing static properties using static markup extension, 301
 - AddBackEntry() method, 810–811
 - AddBackReference() method, 813–815
 - adding custom items to journal, 811
 - adding page to WPF project, 792
 - adjusting measurement units between Windows XP and Vista, 775
 - airspace rule, 1030
 - animating specific aspects of element's appearance, 426
 - animation, 5
 - animation classes, complete list of, 427
 - animations as temporary, 434
 - animations that accelerate and decelerate, 438
 - AnimationTimeline class, 437
 - AnnotationDocumentPaginator class, 999
 - Annotations classes, 977
 - antialiasing, 9
 - for 3-D drawings, 3
 - of shaped windows, 765
 - Application class, 808
 - ApplicationCommands.Print command, 997, 1017
 - Application.GetResourceStream() method, 169
 - architecture of
 - class hierarchy, 14–17
 - overview, 12–13
 - assembly resources, definition of, 293
 - AssemblyAssociatedContentFile attribute, 239
 - assessing interoperability with Windows Forms, 1019
 - automatically rerendering window when it changes, 425
 - AutoReverse property, 435, 438
 - background and foreground brushes, 160
 - BackgroundWorker component, 1045
 - BackStack property, 811
 - base classes for creating custom element, 544
 - BeginInit() method, 134
 - BeginInvoke() method, 1043–1044
 - behavior of back and forward lists, 804
 - binding to nonexistent property, 251
 - browser applications (XBAPs) and, 802
 - browsing through logical and visual trees, 503
 - building complex animations out of simple ones, 424
 - building data access components, 600
 - building linear navigation-based application, 809
 - building page-based applications, 6
 - ButtonBase class, 177
 - ButtonChrome class, 593
 - caller inform design pattern, 603
 - calling DwmExtendFrameIntoClientArea() from Win32 API, 774
 - CanGoBack property, 807, 810
 - CanGoForward property, 807
 - change notification, 110

- changing FillBehavior property, 435, 444
- CheckBox class, 179
- CheckBox control, 178
- ClickOnce deployment model, advantages and disadvantages, 1079–1080
- code and compiled markup (BAML), 48, 53
- code and uncompiled markup (XAML), 48, 51
- code only development, 48
- CodeAccessPermission class, 827
- code-based animations, 429
- coding to check for Windows XP or Windows Vista, 774
- CollectionViewSource class, 696
- Colors class, 161
- ComboBox control, 206
- command model, 266–267
- comparing dialog model to that in Windows Forms, 762
- comparison to DirectX, 6
- comparison to Windows Forms, 6
- compiling WPF application in Visual Studio, 26
- content controls and nested content, 543
- content model, 174
- Content property, 812
- context, 1041
- control, definition of, 16
- control templates, 543
- ControllableStoryboardAction class, 445
- controls, definition of, 160
- controls that implement ICommandSource, 277
- convention for naming element, 562
- ConvertToString(), 139
- core layout containers, table of, 64
- core namespace, 29
- creating and using value converter class, 647
- creating animation class for data type, 426
- creating application windows that use Aero Glass effect, 774–778
- creating custom component class, 1026–1029
- creating custom setup program, 1080
- creating custom view to extend ListView's capabilities, 715
- creating dependency property in page class, 805
- creating MSI (Microsoft Installer) setup, 1079–1080
- creating new NavigationWindow object as container, 793
- creating page object manually, 807
- creating page-based application with NavigationWindow, 793
- creating page-based applications, 792
- creating PrintDialog object, 991
- creating shaped window with rounded Border element, 765
- creating simple transparent window, 764
- creating single-instance applications, 227
- creating transparent window with shaped content, 766
- creating undo stack that stores series of values, 557
- creating user controls, 1034
- CurrentDispatcher property, 1042
- CurrentUICulture property, 240
- custom elements and custom controls as terms used interchangeably, 547
- custom printing, 1002
- custom printing with multiple pages, 1006
- CustomContentState class, 811, 815
- data binding, definition of, 249, 599
- data providers, 636
- data templates, 543
- data types and key frame animation, 426
- dealing with user-interface state, 266
- declarative user interfaces, 5, 21
- de-emphasizing of custom controls, 543
- defining dependency property, 805
- defining graphical element as Visual object, 400
- Demand() method, 827
- dependency properties, use of, 110
- DependencyObject class, 109
- designing form in WPF project, 1022
- determining increment size when performing interpolation, 429
- determining property value, 111
- device-independent units, 8, 28
- differences between page and window, 794

- differentiating `DrawingImage` and `ImageDrawing` classes, 395
- direct events, definition of, 143
- `Direct3D`, 13
- `DirectX`, 2, 21, 1041
- dispatcher, 15, 1042
- `DispatcherObject` class, 1042
- `DispatcherOperation` object, 1044
- `DispatcherPriority`, 1044
- `DocumentPaginator` class, 990, 999
- drag-and-drop operations, 146
- `DwmExtendFrameIntoClientArea()` method, 776
- dynamic value resolution, 110
- element, definition of, 1042
- `ElementHost` class, 1024, 1030, 1039
- elements and controls compared, 16
- `EnableModellessKeyboardInterop()` method, 1024
- `EnableVisualStyles()` method, 1024, 1033
- `EnableWindowsFormsInterop()` method, 1024
- `EndInit()` method, 134
- enhancing .NET event model with event routing, 119
- event model, 120
- event model in, 44
- event routing, 44, 119
- event signatures, 121
- events, definition of, 119
- evolution of, 17, 19
- examining current rendering tier programmatically, 4
- examining page navigation and restoration, 803
- `ExceptionValidationRule`, 623, 627
- `ExtendGlass()` method, 777
- extensibility of property system, 113
- `ExtraData` property, 808
- `FileDialog` class, 762
- `FileRegistrationHelper` class, 232
- flow layout, 5
- `FlowDocument` class, 990
- `FlowDocumentScrollViewer` container, 997–998
- focus, 140
- `Focusable` property, 140
- font embedding, procedure for, 166
- font inheritance, 165
- font pickers, 166
- font substitution, 165
- `ForwardStack` property, 811
- frame-based animation, 483
- `FrameworkElement` class and `ISupportInitialize` interface, 134
- future of WPF animation, 498
- garbage collector, 444
- GDI/GDI+ model, 334
- `GetContentState()` method, 813, 815
- `GetNavigationService()` method, 806
- `GetTemplateChild()` method, 564
- getting key state, 141
- getting mouse coordinates, 143
- `GetValue()`, 109
- glue code, 1022
- `GoBack()` method, 807
- `GoForward()` method, 807
- Gradient Obsession tool, 474
- graphical user interfaces before WPF, 24
- graphics routines, render-bound vs. processor-bound, 3
- `GridViewColumnHeader` class, 178
- guidelines for designing data access components, 600
- `Handled` property, 808
- handling key press, 138
- handling legacy Windows Forms applications, 1019
- handling one-way animations that remain active after finishing, 435
- hardware acceleration, 3, 21
- having WPF controls receive keyboard input, 1024
- hiding and showing individual panels, 103
- hiding or disabling control, 141
- hosting pages in another container, 793
- hosting Windows Forms controls in, 1031
- hosting WPF controls in Windows Forms, 1035
- how WPF assesses video card, 4
- how WPF handles validation failures, 623
- how WPF navigation occurs, 808
- `HwndSource` class, 1041
- `HwndSource` property, 135

- Hyperlink class, 796
- hyperlinks as inline flow elements, 796
- ICommandSource interface, table of properties, 271
- Icon property, 1025
- ignoring of data binding errors from setting or getting properties, 622
- ImageBrush, 371
- inability to add or remove elements in animation, 425
- inability to build MDI applications, 761
- inability to retrieve spectrum data, 865
- inheritance hierarchy of WPF animation types, 436
- InitializeComponent() method, 136, 807
- Initialized event, 134
- initiating window dragging mode by calling Window.DragMove() method, 768
- InnerException property, 136
- input events, 133, 136
- InputDevice class, 137
- InstallShield, 1080
- Internet Explorer and page-based applications, 791
- interoperability problems with keyboard handling, 1037
- InvalidOperationException, 807, 1043
- Invoke() method, 1045
- IProvideCustomContentState interface, 813–814
- IsAsync property, 639
- IsEnabled property, 141
- IsInitialized property, 134
- IsLoaded property, 134
- IsRepeat property, 139
- IsTabStop property, 141
- ItemsControl class, 202
- Joshi, Prajakta, 973
- journal and journal flag, 804
- JournalEntry class, 811
- JournalEntryName property, 812
- keeping page object alive in memory, 805
- key frame animation, naming format, 426
- key principles of, 21
- Key property, 138
- Keyboard class, 142
- keyboard events, 133, 137
- KeyboardDevice class, 142
- KeyboardDevice methods, table of, 142
- KeyboardDevice property, 141
- KeyDown event, 139
- KeyEventArgs object, 138, 141
- KeyStates property, 141
- keystroke forwarding, 1038
- Label control, 175
- lack of built-in support for speech synthesis, 885
- lack of direct support for Vista gadgets, 832
- lack of support for ActiveX interoperability, 1034
- lack of transitions between starting and ending scenes, 425
- libraries for 3-D programming, 889
- lifetime events, 133
- lighting model for 3-D scene, 896
- limited reliance on User32, 2
- linear interpolation, naming format, 426
- linking application commands to multiple controls, 5
- list controls, 202
- list of classes that override OnRender(), 591
- ListBox control, 203
- ListSelectionJournalEntry callback, 813
- Loaded event, 134
- loading XAML dynamically vs. compiling XAML to BAML, 53
- LocalizabilityAttribute, 243
- localization, 239
- logical tree, building, 500
- lookless controls, 21, 543
- LostFocus event, 135
- maintaining state of previously visited pages, 804
- making element partly transparent, 370–372
- managing local or remote print queues, 1013
- managing printer settings and jobs, 1012
- markup for VistaGlassHelper class, 777
- Media Integration Layer (MIL), 13
- MediaElement class, 871, 1025
- MediaPlayer class, 869, 1025
- Menu and ContextMenu controls, 841
- methods for controlling navigation stack, 810
- Microsoft Money's weblike interface, 792

- Microsoft.Win32 namespace, 762
- Microsoft.Windows.Themes, 509
- Microsoft.Windows.Themes namespace, 509
- milcore.dll, 13
- missing controls and features, table of, 1020
- mnemonics, 175, 1038
- modeless windows and forms, 1024
- modifier keys, checking status of, 142
- mouse click events for all elements, 144
- mouse cursors, 168
- mouse events, 133, 143
- MouseEventArgs object, 143
- MouseMove event, 143
- moving element along path, 427
- multitargeting, 19
- namespaces in, 29
- Navigate() method, 807–808
- navigating parent-child relationships with WPF data binding, 726
- navigating to page based on its URI, 807
- no collection of 3-D shape primitives, 891
- no fixed control appearance, 21
- no limitations on number of menus or placement, 841
- no need for wrapper class, 1029
- no support for drop-down AutoComplete lists, 686
- not using antialiasing for specific shape, 351
- as not wrapper for GDI/GDI+, 2
- null markup extension, 179
- object resources, definition of, 293
- object-based drawing, 22
- ObjectDataProvider, 637
- ObservableCollection class, 614
- OnPropertyChangedCallback() method, 110
- OnRender() method, 591
- OpenFileDialog class, 762
- operation of WPF page history, 804
- optimal paragraph layout, 959
- outputting trace information on binding failures, 251
- overlapping of WPF and Windows Forms content, 1030
- overriding OnApplyTemplate() method, 564
- pack URI syntax, 237
- Page class, table of properties, 795
- page objects and memory overhead, 804
- page-based interfaces, 792
- Page.Initialized event, 807
- Page.Loaded event, 807
- Panel-derived classes for arranging layout, 64
- PasswordBox control, 197
- path-based animation, naming format, 427
- PathGeometry object, 427
- performing action when property changes, 110
- performing asynchronous operations, 1045
- Pixel Shader Effects Library, 416
- pixel snapping, 351
- playing WAV audio, 865
- Popup control, 185
- prebuilt commands, 268
- preparing application for localization, 241
- PresentationCore.dll, 13
- PresentationFramework.dll, 13
- preventing naming clashes among Windows Forms and WPF namespaces, 1033
- PreviewKeyDown event, 140
- PreviewMouseMove event, 143
- PreviewTextInput event, 139–140
- primitives, 5
- Print dialog box, 989
- PrintDialog class, 762
- PrintDocument() method, 990, 996
- printing content of FlowDocument, 996
- printing elements without showing them, 995
- PrintSystemJobInfo class, 1015
- PrintVisual() method, 990
- priority binding, 639
- procedure for creating shaped window, 763
- procedure for creating timer-based animation, 424
- procedure for installing ClickOnce application, 1092–1093
- programmatic navigation, 806
- ProgressBar control, 209
- property map conversions, table of, 1039
- property mapping, 1039
- property resolution system, 117, 425, 432
- property translators, 1039

- property value inheritance, 165
- property-based animation, 424
- property-based animation, definition of, 425
- RadioButton control, 178–179
- range-based controls, 207
- reassigning template selector, 668
- reentrancy in property change callbacks not allowed, 551
- reference types as not usually animated, 426
- reflection, 511
- Reflector, 118
- RegisterClassCommandBinding() method, 557
- registering file extension using
 - Microsoft.Win32 namespace, 232
- RemoveBackEntry() method, 810
- removing standard window appearance (window chrome), 764
- RenderCapability class, 4
- rendering content by creating
 - DrawingVisual object, 592
- rendering process for events, 134
- RepeatButton class, 178
- replacing .NET events with routed events, 119
- replacing .NET properties with dependency properties, 105
- Replay() method, 812, 814
- ReplayListChange delegate, 813
- resolution independence, 7, 21
- ResourceKey object, 715
- retained graphics model, 424
- retrieving default styles using generic.xaml resource dictionary, 718
- retrieving system DPI, 775
- retrieving value from property value, 110
- returning information from page, 816
- RichTextBox control, 197, 967
- routed events, 15
- RoutedEventArgs class, 121
- RoutedEventArgs class, table of properties, 125
- RoutedUICommand class, 268–269
- running WPF applications with unmanaged code permission and full trust, 1080
- SaveFileDialog class, 762
- scope, 284
- ScrollBar control, 208
- services and features of, 4
- setting properties in any order, 117
- SetValue() method, 109
- Shader Effects Library, 477
- ShowDocument() method, 229
- showing dialog box in WPF page, 831
- SingleInstanceApplicationWrapper class, 229
- single-thread affinity (STA), 15
- single-threaded apartment model, 1041
- Slider control, 208
- SoundPlayer class, 865
- SoundPlayerAction class, 866
- SourceItems property, 813
- stand-alone Windows applications, 802
- standard frame rate, 429
- StartupUri property, 802
- StopLoading() method, 807
- storyboard, definition of, 440
- strategies for deploying WPF applications, 1079
- styles, 543
- styles and templates, 5
- stylus events, 133
- support for asynchronous data bindings, 639
- support for audio and video media, 5
- suppressing navigation events, 808
- system vs. display-device DPI settings, 7
- SystemColors class, 161
- System.Drawing.Graphics class, 775
- System.Environment class, 774
- System.IO.Compression namespace, 829
- System.IO.IsolatedStorage namespace, 828
- System.Media namespace, 865
- System.Printing namespace, 989, 1013, 1016
- System.Threading.Thread, 1042
- System.Threading.Thread object, 1045
- System.TimeSpan, 434
- System.Windows.Application class, 215
- System.Windows.Control class, 160
- System.Windows.Controls namespace, 626, 989
- System.Windows.Controls.Page class, 792
- System.Windows.Controls.Primitives namespace, 178, 186, 509

- System.Windows.Data.Binding class, 251
- System.Windows.Data.DataSourceProvider class, 637
- System.Windows.Documents namespace, 939
- System.Windows.Documents.TextRange class, 967
- System.Windows.Freezable class, 162
- System.Windows.Input.Cursor, 168
- System.Windows.Input.ICommand interface, 267
- System.Windows.Input.RoutedCommand class, 268
- System.Windows.Interop.HwndHost class, 1041
- System.Windows.LogicalTreeHelper, 503
- System.Windows.Markup, 965
- System.Windows.Media namespace, 869
- System.Windows.Media.Animation namespace, 426–428, 451
- System.Windows.Media.Fonts class, 166
- System.Windows.Media.Visual, 990
- System.Windows.Media.VisualTreeHelper, 503
- System.Windows.MessageBox class, 762
- System.Windows.Shapes.Shape class, 334
- System.Windows.SystemParameters class, 755
- System.Windows.Threading namespace, 1042
- System.Windows.Threading.DispatcherTimer, 425
- System.Windows.TriggerAction, 441
- System.Windows.TriggerBase, classes
 - deriving from, 320
- tabbing sequence of elements, 141
- TabIndex property, setting, 141
- TargetItems property, 813
- tasks, 265
- text controls, 197
- text handling, 5
- TextBox control, 197
- TextBox control and TextInput event, 137
- TextCompositionEventArgs object, 139
- TextInput event, 139
- thread affinity, 1042
- thread rental, 1041
- TickBar element, 592
- Timeline class, table of properties, 437
- TimelineGroup class, 437
- ToggleButton class, 178–179
- ToolTip class, 180
- ToolTip property, 180
- Tooltips control, 180
- ToString(), 139
- Transform object, 993
- translating logical units to physical device pixels, 9
- two-way data binding, 258, 599
- TypeNameAnimationBase class, 427
- understanding page-based navigation, 791
- updating ClickOnce application
 - automatically, 1093
- URI as relative to application's base URI, 803
- URI syntax, 237
- use of forward slash in URIs, 237
- User32, 13, 334
- using animation class that supports
 - dependency property's data type, 426
- using BeginAnimation() method, 429
- using custom cursor, 169
- using fractional double values with device-independent units, 351
- using KeepAlive property, 804
- using KeyConverter, 139
- using navigation to show different page, 796
- using public CommandBindings collection, 557
- using Refresh() to reload page, 807
- using separate window handle (hwnd), 1030
- using systemwide mutex, 228
- using XAML to construct WPF user interfaces, 23
- Validation class, 623
- vector graphics, 12
- VerifyAccess() method, 1043
- version 3.0, 17
- version 3.5, 17
- virtual key state, 142
- Visibility property, 141
- visual layer model, 400
- visual layer programming, 334
- visual tree, definition of, 501

- web model of application design, 792
- when user-interface state falls outside WPF
 - command model, 279
- why WPF commands require routed events, 268
- Win32 interoperability, 1041
- Win32PrintDialog, 992
- window as only holding single element, 62
- Window class, 134, 795
- Windows Communication Foundation (WCF), 228
- Windows Forms classes not needing interoperability, 1025
- Windows Media Player, 865
- Windows print queue, 991
- Windows Vista Display Driver Model (WDDM), 3
- Windows XP Display Driver Model (XPDM), 3
- WindowsBase.dll, 13
- WindowsCodecs.dll, 13
- WindowsFormsHost class, 1030–1031, 1034, 1039
- Window.ShowDialog() method, 1023
- WindowTitle property, 795
- working with various animation classes for different data types, 428
- WPF navigation as asynchronous, 807
- WpfApp class, 229
- wrapping WPF application with
 - WindowsFormsApplicationBase class, 228
- writable control properties as usually dependency properties, 548
- writing custom validation rules, 626
- writing good multithreading code, 1045
- writing validation logic in PreviewKeyDown event handler, 139
- XAML URIs in compiled applications, 803
- xamlc.exe compiler, 53
- XamlParseException object, 136
- XBAPs, definition of, 819
- XmlDataProvider, 637, 640
- XpsDocument class, 990
- XpsDocumentWriter class, 993
- z-index, 1031
- Windows print queue, 991
- Windows property, 758
- Windows Vista
 - Adjust Font Size (DPI), 10–11
 - bitmap scaling, 11
 - built-in support for speech recognition, 887
 - creating and viewing XPS documents, 974
 - Custom DPI Setting dialog box, 11
 - Desktop Window Manager (DWM), 13
 - Disable Display Scaling on High DPI Settings, 11
 - Internet Information Services (IIS) 7, 1088
 - milcore.dll, 13
 - Narrator screen reader, 885
 - Sound icon, 868
 - Use Windows XP Style DPI Scaling, 10–11
 - User Account Control (UAC), 232
- Windows Vista Display Driver Model (WDDM), 3
- Windows Workflow Foundation (WF), 17, 25
- Windows XP
 - lack of support for speech recognition, 887
 - Narrator screen reader, 885
 - no antialiasing on edges of 3-D shapes, 904
 - Sounds and Audio Devices icon, 868
- Windows XP Display Driver Model (XPDM), 3
- WindowsBase.dll, 13
- WindowsCodecs.dll, 13
- WindowsFormsApplicationBase class, 228–229
- WindowsFormsHost, 370
- WindowsFormsHost class, 1030–1031, 1034, 1039
- Window.ShowDialog() method, 1023
- Windows.Interactivity.dll assembly, 326
- WindowStartupLocation property, Window class, 753
- WindowStartupPosition property, 752
- WindowState property, Window class, 753
- WindowStateChangeEvent, 754
- WindowStyle property, 751, 753, 763
- WindowTitle property, 795, 797
- WindowWidth property, Page class, 795
- Word 2007 XML (WordML), 941
- WordEllipse option, 961
- WordML (Word 2007 XML), 941
- WorkArea property, 755
- WorkerReportsProgress property, 1051

WorkerSupportsCancellation property, 1052
 WorkingDirectory property, JumpTask class, 782
 WPF. *See* Windows Presentation Foundation
 WPF Everywhere (WPF/E), 7
 WPF windows, adding to Windows Forms application, 1023
 WPF XAML, 25
 WpfApp class, 229
 WPF/E (WPF Everywhere), 7
 WrapBreakPanel, 587–589
 WrapDirection property, Figure class, 955
 WrapPanel class, 85, 102

- basing WrapBreakPanel on, 588
- code example for series of buttons, 76
- controlling small-scale details in user interface, 76
- default settings, 76
- description of, 64
- Dock property, 77
- extending capabilities of, 587
- LastChildFill, 77
- setting order of docking controls, 78

 wrapper class, 1029
 Write() method, 1017, 1019
 WriteableBitmap class, 399, 416–419
 WriteAsync() method, 1017, 1019
 WritePixels() method, 417–420
 WritingCompleted event, 1020

■ X

XAML, 48, 51

- Adobe Illustrator plug-in for, 397
- advantages of, 21
- App.g.cs file, 218
- Application element, 28
- Application tag, 217
- App.xaml.cs file, 220
- AssemblyName, 46
- attached properties, translating into method calls, 38
- attached properties, two-part naming syntax, 38
- attached properties, using to control layout, 38

attaching name to Grid element, 31
 automatically creating partial class for event handling code, 30
 BAML, 26
 basics of, 27
 bridging gap between string values and nonstring properties, 34
 building simple no-code XAML files, 55
 <Button> element, 27
 case-insensitivity of type converters, 35
 case-sensitivity of, 35
 Class attribute, 30, 217
 classes that define their own Name property, 32
 code-behind class, 30
 coding styles for creating WPF application, 48
 collapsing whitespace, tabs, and line breaks in XAML, 950
 compiling, 26
 complex properties, 35
 Connect(), 53
 connecting event handlers, 30
 container controls, 41
 containment, 27
 Content property, 41
 ContentControl class, 42
 ContentProperty attribute, 39–41
 controls containing collection of visual items, 41
 controls containing singular content, 41
 converter for Adobe Flash files, 397
 core WPF namespace, 29
 core XAML namespace, 29
 creating blank window with, 27
 creating custom wrapper classes, 47
 creating with Visual Studio, 26–27
 declarative animation, 439
 default constructor, 31
 definition of, 25
 dependency properties, 39
 DependencyObject class, 38, 52
 design tools and, 25
 designing WPF application in Visual Studio, 24
 distinguishing properties from other types of nested content, 35

- DockPanel object, 52
- eight ball example, 33, 45
- element attributes as setting element
 - properties, 34
- embedding BAML as resource into DLL or EXE assembly, 26
- entity references, 42
- enumerations, 34
- event model in WPF, 44
- event routing, 44
- example of bare-bones XAML document, 27
- Expression Design's built-in XAML export, 397
- extension classes, 37
- FileStream class, 47
- FrameworkElement class, 32
- graphical user interfaces before WPF, 24
- Grid element, 28
- IDictionary, 39
- IList, 39
- including Name attribute in control, 31
- InitializeComponent() method, 31, 49
- instantiating .NET objects, 23
- integrating workflow between developers and designers, 23
- ItemsControl class, 42
- lack of public fields or call methods in, 47
- lack of support for inline calculations, 442
- LoadComponent(), 31
- loading and compiling, 48
- loading XAML dynamically vs. compiling XAML to BAML, 53
- LogicalTreeHelper, 52–53
- loose XAML files, 55
- mapping element to instance of .NET class, 27
- mapping .NET namespace to XML namespace, 46
- merging code with designer-generated file, 30
- Microsoft Expression Blend, 23
- namespace prefixes, 47
- namespaces, defining, 28
- nesting elements, 27, 39
- .NET objects and, 25
- no one-to-one mapping between XML and .NET namespaces, 29
- no support for parameterized constructors, 47
- no-argument constructors, 47
- NullExtension, 38
- Page element, 28
- Panel class, 41–42
- parser, 28
- parser error due to no associated type converter, 34
- parser's procedure for finding type converter, 34
- parsing and validation of at compile time, 35
- partial classes, contents of, 53
- problems in exporting content to bitmap format, 24
- properties supporting more than one type of collection, 40
- property-element syntax, 35
- ProvideValue(), 37
- replacing attribute with nested element, 314
- replacing XAML tags with set of code statements, 36
- RuntimeNameProperty attribute, 32
- separating graphical content from code, 24
- setting background and foreground colors in, 162
- setting class properties through attributes, 27
- setting complex property, 35
- setting mouse cursor in, 169
- setting property value dynamically, 37
- setting type converter at class level, 34
- setting x:Key attribute, 39
- Silverlight XAML, 25
- similarity of attached properties to extender providers, 39
- simple properties and type converters, 34
- special characters, 42
- start tag attributes, 28
- StartupUri property, 217
- StaticExtension, 37
- subsets of, 25
- System.Windows.Markup.MarkupExtension, 37
- Text property, 41
- TextBox class, 38, 41
- TextBox class, properties of, 34

- top-level elements, 28
- type converters, 34
- TypeConverter attribute, 34
- TypeExtension, 38
- URIs, 803
- using code-behind class to manipulate controls programmatically, 31
- using device-independent units in measurements, 28
- using dictionary collection, 39
- using markup extension, 37
- using markup extensions as nested properties, 37
- using to construct WPF user interfaces, 23
- using TypeConverter attribute on property declaration, 34
- using types from other namespaces, 46
- using underscore to identify shortcut key, 176
- using without compiling, 26
- using `xml:space="preserve"` attribute on element, 43
- Visual Studio, 23
- WF XAML, 25
- whitespace, handling, 42–43
- Window element, 28
- Windows Workflow Foundation (WF), 25
- WPF XAML, 25
- xamlc.exe compiler, 53
- XamlReader class, 48, 51
- XML character entities, table of, 42
- XML Paper Specification (XPS), 25
- xmlns attribute, 29
- XPS XAML, 25
- XAML browser application. *See* XBAP
- xamlc.exe compiler, 53
- XamlParseException object, 136, 303
- XamlReader class, 48, 51, 513, 965, 967
- XamlWriter class, 510, 512, 966
- XBAP (XAML browser application)
 - advantages of, 819
 - ApplicationExtension tag, 820
 - ApplicationName.exe, 822
 - ApplicationName.exe.manifest, 822
 - ApplicationName.xbap, 822
 - automatically generated certificate file, 823
 - CodeAccessPermission class, 827
 - coding for different security levels, 827
 - combining XBAP and stand-alone applications, 826
 - creating, 802, 820
 - creating XBAP that runs with full trust, 826
 - debugging, 823
 - definition of, 819
 - Demand() method, 827
 - deploying, 821
 - designing and coding pages, 821
 - displaying more than one XBAP in same browser window, 832
 - as downloaded but not installed, 819
 - embedding XBAP in web page, 832
 - four key elements in .csproj project file, 820
 - GetUserStoreForApplication() method, 828
 - HostInBrowser tag, 820
 - Install tag, 820
 - Internet Explorer 6 or 7, 819
 - IsBrowserHosted property, 826
 - IsolatedStorageFile.GetDirectoryNames() method, 829
 - IsolatedStorageFile.GetFilesNames() method, 829
 - IsolatedStorageFileStream, 828
 - key supported and disallowed features, table of, 824
 - limited permissions and stringent security of, 819
 - manually clearing ClickOnce cache, 823
 - .NET Framework and code access security, 824
 - not having FileIOPermission for local hard drive, 829
 - opening secondary window using Popup control, 829
 - performing disallowed action, 825
 - rebuilding application and applying new publication version, 824
 - requirements, 819
 - running inside browser window, 819
 - running with permissions of Internet zone, 824
 - security, 824
 - setting IsEnabled property to disable user interface, 830

- TargetZone tag, 820
- updating publish version, 823
- using isolated storage to provide virtual file system, 828
- using<iframe> tag, 832
- using.xbap extension, 820
- .xbap extension, 820
- x:Key attribute, setting, 39
- XML
 - character entities, table of, 42
 - declaring namespaces in, 29
 - xmlns attribute, 29
- XML Paper Specification (XPS), 25, 238, 935, 974
- XmlDataProvider, 637, 640–641
- xmlns attribute, 29
- xml:space attribute, 951
- xml:space="preserve" attribute, 43
- XmlStreamStore class, 977
- XPath expressions, pathlike notation used, 641
- XPDM (Windows XP Display Driver Model), 3
- XPS (XML Paper Specification), 25, 238, 935, 974
- XPS XAML, 25
- XpsDocument class, 990, 999
 - AddFixedDocument() method, 975
 - CreateXpsDocumentWriter () method, 1017

- GetFixedDocumentSequence() method, 975
- GetTempFileName(), 1018
- loading, displaying, and printing XPS file, 1016
- RemoveSignature() method, 975
- role of DocumentPaginator in printing, 1016
- SignDigitally() method, 975
- using XPS document as print preview, 1017
- XpsDocumentWriter class
 - CancelAsync() method, 1020
 - printing directly to printer via XPS, 1019
 - sending content to printer asynchronously, 993
 - using asynchronous printing, 1019
 - Write() method, 1017, 1019
 - WriteAsync() method, 1017, 1019
 - WritingCompleted event, 1020

■ Z

- ZAM 3D, 910
- z-fighting (stitching), 903
- z-index, 1031
- ZIndex property, 95
- zooming, 961–962