

GET

All airports

✕

GET

Popular airports

✕

POST

Create airport

✕

GET

Airport by iataa

✕

PUT

Airport by iataa

✕

GET 

▼

 http://127.0.0.1:8000/airports/ 

Send

200 OK

223 ms

1200.9 KB

Params

Body

Auth

Headers 

3

Scripts

Docs

Preview

Headers 

10

Cookies

Tests 

0 / 0

→ Mock

Console

URL PREVIEW

http://127.0.0.1:8000/airports/ 

📄

QUERY PARAMETERS

Import from URL 

🔗

 Bulk Edit

+ Add

🗑 Delete all

📄 Description

#	name	value	▼	📄	🗑
---	------	-------	---	---	---

PATH PARAMETERS

📘 Path parameters are url path segments that start with a colon ':', e.g. ':id' 

✕

Preview 

▼

```
1 {
2   "airports": [
3     {
4       "name": "Goroka",
5       "city": "Goroka, Papua New Guinea",
6       "iata_faa": "GKA",
7       "icao": "AYGA",
8       "lat": -6.081689,
9       "lng": 145.391881,
10      "alt": 5282,
11      "tz": "Pacific/Port_Moresby"
12    },
13    {
14      "name": "Madang",
15      "city": "Madang, Papua New Guinea",
16      "iata_faa": "MAG",
17      "icao": "AYMD",
18      "lat": -5.207083,
19      "lng": 145.7887,
20      "alt": 20,
21      "tz": "Pacific/Port_Moresby"
22    },
23    {
24      "name": "Mount Hagen",
25      "city": "Mount Hagen, Papua New Guinea",
26      "iata_faa": "HGU",
```

GET

All airports

✕

GET

Popular airports

✕

POST

Create airport

✕

GET

Airport by iataa

✕

PUT

Airport by iataa

✕

DEL

Airport by iataa

✕

GET 

▼

 http://127.0.0.1:8000/airports/popular 

Send

200 OK

114 ms

1192 B

Params

Body

Auth

Headers 

3

Scripts

Docs

Preview

Headers 

9

Cookies

Tests 

0 / 0

→ Mock

Console

URL PREVIEW

http://127.0.0.1:8000/airports/popular 

📄

QUERY PARAMETERS

Import from URL 

🔗

 Bulk Edit

+ Add

🗑 Delete all

📄 Description

#	name	value	▼	📄	🗑
---	------	-------	---	---	---

PATH PARAMETERS

📘 Path parameters are url path segments that start with a colon ':', e.g. ':id' 

✕

Preview 

▼

```
1 {
2   "popular_airports": [
3     {
4       "name": "Aerodromo Concepcion del Uruguay",
5       "city": null,
6       "iata_faa": "SACDU",
7       "icao": null,
8       "lat": -31.794778,
9       "lng": -60.480361,
10      "alt": 121,
11      "tz": "America/Cordoba",
12      "popularity_score": 1.0
13    },
14    {
15      "name": "Rosario",
16      "city": "Rosario, Argentina",
17      "iata_faa": "ROS",
18      "icao": "SAAR",
19      "lat": -32.903611,
20      "lng": -60.785,
21      "alt": 85,
22      "tz": "America/Cordoba",
23      "popularity_score": 1.0
24    },
25    {
26      "name": "Aeropuerto de Rafaela",
```

<

GET All airports x

GET Popular airports x

POST Create airport x

GET Airport by iataa x

PUT Airport by iataa x

POST http://127.0.0.1:8000/airports/ Send 201 Created 195 ms 191 B

Params Body Auth Headers 4 Scripts Docs Preview Headers 10 Cookies Tests 0/0 → Mock Console

JSON Preview

```
1 {
2   "name": "prueba",
3   "city": "Ciudad",
4   "iata_faa": "ASDF",
5   "icao": "ASDF",
6   "lat": -32.6037,
7   "lng": -59.3816,
8   "alt": 25,
9   "tz": "ASFDFO"
10 }
```

```
1 {
2   "message": "Aeropuerto creado exitosamente",
3   "airport": {
4     "name": "prueba",
5     "city": "Ciudad",
6     "iata_faa": "ASDF",
7     "icao": "ASDF",
8     "lat": -32.6037,
9     "lng": -59.3816,
10    "alt": 25,
11    "tz": "ASFDFO"
12  }
13 }
```

<

GET All airports x

GET Popular airports x

POST Create airport x

GET Airport by iataa x


PUT Airport by iataa x

DEL Airport by iataa x

GET http://127.0.0.1:8000/airports/GFK/ Send 200 OK 212 ms 260 B

Params Body Auth Headers 3 Scripts Docs Preview Headers 10 Cookies Tests 0/0 → Mock Console

No Body Preview



Enter a URL and send to get a response

```
1 {
2   "message": "Datos del aeropuerto retornados y popularidad actualizada",
3   "airport": {
4     "name": "Grand Forks Intl",
5     "city": "Grand Forks, United States",
6     "iata_faa": "GFK",
7     "icao": "KGFK",
8     "lat": 47.949256,
9     "lng": -97.176111,
10    "alt": 845,
11    "tz": "America/chicago"
12  }
13 }
```

<

GET All airports x

GET Popular airports x

POST Create airport x

GET Airport by iataa x

PUT Airport by iataa x

DEL Airport by iataa x

PUT http://127.0.0.1:8000/airports/NUE/ Send 200 OK 90 ms 236 B

Params Body Auth Headers 4 Scripts Docs Preview Headers 10 Cookies Tests 0/0 → Mock Console

JSON Preview

```
1 {
2   "name": "Nuevo Aeropuerto2",
3   "city": "Ciudad Nueva",
4   "iata_faa": "NUE",
5   "icao": "NICA",
6   "lat": -34.6037,
7   "lng": -58.3816,
8   "alt": 25,
9   "tz": "America/Argentina/Buenos_Aires"
10 }
```

```
1 {
2   "message": "Aeropuerto actualizado exitosamente",
3   "airport": {
4     "name": "Nuevo Aeropuerto2",
5     "city": "Ciudad Nueva",
6     "iata_faa": "NUE",
7     "icao": "EDDN",
8     "lat": -34.6037,
9     "lng": -58.3816,
10    "alt": 25,
11    "tz": "America/Argentina/Buenos_Aires"
12  }
13 }
```

<

Popular airports x

POST Create airport x

GET Airport by iataa x

PUT Airport by iataa x

DEL Airport by iataa x

DELETE http://127.0.0.1:8000/airports/ASDF/ Send 200 OK 152 ms 48 B

Params Body Auth Headers 3 Scripts Docs Preview Headers 10 Cookies Tests 0/0 → Mock Console

No Body Preview

```
1 {
2   "message": "Aeropuerto eliminado exitosamente"
3 }
```

Popular airports x

POST Create airport x

GET Airport by iataa x

PUT Airport by iataa x

DEL Airport by iataa x

GET Nearby airports x

GET http://127.0.0.1:8000/airports/nearby

Send


200 OK227 ms8.7 KB

Just Now

Params3BodyAuthHeaders3ScriptsDocs

PreviewHeaders10CookiesTests0/0MockConsole

No Body



Enter a URL and send to get a response

Select a body type from above to send data in the body of a request

[Introduction to Insomnia](#)

Preview

```
1 {
2   "nearby_airports": [
3     {
4       "name": "Saibai Island Airport",
5       "city": "Saibai Island, Australia",
6       "iata_faa": "SBR",
7       "icao": "YSII",
8       "lat": -9.37833,
9       "lng": 142.625,
10      "alt": 0,
11      "tz": "\N",
12      "distance_km": 476.8838
13    },
14    {
15      "name": "Yorke Island Airport",
16      "city": "Yorke Island, Australia",
17      "iata_faa": "OKR",
18      "icao": "YVKI",
19      "lat": -9.75703,
20      "lng": 143.411,
21      "alt": 0,
22      "tz": "\N",
23      "distance_km": 463.3762
24    },
25    {
26      "name": "Suki Airport",
```

Popular airports x

POST Create airport x

GET Airport by iataa x

PUT Airport by iataa x

DEL Airport by iataa x

GET Nearby airports x

GET http://127.0.0.1:8000/airports/nearby

Send


200 OK227 ms8.7 KB

Just Now

Params3BodyAuthHeaders3ScriptsDocs

PreviewHeaders10CookiesTests0/0MockConsole

No Body



Enter a URL and send to get a response

Select a body type from above to send data in the body of a request

[Introduction to Insomnia](#)

Preview

```
1 {
2   "nearby_airports": [
3     {
4       "name": "Saibai Island Airport",
5       "city": "Saibai Island, Australia",
6       "iata_faa": "SBR",
7       "icao": "YSII",
8       "lat": -9.37833,
9       "lng": 142.625,
10      "alt": 0,
11      "tz": "\N",
12      "distance_km": 476.8838
13    },
14    {
15      "name": "Yorke Island Airport",
16      "city": "Yorke Island, Australia",
17      "iata_faa": "OKR",
18      "icao": "YVKI",
19      "lat": -9.75703,
20      "lng": 143.411,
21      "alt": 0,
22      "tz": "\N",
23      "distance_km": 463.3762
24    },
25    {
26      "name": "Suki Airport",
```

