SOEN 342 Project

Section II


Franco Dominguez (40256199)
Ashkan Forghani (40176561)
Team #33

Iteration #2

Use Case 1:

Process Offerings

Class Diagram



Domain Model and Package Diagram

UML Interaction Diagrams

System Sequence Diagrams

System Operations

System viewLocations() viewOfferingsByLocation() viewOfferingsByLessonType() viewOfferingsByCity() viewAllOfferings() isRegistered() isAdult() validatePassword() hasCity(city: String) isSpecializedIn() login() takeOffering() dropOffering() addParticipant() removeParticipant() assignInstructor() dropinstructor() isFull() isEmpty() hasInstructor() isAvailable() createOffering() createLocation() deleteAccount() createInstructor() toString()

Operation Contracts

<u>Contract CO1:</u> viewLocations <u>Operation:</u> viewLocations()

Cross References: Use Case: Get available offerings

Preconditions:

- The specified location exists and is active in the system

Postconditions:

- A list of all active locations is retrieved and displayed to the user.
- Only locations that are open and available for offerings are included.

Contract CO2: viewOfferingsByLocation

<u>Operation:</u> viewOfferingsByLocation(location: Location object) <u>Cross References:</u> Use Case: View Offerings by Location

Preconditions:

- The specified location exists and is active in the system.

Postconditions:

- A list of offerings available at the specified location is retrieved.
- Only offerings with available time slots are included.
- Offerings that are fully booked are excluded.

<u>Contract CO3:</u> viewOfferingsByLessonType

<u>Operation:</u> viewOfferingsByLessonType(lessonType: String)
<u>Cross References:</u> Use Case: View Offerings by Lesson Type
<u>Preconditions:</u>

- The specified lesson type is available in the system.
- Bookings of the specified lesson type exists

Postconditions:

- A list of offerings for the specified lesson type is retrieved.
- Only offerings with available time slots are included.
- Offerings that are fully booked are excluded.

Contract CO4: viewOfferingsByCity

<u>Operation:</u> viewOfferingsByCity(cityName: String)
<u>Cross References:</u> Use Case: View Offerings by City

Preconditions:

- Bookings exists that are in the specified City

Postconditions:

- A list of offerings for the specified city is appears for the user
- Only offerings with available time slots are included.
- Offerings that are fully booked are excluded.

Contract CO5: viewAllOfferings

Operation: viewAllOfferings()

Cross References: Use case: User wants to view all offerings

Preconditions:

- There exists one or many available offerings

Postconditions:

- A list of all available offerings is displayed to the user

Contract CO6: isRegistered

Operation: isRegistered()

Cross References: Use case: To check if an account is registered

Preconditions:

- Account must exist in the DB.

Postconditions:

- Return True or False if the account is or is not registered.

Contract CO7: isAdult

Operation: isAdult()

Cross References: Use case: To check if an account is over 18 years old.

Preconditions:

The account exists in the DB.

Postconditions:

- Returns true or false if the account holder is or is not over 18 years of age.

Contract CO8: validatePassword

Operation: validatePassword(password: String)

Cross References: Use case: To validate password when logging into an account.

Preconditions:

- The account exists in the DB.

Postconditions:

- Returns true or false if the password matches or does not match the account password in questions.

Contract CO9: hasCity

Operation: hasCity(city: String)

Cross References: Use case: Check if the instructor is registered to a specific city.

Preconditions:

- Instructor account is registered

Postconditions:

- Return true or false if the city matches or does not match the city the instructor has registered on their account.

Contract CO10: isSpecializedIn

Operation: isSpecializedIn(specialization: String)

<u>Cross References:</u> Use case: Check if an instructor has a specific specialization.

Preconditions:

- Instructor account exists in the system.

Postconditions:

- Returns true or false if the specialization matches or does not match the specialization registered on the instructor's account.

Contract CO11: login Operation: Login()

Cross References: Use Case: User logs into the system.

Preconditions:

- The username and password must match a registered account in the system.

Postconditions:

- If credentials are valid, the user is logged into the system and a session is created.
- If credentials are invalid, the login attempt fails, and no session is created.

Contract CO12: takeOffering

Operation: takeOffering(offering: Offering object)

Cross References: Use Case: User enrolls in a selected offering.

Preconditions:

- The instructor is registered and logged into the system.
- The offering exists and has available slots.

Postconditions:

- The instructor is enrolled in the offering, reducing available slots by one.
- If the offering is full, it is marked as unavailable

Contract CO13: dropOffering

Operation: dropOffering(offering: Offering object)

<u>Cross References:</u> Use Case: User drops a previously taken offering.

Preconditions:

- The instructor is registered and logged into the system.
- The instructor has the offering in question.

Postconditions:

- The instructor is removed from the offering, increasing available slots by one.
- If the offering has open slots, it is marked as available.

Contract CO14: addParticipant

Operation: addParticipant()

Cross References: Use case: Update participant count in given offering.

Preconditions:

- Offering already exists.

Postconditions:

- Offering's participant count is update by +1.

Contract CO15: removeParticipant

Operation: removeParticipant()

Cross References: Use case: Remove a participant from a specific offering.

Preconditions:

- The participant is enrolled in the specified offering.

Postconditions:

- The participant is removed from the offering, increasing available slots by one.

Contract CO16: assignInstructor

Operation: assignInstructor()

Cross References: Use case: Assign an instructor to an offering.

Preconditions:

- The instructor and offering both exist in the system.

Postconditions:

- The instructor is assigned to the offering, making it available for public enrollment.

Contract CO17: dropInstructor

Operation: dropInstructor()

Cross References: Use case: Remove an instructor from an offering.

Preconditions:

- The instructor is currently assigned to the specified offering.

Postconditions:

- The instructor is removed from the offering, which may affect the offering's availability.

Contract CO18: isFull

Operation: isFull()

Cross References: Use case: Check if an offering is fully booked.

Preconditions:

- The offering exists in the system.

Postconditions:

- Returns true if the offering has no available slots; false otherwise.

Contract CO19: isEmpty

Operation: isEmpty()

Cross References: Use case: Check if an offering has no participants.

Preconditions:

- The offering exists in the system.

Postconditions:

- Returns true if the offering has no participants; false otherwise.

Contract CO20: hasInstructor

Operation: hasInstructor()

<u>Cross References:</u> Use case: Check if an instructor is assigned to an offering. Preconditions:

- The offering exists in the system.

Postconditions:

- Returns true if the offering has an assigned instructor; false otherwise.

Contract CO21: isAvailable

Operation: isAvailable()

Cross References: Use case: Check if an offering is available for enrollment.

Preconditions:

- The offering exists in the system.

Postconditions:

 Returns true if the offering has available slots and is open for enrollment; false otherwise.

Contract CO22: createOffering

Operation: createOffering()

Cross References: Use case: Admin creates a new offering.

Preconditions:

- The admin is logged into the system.

Postconditions:

- A new offering is added to the system with available slots.

Contract CO23: createLocation

Operation: createLocation()

<u>Cross References</u>: Use case: Admin creates a new location.

Preconditions:

- The admin is logged into the system.

Postconditions:

- A new location is added to the system and is available for offerings.

Contract CO24: deleteAccount

Operation: deleteAccount()

Cross References: Use case: Admin deletes a client account.

Preconditions:

- The account exists in the system.

Postconditions:

- The account is removed from the system, and associated bookings are canceled.

Contract CO25: createInstructor

Operation: createInstructor()

Cross References: Use case: Admin creates a new instructor account.

Preconditions:

- The instructor information entered is valid.

Postconditions:

- A new instructor account is created in the system.

Contract CO26: createAdmin

Operation: createAdmin()

Cross References: Use case: Super admin creates a new admin account.

Preconditions:

- The admin information entered is valid.

Postconditions:

- A new admin account is created in the system and info is stored in DB.

Contract CO27: toString

Operation: toString()

<u>Cross References</u>: Use case: General object string representation.

Preconditions:

- The object exists.

Postconditions:

- A string representation of the object is returned, detailing its attributes.