



*The ASYCUDAWorld
Reference Tables*

The ASYCUDAWorld Reference Tables

I- INTRODUCTION

This document encompasses all the Reference Tables belonging to ASYCUDAWorld. For each table, the fields, field lengths, keys and descriptions are specified.

II- THE REFERENCE TABLES SUMMARY

Following is the list of the reference tables in alphabetical order. The column “Table Name” takes the reader to the respective table section.

Note : All the Reference Tables names are starting with "UN" (Except *LogTable*), replace "xx" by "UN" for the complete name.

All reference tables (Except *LogTable*) have two fields **VALID_FROM** and **VALID_TO** that define its validity in time. This icon indicates  if a field is a primary key or not.

Table name	Description
LogTable	Actions (procedures)
xxACTTAB	Actions (procedures)
xxADMTAB	Selectivity administration
xxAGCTAB	Carrier's agents (link)
xxAGDTAB	Declarant's agents (link)
xxAGRCMP	Agreements & companies
xxAGRTAB	Agreements
xxATDTAB	Attached documents
xxATITAB	Accounting transactions (IN)
xxATOTAB	Accounting transactions (OUT)
xxBNKTAB	Banks
xxBRATAB	Bank branches (link)
xxBUDTAB	Budget codes
xxCAPTAB	Common Agricultural Policies
xxCARTAB	Carriers
xxCMPTAB	Companies

xxCOFSHD	Customs officers & transit sheds (link)
xxCOFTAB	Customs officers
xxCOFWHS	Customs officers & warehouses (link)
xxCOLTAB	Additional tariff column names
xxCP1TAB	General procedures
xxCP3TAB	Additional codes
xxCP4CP3	National fiscal procedures (link)
xxCP4TAB	Extended procedures
xxCPPTAB	Previous procedures
xxCPRTAB	Requested procedures
xxCTNTAB	Types of containers
xxCTYMOT	Countries & modes of transport (link)
xxCTYTAB	Countries
xxCUOMOT	Customs offices & modes of transport (link)
xxCUOTAB	Customs offices
xxCURTAB	Currencies
xxDECTAB	Declarants
xxFRDTAB	Frauds/Selectivity
xxHOLTAB	Non-working days
xxHS1TAB	Sections
xxHS2TAB	Chapters
xxHS3TAB	Sub-chapters
xxHS4TAB	Headings
xxHS5TAB	Sub-Headings (5 digits)
xxHS6TAB	HS Codes
xxINDTAB	Empty/Full indicators
xxKWDHS6	Keywords on HS 6
xxKWDTAB	Keywords
xxLNGTAB	Languages
xxLOCTAB	Places of loading (locode)
xxMKTTAB	Market values
xxMODTAB	Models of declarations
xxMOPTAB	Means of payment
xxMOTTAB	Modes of transport
xxMUQTAB	Measurement unit qualifiers
xxNATTAB	B/L nature
xxNOTTAB	Notes

xxPKGTAB	Types of packages
xxPRFCTY	Preferences & countries (link)
xxPRFTAB	Preferences
xxPRGCUO	Processing programs & CUO (link)
xxPRGTAB	Processing programs
xxPRPTAB	Principals
xxPRTTAB	Printers
xxQUOTAB	Quotas
xxRATTAB	Exchange rates (link)
xxREGTAB	Country regions (link)
xxRTXTAB	General notes
xxRULTAB	Taxation Rules
xxSCNTAB	Scanned attached documents
xxSEATAB	Seals parties
xxSHDCAR	Transit sheds & carriers (link)
xxSHDCMP	Transit sheds & companies (link)
xxSHDDEC	Transit sheds & declarants (link)
xxSHDTAB	Transit Sheds
xxSHLTAB	Location in transit shed
xxTARCOL	Additional tariff columns
xxTARTAB	National commodity codes
xxTARTRAC K	Integrated tariff auditing
xxTAXCMP	Taxation lists - Companies
xxTAXLST	Taxation lists
xxTAXTAB	Tax codes
xxTAXTAR	Taxation lists – Tariff codes
xxTIRCTY	TIR member countries
xxTIRTAB	Associations
xxTODTAB	Terms of delivery
xxTOPTAB	Terms of payment
xxTR1TAB	Nature of transaction #1
xxTR2TAB	Nature of transaction #2
xxTRDMOT	Transport documents & MOT's (link)
xxTRDTAB	Transport documents
xxUOMTAB	Statistical units
xxWHSCMP	Customs warehouses & companies

xxWHSTAB	Warehouses
xxVAMTAB	Valuation method

III- REFERENCE TABLES DETAILS

1-LogTable

Key	Name	Type	Description
	TAB_NAM	VARCHAR (35)	Table name
	UPD_DAT	TIMESTAMP	Change date
	USR_NAM	VARCHAR (35)	User name
	LOG_TXT	LONGVARCHAR	Information

2-ACTTAB

Key	Name	Type	Description
	ACT_COD	VARCHAR (2)	Action code
	VALID_FROM	TIMESTAMP	
	ACT_DSC	VARCHAR (35)	Action description
	VALID_TO	TIMESTAMP	

3-ADMTAB

Key	Name	Type	Description
	ADM_COD	VARCHAR (5)	Administration Code Description
	ADM_CUO_COD	VARCHAR (5)	Office Code of Administration
	VALID_FROM	TIMESTAMP	
	ADM_ADR	VARCHAR (35)	Administration Address
	ADM_AD2	VARCHAR (35)	Administration Address
	ADM_AD3	VARCHAR (35)	Administration Address
	ADM_AD4	VARCHAR (35)	Administration Address
	ADM_NAM	VARCHAR (35)	Administration name Description
	ADM_NAM2	VARCHAR (35)	Administration name Description
	ADM_NAM3	VARCHAR (35)	Administration name Description
	ADM_FAX	VARCHAR (15)	Administration Fax
	ADM_TEL	VARCHAR (15)	Administration Telephone
	VALID_TO	TIMESTAMP	

4-AGCTAB

Key	Name	Type	Description
	AGC_NAM	VARCHAR (17)	Carrier's agent name
	CAR_COD	VARCHAR (35)	Carrier's agent code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

5-AGDTAB

Key	Name	Type	Description
	AGD_NAM	VARCHAR (35)	Declarant's agent name
	DEC_COD	VARCHAR (17)	Declarant's agent code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

6-AGRCMP

Key	Name	Type	Description
	AGR_COD	VARCHAR (2)	Agreements-Company code
	CMP_COD	TIMESTAMP	Company code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

7-AGRTAB

Key	Name	Type	Description
	AGR_COD	VARCHAR (17)	Agreement code
	VALID_FROM	TIMESTAMP	
	AGR_DSC	VARCHAR (35)	Agreement description
	AGR_DEL	DOUBLE	Delay
	CP3_COD	VARCHAR (3)	Additional code
	RUL_COD	VARCHAR (17)	Rule code
	SEL_HSC	LONGVARCHAR	Commodity details
	VALID_TO	TIMESTAMP	

8-ATDTAB

Key	Name	Type	Description
	ATD_COD	VARCHAR (4)	Attached document code
	VALID_FROM	TIMESTAMP	
	ATD_DSC	VARCHAR (70)	Description
	ATD_DSC2	VARCHAR (70)	Description
	ATD_DSC3	VARCHAR (70)	Description
	VALID_TO	TIMESTAMP	

9-ATITAB

Key	Name	Type	Description
	ATI_COD	VARCHAR (3)	Transaction code
	VALID_FROM	TIMESTAMP	
	ATI_FRM	VARCHAR (1)	Format flag (0/1/2) – determines reference field in other payments in or out is free text or other
	ATI_LDC	VARCHAR (35)	Long description
	ATI_SDC	VARCHAR (17)	Short description
	BUD_COD	VARCHAR (17)	Budget code
	BUD_LIN	VARCHAR (17)	Budgetary line
	TAX_COD	VARCHAR (3)	Tax code
	VALID_TO	TIMESTAMP	

10-ATOTAB

Key	Name	Type	Description
	ATO_COD	VARCHAR (3)	Transaction code
	VALID_FROM	TIMESTAMP	
	ATO_FRM	VARCHAR (1)	Format flag (0/1/2) - determines reference field in other payments in or out is free text or other
	ATO_LDC	VARCHAR (35)	Long description
	ATO_SDC	VARCHAR (17)	Short description
	BUD_COD	VARCHAR (17)	Budget code
	BUD_LIN	VARCHAR (17)	Budgetary line
	TAX_COD	VARCHAR (3)	Tax code
	VALID_TO	TIMESTAMP	

11-BNKTAB

Key	Name	Type	Description
	BNK_COD	VARCHAR (17)	Bank code
	VALID_FROM	TIMESTAMP	
	BNK_NAM	VARCHAR (35)	Bank name
	BNK_NAM2	VARCHAR (35)	Bank name
	BNK_NAM3	VARCHAR (35)	Bank name
	BNK_ADR	VARCHAR (35)	Bank address
	BNK_AD2	VARCHAR (35)	Bank address
	BNK_AD3	VARCHAR (35)	Bank address
	BNK_AD4	VARCHAR (35)	Bank address
	BNK_FAX	VARCHAR (15)	Bank fax number
	BNK_SWF	VARCHAR (15)	Bank SWIFT number
	BNK_TEL	VARCHAR (15)	Bank telephone number
	BNK_TLX	VARCHAR (15)	Bank telex number
	VALID_TO	TIMESTAMP	

12-BRATAB

Key	Name	Type	Description
	BNK_COD	VARCHAR (17)	Bank code
	BRA_COD	VARCHAR (17)	Bank branch code
	VALID_FROM	TIMESTAMP	
	BRA_ADR	VARCHAR (35)	Branch address
	BRA_AD2	VARCHAR (35)	Branch address
	BRA_AD3	VARCHAR (35)	Branch address
	BRA_AD4	VARCHAR (35)	Branch address
	BRA_NAM	VARCHAR (35)	Branch name
	BRA_NAM2	VARCHAR (35)	Branch name
	BRA_NAM3	VARCHAR (35)	Branch name
	BRA_FAX	VARCHAR (15)	Branch fax number
	BRA_SWF	VARCHAR (15)	Branch SWIFT number
	BRA_TEL	VARCHAR (15)	Branch telephone number
	BRA_TLX	VARCHAR (15)	Branch telex number
	VALID_TO	TIMESTAMP	

13-BUDTAB

Key	Name	Type	Description
	BUD_COD	VARCHAR (17)	Budget code
	VALID_FROM	TIMESTAMP	
	BUD_DSC	VARCHAR (35)	Budget description
	VALID_TO	TIMESTAMP	

14-CAPTAB

Key	Name	Type	Description
	CAP_COD	VARCHAR (5)	Common Agricultural Policy code
	VALID_FROM	TIMESTAMP	
	CAP_DSC	VARCHAR (50)	Common Agricultural Policy description
	CAP_DSC2	VARCHAR (50)	Common Agricultural Policy description Common Agricultural Policy description
	CAP_DSC3	VARCHAR (50)	Common Agricultural Policy description
	CAP_LIC	VARCHAR (1)	CAP licence required (yes/no)
	VALID_TO	TIMESTAMP	

15-CARTAB

Key	Name	Type	Description
	CAR_COD	VARCHAR (17)	Carrier code
	VALID_FROM	TIMESTAMP	
	CAR_ADR	VARCHAR (35)	Carrier address
	CAR_AD2	VARCHAR (35)	Carrier address
	CAR_AD3	VARCHAR (35)	Carrier address
	CAR_AD4	VARCHAR (35)	Carrier address
	CAR_FAX	VARCHAR (15)	Carrier fax number
	CAR_NAM	VARCHAR (35)	Carrier name
	CAR_TEL	VARCHAR (15)	Carrier telephone number
	CAR_TLX	VARCHAR (15)	Carrier telex number
	CMP_COD	VARCHAR (17)	Company code
	VALID_TO	TIMESTAMP	

16-CMPTAB

Key	Name	Type	Description
	CMP_COD	VARCHAR (17)	Company code
	VALID_FROM	TIMESTAMP	
	CMP_ADR	VARCHAR (35)	Company address
	CMP_AD2	VARCHAR (35)	Company address
	CMP_AD3	VARCHAR (35)	Company address
	CMP_AD4	VARCHAR (35)	Company address
	CMP_FAX	VARCHAR (15)	Company fax number
	CMP_NAM	VARCHAR (35)	Company name
	CMP_STA	INTEGER	Suspended status (yes/no)
	CMP_TEL	VARCHAR (15)	Company telephone number
	CMP_TLX	VARCHAR (15)	Company telex number
	VALID_TO	TIMESTAMP	

17-COFSHD

Key	Name	Type	Description
	COF_COD	VARCHAR (17)	Examining officer's code
	SHD_COD	VARCHAR (17)	Transit shed code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

18-COFTAB

Key	Name	Type	Description
	COF_COD	VARCHAR (17)	Examining officer code
	VALID_FROM	TIMESTAMP	
	COF_NAM	VARCHAR (35)	Examining officer name
	VALID_TO	TIMESTAMP	

19-COFWHS

Key	Name	Type	Description
	COF_COD	VARCHAR (17)	Examining officer code
	WHS_COD	VARCHAR (17)	Warehouse code
	VALID_FROM	TIMESTAMP	

	VALID_TO	TIMESTAMP	
--	----------	-----------	--

20-COLTAB

Key	Name	Type	Description
	COL_NUM	VARCHAR (2)	Additional column number
	VALID_FROM	TIMESTAMP	
	COL_DSC	VARCHAR (35)	Additional column description
	VALID_TO	TIMESTAMP	

21-CP1TAB

Key	Name	Type	Description
	CP1_COD	VARCHAR (1)	General procedure code
	VALID_FROM	TIMESTAMP	
	CP1_DSC	VARCHAR (35)	General procedure description
	VALID_TO	TIMESTAMP	

22-CP3TAB

Key	Name	Type	Description
	CP3_COD	VARCHAR (3)	Additional code
	VALID_FROM	TIMESTAMP	
	CP3_AGR	VARCHAR (1)	Associated agreement
	CP3_DSC	VARCHAR (70)	Additional code description
	CPR_DS2	VARCHAR (70)	Description of above code
	CPR_VE2	VARCHAR (4)	Customs procedure code (Version 3 ECOWAS)
	RUL_COD	VARCHAR (17)	Rule code
	VALID_TO	TIMESTAMP	

23-CP4CP3

Key	Name	Type	Description
	CP3_COD	VARCHAR (3)	Additional code
	CP4_COD	VARCHAR (4)	Customs/Fiscal procedure code
	VALID_FROM	TIMESTAMP	
	CP3_DSC	VARCHAR (70)	Additional code description

	VALID TO	TIMESTAMP	
--	----------	-----------	--

24-CP4TAB

Key	Name	Type	Description
	CP4_COD	VARCHAR (4)	Extended procedure code
	VALID FROM	TIMESTAMP	
	CP4_DSC	VARCHAR (70)	Extended procedure description
	CP4_DSC2	VARCHAR (70)	Extended procedure description
	CP4_DSC3	VARCHAR (70)	Extended procedure description
	CPP_COD	VARCHAR (2)	Previous procedure code
	CPR_COD	VARCHAR (2)	Requested procedure code
	GEN_TRA	VARCHAR (1)	General trade regime
	SPE_TRA	VARCHAR (1)	Special trade regime
	VALID TO	TIMESTAMP	

25-CPPTAB

Key	Name	Type	Description
	CPP_COD	VARCHAR (2)	Previous procedure code
	VALID FROM	TIMESTAMP	
	ACT_COD	VARCHAR (2)	Action code
	CP1_COD	VARCHAR (1)	Type of procedure
	CPP_DSC	VARCHAR (50)	Previous procedure description
	VALID TO	TIMESTAMP	

26-CPRTAB

Key	Name	Type	Description
	CPR_COD	VARCHAR (2)	Requested procedure code
	VALID FROM	TIMESTAMP	
	ACT_COD	VARCHAR (2)	Action code
	CP1_COD	VARCHAR (1)	Type of procedure
	CPR_DEL	DOUBLE	Delay
	CPR_DSC	VARCHAR (50)	Requested procedure description
	VALID TO	TIMESTAMP	

27-CTNTAB

Key	Name	Type	Description
	CTN_TYP	VARCHAR (4)	Type of container identifier
	VALID_FROM	TIMESTAMP	
	CTN_DSC	VARCHAR (35)	Type of container description
	VALID_TO	TIMESTAMP	

28-CTYMOT

Key	Name	Type	Description
	CTY_COD	VARCHAR (3)	Country code
	MOT_COD	VARCHAR (3)	Mode of transport code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

29-CTYTAB

Key	Name	Type	Description
	CTY_COD		Country code
	VALID_FROM	TIMESTAMP	
	CTY_DSC	VARCHAR (35)	Country description
	CTY_DSC2	VARCHAR (35)	Country description
	CTY_DSC3	VARCHAR (35)	Country description
	RUL_COD	VARCHAR (17)	Rule code
	VALID_TO	TIMESTAMP	

30-CUOMOT

Key	Name	Type	Description
	CUO_COD	VARCHAR (5)	Customs office code
	MOT_COD	VARCHAR (3)	Mode of transport code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

31-CUOTAB

Key	Name	Type	Description
-----	------	------	-------------

	CUO_COD	VARCHAR (5)	Customs office code
	VALID FROM	TIMESTAMP	
	BNK_COD	VARCHAR (17)	Bank code
	BRA_COD	VARCHAR (17)	Branch code (of above bank)
	CUO_ACC	VARCHAR (17)	Account number
	CUO_ADR	VARCHAR (35)	Customs office address
	CUO_AD2	VARCHAR (35)	Customs office address
	CUO_AD3	VARCHAR (35)	Customs office address
	CUO_AD4	VARCHAR (35)	Customs office address
	CUO_BRD	VARCHAR (1)	Border office flag
	CUO_CAP	VARCHAR (1)	CAP goods allowed in office (yes/no)
	CUO_CLR	VARCHAR (1)	Customs office flag
	CUO_FAX	VARCHAR (15)	Customs office fax number
	CUO_NAM	VARCHAR (35)	Customs office name
	CUO_NAM2	VARCHAR (35)	Customs office name
	CUO_NAM3	VARCHAR (35)	Customs office name
	CUO_TEL	VARCHAR (15)	Customs office telephone number
	CUO_TLX	VARCHAR (15)	Customs office telex number
	VALID TO	TIMESTAMP	

32-CURTAB

Key	Name	Type	Description
	CUR_COD	VARCHAR (3)	Currency code
	VALID FROM	TIMESTAMP	
	CUR_DSC	VARCHAR (35)	Currency description
	CUR_DSC2	VARCHAR (35)	Currency description
	CUR_DSC3	VARCHAR (35)	Currency description
	CUR_RAT	DOUBLE	Currency rate
	VALID TO	TIMESTAMP	

33-DECTAB

Key	Name	Type	Description
	DEC_COD	VARCHAR (17)	Declarant code
	VALID FROM	TIMESTAMP	
	CMP_COD	VARCHAR (17)	Suspended status (yes/no)
	DEC_ADR	VARCHAR (35)	Declarant address

	DEC_AD2	VARCHAR (35)	Declarant address
	DEC_AD3	VARCHAR (35)	Declarant address
	DEC_AD4	VARCHAR (35)	Declarant address
	DEC_BRK	VARCHAR (15)	Company code
	DEC_FAX	VARCHAR (15)	Declarant fax number
	DEC_NAM	VARCHAR (35)	Declarant name
	DEC_STA	INTEGER	Status: Active/Suspended
	DEC_TLX	VARCHAR (15)	Declarant telex number
	DEC_TEL	VARCHAR (15)	Declarant telephone number
	VALID_TO	TIMESTAMP	

34-FRDTAB

Key	Name	Type	Description
	FRD_COD	VARCHAR (5)	Fraud code
	VALID_FROM	TIMESTAMP	
	FRD_DSC	VARCHAR (35)	Fraud description
	VALID_TO	TIMESTAMP	

36-HOLTAB

Key	Name	Type	Description
	CUO_COD	VARCHAR (5)	Office code
	HOLIDAY	TIMESTAMP	Date of non-working day
	VALID_FROM	TIMESTAMP	
	HOL_FLA	VARCHAR (1)	Indicator flag (0=holiday day for whole county, 1=holiday day just for office)
	VALID_TO	TIMESTAMP	

37-HS1TAB

Key	Name	Type	Description
	HS1_COD	VARCHAR (2)	Section code
	VALID_FROM	TIMESTAMP	
	HS1_DSC	VARCHAR (1000)	Section description
	HS1_TXT	LONGVARCHAR	Harmonized system note
	NOT_COD	VARCHAR (10)	National note

	VALID_TO	TIMESTAMP	
--	----------	-----------	--

38-HS2TAB

Key	Name	Type	Description
	HS2_COD	VARCHAR (2)	Chapter code
	VALID_FROM	TIMESTAMP	
	HS1_COD	VARCHAR (2)	Section code
	HS2_DSC	VARCHAR (1000)	Chapter description
	HS2_TXT	LONGVARCHAR	Harmonized system note
	NOT_COD	VARCHAR (10)	National note
	VALID	TIMESTAMP	

39-HS3TAB

Key	Name	Type	Description
	HS3_COD	VARCHAR (4)	Sub-chapter code
	VALID_FROM	TIMESTAMP	
	HS2_COD	VARCHAR (2)	Sub-chapter description
	HS3_DSC	VARCHAR (1000)	Sub-chapter description
	VALID_TO	TIMESTAMP	

40-HS4TAB

Key	Name	Type	Description
	HS4_COD	VARCHAR (4)	Heading code
	VALID_FROM	TIMESTAMP	
	HS2_COD	VARCHAR (2)	Heading description
	HS3_COD	VARCHAR (4)	Sub-chapter code
	HS4_DSC	VARCHAR (1000)	Heading description
	VALID_TO	TIMESTAMP	

41-HS5TAB

Key	Name	Type	Description
	HS5_COD	VARCHAR (5)	Sub-heading code
	VALID_FROM	TIMESTAMP	
	HS4_COD	VARCHAR (4)	Heading code

	HS5_DSC	VARCHAR (1000)	Sub-heading description
	VALID_TO	TIMESTAMP	

42-HS6TAB

Key	Name	Type	Description
	HS6_COD	VARCHAR (6)	Harmonized system code
	VALID_FROM	TIMESTAMP	
	HS4_COD	VARCHAR (4)	Heading code
	HS5_COD	VARCHAR (5)	Sub-heading code
	HS6_DSC	VARCHAR (1000)	Harmonized description
	VALID_TO	TIMESTAMP	

43-INDTAB

Key	Name	Type	Description
	IND_COD	VARCHAR (3)	Indicator code
	VALID_FROM	TIMESTAMP	
	IND_DSC	VARCHAR (35)	Indicator description
	VALID_TO	TIMESTAMP	

44-KWDHS6

Key	Name	Type	Description
	HS6_COD	VARCHAR (6)	HS code
	KWD_COD	VARCHAR (30)	Keyword code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

45-KWDTAB

Key	Name	Type	Description
	KWD_COD	VARCHAR (30)	Keyword
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

46-LNGTAB

Key	Name	Type	Description
	LNG_COD	VARCHAR (2)	Language code
	VALID_FROM	TIMESTAMP	
	LNG_IND	VARCHAR (1)	Multiple language indicator
	LNG_DSC	VARCHAR (20)	Language description
	VALID_TO	TIMESTAMP	

47-LOCTAB

Key	Name	Type	Description
	LOC_COD	VARCHAR (5)	Location code
	VALID_FROM	TIMESTAMP	
	LOC_DSC	VARCHAR (35)	Location description
	LOC_DSC2	VARCHAR (35)	Location description
	LOC_DSC3	VARCHAR (35)	Location description
	VALID_TO	TIMESTAMP	

48-MKTTAB

Key	Name	Type	Description
	MKT_COD	VARCHAR (17)	Market value
	VALID_FROM	TIMESTAMP	
	EGW_CUR	VARCHAR (3)	Currency for the above
	EGW_VAL	DOUBLE	Rate per gross weight for export
	ENW_CUR	VARCHAR (3)	Currency for the above
	ENW_VAL	DOUBLE	Rate per net weight for export
	EU1_CUR	VARCHAR (3)	Currency for the above
	EU1_VAL	DOUBLE	Rate per statistical unit for export
	EU2_CUR	VARCHAR (3)	Currency for the above
	EU2_VAL	DOUBLE	Rate per supplementary value 1 for export
	EU3_CUR	VARCHAR (3)	Currency for the above
	EU3_VAL	DOUBLE	Rate per supplementary value 2 for export
	IGW_CUR	VARCHAR (3)	Currency of the above
	IGW_VAL	DOUBLE	Rate per gross weight for import
	INW_CUR	VARCHAR (3)	Currency for the above
	INW_VAL	DOUBLE	Rate per net weight for import

	IU1_CUR	VARCHAR (3)	Currency for the above
	IU1_VAL	DOUBLE	Rate per statistical unit for import
	IU2_CUR	VARCHAR (3)	Currency for the above
	IU2_VAL	DOUBLE	Rate per supplementary value 1 for import
	IU3_CUR	VARCHAR (3)	Currency for the above
	IU3_VAL	DOUBLE	Rate per supplementary value 2 for import
	MKT_DSC	VARCHAR (35)	Market value description
	MKT_MOD	INTEGER	Highest value flag
	MKT_TXT	LONGVARCHAR	Market value document
	RUL_COD	VARCHAR (17)	Rule code
	ST1_UNT	VARCHAR (3)	Supplementary unit 1
	ST2_UNT	VARCHAR (3)	Supplementary unit 2
	ST3_UNT	VARCHAR (3)	Supplementary unit 3
	STA_MOD	INTEGER	Replace statistical value flag
	VALID_TO	TIMESTAMP	

49-MODTAB

Key	Name	Type	Description
	CP1_COD	VARCHAR (1)	General procedure code
	MOD_COD	VARCHAR (3)	Model of declaration code
	VALID_FROM	TIMESTAMP	
	ASS_SER	VARCHAR (1)	Assessment reference serial letter/number
	CUS_SER	VARCHAR (1)	Customs reference serial letter/number
	MOD_CON	LONGVARBINARY	Configuration rule for model
	MOD_DSC	VARCHAR (70)	Model description
	MOD_DSC2	VARCHAR (70)	Model description
	MOD_DSC3	VARCHAR (70)	Model description
	MOD_FLW	VARCHAR (1)	Model flow (0 - export, 1 - import)
	VALID_TO	TIMESTAMP	

50-MOPTAB

Key	Name	Type	Description
	MOP_COD	VARCHAR (2)	Means of payment code
	VALID_FROM	TIMESTAMP	
	MOP_BNK	VARCHAR (1)	Means of payment reference
	MOP_DSC	VARCHAR (70)	Means of payment description
	MOP_NUM	VARCHAR (1)	Means of payment number
	MOP_VAL	DOUBLE	Maximum amount
	VALID_TO	TIMESTAMP	

51-MOTTAB

Key	Name	Type	Description
	MOT_COD	VARCHAR (3)	Mode of transport code
	VALID_FROM	TIMESTAMP	
	MOT_DSC	VARCHAR (35)	Mode of transport description
	MOT_DSC2	VARCHAR (35)	Mode of transport description
	MOT_DSC3	VARCHAR (35)	Mode of transport description
	VALID_TO	TIMESTAMP	

52-MUQTAB

Key	Name	Type	Description
	MUQ_COD	VARCHAR (3)	Measurement unit qualifier code
	VALID_FROM	TIMESTAMP	
	MUQ_DSC	VARCHAR (50)	Measurement unit qualifier description
	VALID_TO	TIMESTAMP	

53-NATTAB

Key	Name	Type	Description
	NAT_COD	VARCHAR (2)	B/L nature code
	VALID_FROM	TIMESTAMP	
	NAT_DSC	VARCHAR (35)	B/L nature description
	VALID_TO	TIMESTAMP	

54-NOTTAB

Key	Name	Type	Description
-----	------	------	-------------

	NOT_COD	VARCHAR (10)	National note code
	VALID_FROM	TIMESTAMP	
	NOT_DSC	VARCHAR (35)	National note description
	NOT_TXT	LONGVARCHAR	Free text
	VALID_TO	TIMESTAMP	

55-PKGTAB

Key	Name	Type	Description
	PKG_COD	VARCHAR (17)	Packaging code
	VALID_FROM	TIMESTAMP	
	PKG_DSC	VARCHAR (35)	Packaging description
	PKG_DSC2	VARCHAR (35)	Packaging description
	PKG_DSC3	VARCHAR (35)	Packaging description
	PKG_BLK	VARCHAR (1)	Bulk flag
	VALID_TO	TIMESTAMP	

56-PRFCTY

Key	Name	Type	Description
	CTY_COD	VARCHAR (3)	Country code
	PRF_COD	VARCHAR (17)	Preference code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

57-PRFTAB

Key	Name	Type	Description
	PRF_COD	VARCHAR (17)	Preference code
	VALID_FROM	TIMESTAMP	
	PRF_DSC	VARCHAR (35)	PRF_DSC
	PRF_DSC2	VARCHAR (35)	PRF_DSC
	PRF_DSC3	VARCHAR (35)	PRF_DSC
	PRF_QUO	VARCHAR (1)	Use of quota required (yes/no)
	RUL_COD	VARCHAR (17)	Rule code
	VALID_TO	TIMESTAMP	

58-PRGCUO

Key	Name	Type	Description
	CUO_COD	VARCHAR (5)	Customs office code
	PRG_COD	VARCHAR (17)	Program code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

59-PRGTAB

Key	Name	Type	Description
	PRG_COD	VARCHAR (17)	Processing program code
	VALID_FROM	TIMESTAMP	
	ACT_COD	VARCHAR (2)	Action code
	CMP_COD	VARCHAR (17)	Company code
	PRG_DEL	DOUBLE	Delay
	PRG_DSC	VARCHAR (35)	Program description
	VALID_TO	TIMESTAMP	

60-PRPTAB

Key	Name	Type	Description
	CMP_COD	VARCHAR (17)	Company code
	VALID_FROM	TIMESTAMP	
	CMP_NAM	VARCHAR (35)	Company name
	PRP_NAM	VARCHAR (35)	Comments
	VALID_TO	TIMESTAMP	

61-PRTTAB

Key	Name	Type	Description
	PRT_COD	VARCHAR (3)	Printer code
	VALID_FROM	TIMESTAMP	
	PRT_DSC	VARCHAR (30)	Printer description
	PRT_STP	VARCHAR (70)	Printer set-up
	VALID_TO	TIMESTAMP	

62-QUOTAB

Key	Name	Type	Description
	QUO_COD	VARCHAR (6)	Quota reference code
	VALID_FROM	TIMESTAMP	
	QUO_DSC	VARCHAR (50)	Quota code description
	QUO_DSC2	VARCHAR (50)	Quota code description
	QUO_DSC3	VARCHAR (50)	Quota code description
	VALID_TO	TIMESTAMP	

63-RATTAB

Key	Name	Type	Description
	CUR_COD	VARCHAR (3)	Currency code
	VALID_FROM	TIMESTAMP	
	CUR_REF	DOUBLE	Reference unit of currency
	RAT_EXC	DOUBLE	Exchange rate
	VALID_TO	TIMESTAMP	

64-REGTAB

Key	Name	Type	Description
	CTY_COD	VARCHAR (3)	Country code
	REG_COD	VARCHAR (4)	Region code
	VALID_FROM	TIMESTAMP	
	REG_DSC	VARCHAR (35)	Region description
	VALID_TO	TIMESTAMP	

65-RTXTAB

Key	Name	Type	Description
	RTX_COD	VARCHAR (9)	General note
	VALID_FROM	TIMESTAMP	
	RTX_DSC	VARCHAR (35)	General note description
	RTX_RAT	DOUBLE	Rate
	VALID_TO	TIMESTAMP	

66-RULTAB

Key	Name	Type	Description
	RUL_COD	VARCHAR (17)	Rule code
	VALID_FROM	TIMESTAMP	
	RUL_DSC	VARCHAR (35)	Description
	RUL_PTY	VARCHAR (2)	Priority
	RUL_DEF	LONGVARBINARY	Free text
	VALID_TO	TIMESTAMP	

67-SCNTAB

Key	Name	Type	Description
	SCN_COD	VARCHAR (4)	Scan code
	VALID_FROM	TIMESTAMP	
	SCN_DSC	VARCHAR (70)	Scan description
	SCN_DSC2	VARCHAR (70)	Scan description 2
	SCN_DSC3	VARCHAR (70)	Scan description 3
	VALID_TO	TIMESTAMP	

68-SEATAB

Key	Name	Type	Description
	SEA_COD	VARCHAR (3)	Sealing party code
	VALID_FROM	TIMESTAMP	
	SEA_DSC	VARCHAR (35)	Sealing party description
	VALID_TO	TIMESTAMP	

69-SHDCAR

Key	Name	Type	Description
	SHD_COD	VARCHAR (17)	Transit shed code
	CAR_COD	VARCHAR (17)	Carrier code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

70-SHDCMP

Key	Name	Type	Description
	SHD_COD	VARCHAR (17)	Transit shed code
	CMP_COD	VARCHAR (17)	Company code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

71-SHDDEC

Key	Name	Type	Description
	SHD_COD	VARCHAR (17)	Transit shed code
	DEC_COD	VARCHAR (17)	Declarant code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

72-SHDTAB

Key	Name	Type	Description
	SHD_COD	VARCHAR (17)	Transit shed code
	VALID_FROM	TIMESTAMP	
	SHD_ADR	VARCHAR (35)	Transit shed address
	SHD_AD2	VARCHAR (35)	Transit shed address
	SHD_AD3	VARCHAR (35)	Transit shed address
	SHD_AD4	VARCHAR (35)	Transit shed address
	SHD_FAX	VARCHAR (15)	Transit shed fax number
	SHD_NAM	VARCHAR (35)	Transit shed name
	SHD_NAM2	VARCHAR (35)	Transit shed name
	SHD_NAM3	VARCHAR (35)	Transit shed name
	SHD_PUB	VARCHAR (1)	Public flag (yes/no)
	SHD_TEL	VARCHAR (15)	Transit shed telephone number
	SHD_TLX	VARCHAR (15)	Transit shed telex number
	VALID_TO	TIMESTAMP	

73-SHLTAB

Key	Name	Type	Description
	SHD_COD	VARCHAR (17)	Transit shed code
	SHL_COD	VARCHAR (17)	Location code in transit shed
	VALID_FROM	TIMESTAMP	

	SHL_NAM	VARCHAR (35)	Location code in transit shed name
	VALID TO	TIMESTAMP	

74-TARCOL

Key	Name	Type	Description
	COL_NUM	VARCHAR (2)	Additional column number
	HSC_COD	VARCHAR (11)	Commodity code
	VALID FROM	TIMESTAMP	
	TAR_TXX	VARCHAR (9)	Tax rate
	VALID TO	TIMESTAMP	

76-TARTAB

Key	Name	Type	Description
	HS6_COD	VARCHAR (6)	Commodity code
	TAR_PR1	VARCHAR (3)	Tariff precision
	TAR_PR2	VARCHAR (3)	Tariff precision
	TAR_PR3	VARCHAR (4)	Tariff precision
	TAR_PR4	VARCHAR (4)	Tariff precision
	VALID FROM	TIMESTAMP	
	MKT_COD	VARCHAR (17)	Market value code
	NOT_COD	VARCHAR (10)	National note code
	OPERATION_DATE	TIMESTAMP	Date of operation carried out
	OPERATION_NAME	VARCHAR (80)	Name of operation carried out
	RUL_COD	VARCHAR (17)	Rule code
	TAR_ALL	VARCHAR (1200)	
	TAR_DSC	VARCHAR (88)	
	TAR_T01	VARCHAR (9)	Tariff columns 1-15 (Additional columns belong to the table xxCOLTAB)
	TAR_T02	VARCHAR (9)	//
	TAR_T03	VARCHAR (9)	//
	TAR_T04	VARCHAR (9)	//
	TAR_T05	VARCHAR (9)	//
	TAR_T06	VARCHAR (9)	//
	TAR_T07	VARCHAR (9)	//
	TAR_T08	VARCHAR (9)	//

	TAR_T09	VARCHAR (9)	//
	TAR_T10	VARCHAR (9)	//
	TAR_T11	VARCHAR (9)	//
	TAR_T12	VARCHAR (9)	//
	TAR_T13	VARCHAR (9)	//
	TAR_T14	VARCHAR (9)	//
	TAR_T15	VARCHAR (9)	//
	UOM_COD1	VARCHAR (3)	Statistical units 1,2 and 3
	UOM_COD2	VARCHAR (3)	Statistical units 1,2 and 3
	UOM_COD3	VARCHAR (3)	Statistical units 1,2 and 3
	USER_NAME	VARCHAR (80)	Users whom modified tariff
	VALID_TO	TIMESTAMP	

77-TARTRACK

Key	Name	Type	Description
	HS6_COD	VARCHAR (6)	Harmonized system code
	OPERATION_DATE	TIMESTAMP	Operation Date
	TAR_PR1	VARCHAR (2)	Tariff preference 1
	TAR_PR2	VARCHAR (3)	Tariff preference 2
	TAR_PR3	VARCHAR (4)	Tariff preference 3
	TAR_PR4	VARCHAR (4)	Tariff preference 4
	TEXTLOG	VARCHAR (1000)	Information
	VALID_FROM	TIMESTAMP	
	OPERATION_NAME	VARCHAR (80)	Operation Name
	USER_NAME	VARCHAR (80)	User Name
	VALID_TO	TIMESTAMP	

78-TAXCMP

Key	Name	Type	Description
	CMP_COD	VARCHAR (17)	Company code
	LST_COD	VARCHAR (17)	List code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

79-TAXLST

Key	Name	Type	Description
	LST_COD	VARCHAR (17)	Taxation list code
	VALID_FROM	TIMESTAMP	
	LST_DSC	VARCHAR (35)	List description
	VALID_TO	TIMESTAMP	

80-TAXTAB

Key	Name	Type	Description
	TAX_COD	VARCHAR (3)	Tax code
	VALID_FROM	TIMESTAMP	
	BUD_COD	VARCHAR (17)	Budget code
	TAX_DSC	VARCHAR (35)	Tax description
	TAX_DSC2	VARCHAR (35)	Tax description
	TAX_DSC3	VARCHAR (35)	Tax description
	TAX_LIN	VARCHAR (17)	Budgetary line
	VALID_TO	TIMESTAMP	

81-TAXTAR

Key	Name	Type	Description
	HSC_COD	VARCHAR (11)	Tariff code
	LST_COD	VARCHAR (17)	Taxation list code
	VALID_FROM	TIMESTAMP	
	VALID_TO	TIMESTAMP	

82-TIRCTY

Key	Name	Type	Description
	CTY_COD	VARCHAR (3)	TIR member country code
	VALID_FROM	TIMESTAMP	
	CTY_DSC	VARCHAR (35)	TIR member country name
	VALID_TO	TIMESTAMP	

83-TIRTAB

Key	Name	Type	Description
	TIR_CTY	VARCHAR (3)	Association country code

	TIR_RNK	VARCHAR (2)	Association rank
	VALID FROM	TIMESTAMP	
	CTY_DSC	VARCHAR (35)	Country code description
	TIR_AD1	VARCHAR (35)	Association address 1
	TIR_AD2	VARCHAR (35)	Association address 2
	TIR_AD3	VARCHAR (35)	Association address 3
	TIR_NAM	VARCHAR (35)	Association name
	VALID TO	TIMESTAMP	

84-TODTAB

Key	Name	Type	Description
	TOD_COD	VARCHAR (3)	Terms of delivery code
	VALID FROM	TIMESTAMP	
	TOD_DSC	VARCHAR (35)	Terms of delivery description
	TOD_DSC2	VARCHAR (35)	Terms of delivery description
	TOD_DSC3	VARCHAR (35)	Terms of delivery description
	VALID TO	TIMESTAMP	

85-TOPTAB

Key	Name	Type	Description
	TOP_COD	VARCHAR (3)	Terms of payment
	VALID FROM	TIMESTAMP	
	TOP_DSC	VARCHAR (35)	Terms of payment description
	TOP_DSC2	VARCHAR (35)	Terms of payment description
	TOP_DSC3	VARCHAR (35)	Terms of payment description
	VALID TO	TIMESTAMP	

86-TR1TAB

Key	Name	Type	Description
	TR1_COD	VARCHAR (1)	Basic nature of transaction code
	VALID FROM	TIMESTAMP	
	TR1_DSC	VARCHAR (35)	Description of the above
	TR1_DSC2	VARCHAR (35)	Description of the above
	TR1_DSC3	VARCHAR (35)	Description of the above
	VALID TO	TIMESTAMP	

87-TR2TAB

Key	Name	Type	Description
	TR1_COD	VARCHAR (1)	Nature of transaction code
	TR2_COD	VARCHAR (1)	Basic nature of transaction code
	VALID FROM	TIMESTAMP	
	TR2_DSC	VARCHAR (35)	Description of the above
	TR2_DSC2	VARCHAR (35)	Description of the above
	TR2_DSC3	VARCHAR (35)	Description of the above
	VALID TO	TIMESTAMP	

88-TRDMOT

Key	Name	Type	Description
	MOT_COD	VARCHAR (3)	Mode of transport code
	TRD_COD	VARCHAR (3)	Transport document code
	VALID FROM	TIMESTAMP	
	VALID TO	TIMESTAMP	

89-TRDTAB

Key	Name	Type	Description
	TRD_COD	VARCHAR (3)	Transport document code
	VALID FROM	TIMESTAMP	
	TRD_CTL	VARCHAR (2)	Control of TIR carnet
	TRD_DSC	VARCHAR (35)	Transport description
	TRD_GRP	VARCHAR (1)	Transport grouping flag
	VALID TO	TIMESTAMP	

90-UOMTAB

Key	Name	Type	Description
	UOM_COD	VARCHAR (3)	Statistical unit code
	VALID FROM	TIMESTAMP	
	UOM_DSC	VARCHAR (50)	Statistical unit description
	UOM_DSC2	VARCHAR (50)	Statistical unit description
	UOM_DSC3	VARCHAR (50)	Statistical unit description
	VALID TO	TIMESTAMP	

91-WHSCMP

Key	Name	Type	Description
	WHS COD	VARCHAR (17)	Warehouse code
	CMP COD	VARCHAR (17)	Company code
	VALID FROM	TIMESTAMP	
	VALID TO	TIMESTAMP	

92-WHSTAB

Key	Name	Type	Description
	WHS COD	VARCHAR (17)	Customs warehouse code
	VALID FROM	TIMESTAMP	
	WHS ADR	VARCHAR (35)	Warehouse address
	WHS AD2	VARCHAR (35)	Warehouse address
	WHS AD3	VARCHAR (35)	Warehouse address
	WHS AD4	VARCHAR (35)	Warehouse address
	WHS FAX	VARCHAR (15)	Warehouse fax number
	WHS NAM	VARCHAR (35)	Warehouse name
	WHS NAM2	VARCHAR (35)	Warehouse name
	WHS NAM3	VARCHAR (35)	Warehouse name
	WHS PUB	VARCHAR (31)	Public warehouse flag (yes/no)
	WHS TEL	VARCHAR (15)	Warehouse telephone number
	WHS TLX	VARCHAR (15)	Warehouse telex number
	VALID TO	TIMESTAMP	

93-VAMTAB

Key	Name	Type	Description
	VAM COD	VARCHAR (1)	Valuation method code
	VALID FROM	TIMESTAMP	
	VAM DSC	VARCHAR (35)	Valuation method description
	VALID TO	TIMESTAMP	