



Declaration - Tables Description - V 0.1.0905

Introduction

The following document presents the technical description of the database tables used to record all of the transaction data relevant to the SAD (Single Administrative Document).

Structure of the document

This document gives a detailed description of each database table. Notes regarding following table data: The data is presented in the following format.

Field Name - DOM Representation - Null? - Data Type - Description

The Field Name is the name given to the data element in the table.

The DOM Representation is the Data set structure associated with the Field.

Null? shows whether the Field Value could be empty or not.

Data Type indicates the type and length of data being stored, and how the engine is storing it.

This is useful as an indication of the type validation performed against each element.

The Length is to be treated with caution, where data is stored in a numeric format, the length indicated is that for the table column. It may seem different from the length available in the interface screens, but this is because the engine formats the data so that it is stored in its most efficient manner. In particular, the date length seems meaningless. This simply indicates that the data is stored in the Database server date format, which incorporates the necessary structure and length.

Description is a brief explanation of the Field.

The table columns are presented in the same order that they appear in the actual database tables.

Tables Structure

SAD_General_Segment - SAD General Segment

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	Internal key
RLS_CUO_COD	RLS.CUO.COD		VARCHAR(5)	Export Release Customs Office Code
RLS_CUO_NAM	RLS.CUO.NAM		VARCHAR(35)	Export Release Customs Office Name
RLS_REF	RLS.REF		VARCHAR(35)	Export Release Reference
RLS_INF	RLS.INF		VARCHAR(35)	Export Release Information
RLS_DAT	RLS.DAT		DATE	Export Release Date
RLS_TIM	RLS.TIM		TIMESTAMP	Export Release Time
PRV_DTY	PRV.DTY		DOUBLE	Previous amount of duties & taxes for declaration
PTY_COL_DSC	PTY.COL.DSC		VARCHAR(35)	Selected colour description
PTY_COL_IND	PTY.COL.IND		VARCHAR(1)	Selected colour indicator
PTY_BLU	PTY.BLU		INTEGER	Blue flag
PTY_RED	PTY.RED		INTEGER	Red flag
PTY_YEL	PTY.YEL		INTEGER	Yellow flag
PTY_GRE	PTY.GRE		INTEGER	Green flag
PTY_OAS	PTY.OAS		LONGVARCHAR	Selected other administrations lock
PTY_QUE	PTY.QUE		INTEGER	Query flag
PTY_WDE	PTY.WDE		DATE	Working date
PTY_FRM_NBR	PTY.FRM.NBR		INTEGER	Number of the Form
PTY_FRM_TOT	PTY.FRM.TOT		INTEGER	Total number of Forms
PTY_NBR_LDL	PTY.NBR.LDL		INTEGER	Number of loading lists
PTY_NBR_ITM	PTY.NBR.ITM		INTEGER	Number of items
PTY_NBR_PCK	PTY.NBR.PCK		INTEGER	Total number of packages
PTY_PLC	PTY.PLC		VARCHAR(35)	Place of declaration
PTY_CDE	PTY.CDE		DATE	Date of declaration
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Office Name
IDE_TYP_SAD	IDE.TYP.SAD		VARCHAR(3)	Model of Declaration
IDE_TYP_PRC	IDE.TYP.PRC		VARCHAR(1)	General Regime
IDE_TYP_TYP	PTY.FLW		VARCHAR(1)	Declaration type (Import, Export)
IDE_TYP_TRS	IDE.TYP.TRS		VARCHAR(5)	Type of Transit document code
IDE_MAN	IDE.MAN		VARCHAR(28)	Manifest reference number
IDE_BAR	IDE.BAR		VARCHAR(60)	Declaration Barcode
IDE_REG_SER	IDE.REG.SER		VARCHAR(1)	Registration serial
IDE_REG_NBR	IDE.REG.NBR		VARCHAR(50)	Registration number
IDE_REG_DAT	IDE.REG.DAT		DATE	Registration Date
IDE_AST_SER	IDE.AST.SER		VARCHAR(1)	Assessment Serial
IDE_AST_NBR	IDE.AST.NBR		VARCHAR(50)	Assessment Number
IDE_AST_DAT	IDE.AST.DAT		DATE	Assessment Date
IDE_RCP_SER	IDE.RCP.SER		VARCHAR(1)	Receipt Serial
IDE_RCP_NBR	IDE.RCP.NBR		VARCHAR(50)	Receipt Number
IDE_RCP_DAT	IDE.RCP.DAT		DATE	Receipt Date
IDE_RCP_TYP	IDE.RCP.TYP		VARCHAR(1)	Receipt type
IDE_RCP_CUO	IDE.RCP.CUO		VARCHAR(5)	Receipt Office
IDE_PST_NBR	IDE.PST.NBR		VARCHAR(50)	Receipt - number
IDE_PST_DAT	IDE.PST.DAT		DATE	Post-entry - date
IDE_PST_TMP_PRE	IDE.PST.TMP.PRE		VARCHAR(50)	Last prepayment account
IDE_PST_TMP_TY1	IDE.PST.TMP.TY1		VARCHAR(1)	Last prepayment account
IDE_PST_TMP_TY2	IDE.PST.TMP.TY2		VARCHAR(1)	Last prepayment account
CMP_EXP_COD	CMP.EXP.COD		VARCHAR(17)	Exporter - code
CMP_EXP_NAM	CMP.EXP.NAM		LONGVARCHAR	Exporter - name & address
CMP_CON_COD	CMP.CON.COD		VARCHAR(17)	Consignee - code
CMP_CON_NAM	CMP.CON.NAM		LONGVARCHAR	Consignee - name & address

Field Name	DOM Representation	Null?	Data Type	Description
CMP_FIS_COD	CMP.FIS.COD		VARCHAR(17)	Person resp. for financial settlement - code
CMP_FIS_NAM	CMP.FIS.NAM		LONGVARCHAR	Person resp. for financial settlement - name & address
DEC_FLG	DEC.FLG		VARCHAR(1)	Declarant - flag
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_NAM	DEC.NAM		LONGVARCHAR	Declarant Name
DEC_REF_YER	DEC.REF.YER		INTEGER	Declarant reference Year
DEC_REF_NBR	DEC.REF.NBR		VARCHAR(50)	Declarant reference number
DEC_REP	DEC.REP		VARCHAR(35)	Name of representative of declarant
GEN_CTY_FLT	GEN.CTY.FLT		VARCHAR(3)	Country of first destination / last provenance
GEN_CTY_TRD	GEN.CTY.TRD		VARCHAR(3)	Trading country
GEN_CTY_EPT_COD	GEN.CTY.EPT.COD		VARCHAR(3)	Country of export - code
GEN_CTY_EPT_NAM	GEN.CTY.EPT.NAM		VARCHAR(35)	Country of export - name
GEN_CTY_EPT_CRG	GEN.CTY.EPT.CRG		VARCHAR(4)	Country of export - region code
GEN_CTY_DES_COD	GEN.CTY.DES.COD		VARCHAR(3)	Country of destination - code
GEN_CTY_DES_NAM	GEN.CTY.DES.NAM		VARCHAR(35)	Country of destination - name
GEN_CTY_DES_CRG	GEN.CTY.DES.CRG		VARCHAR(4)	Country of destination - region code
GEN_CTY_ORG	GEN.CTY.ORG		VARCHAR(35)	Country of origin - name
GEN_VDT	GEN.VDT		DOUBLE	Value details
GEN_CAP	GEN.CAP		VARCHAR(5)	Common Agricultural Policy reference
TPT_MOT_DPA_NAM	TPT.MOT.DPA.NAM		VARCHAR(35)	Ident. of Means of Transport at depart./ arrival
TPT_MOT_DPA_CTY	TPT.MOT.DPA.CTY		VARCHAR(3)	Nat. of Means of Transport at depart./ arrival
TPT_MOT_BRD_NAM	TPT.MOT.BRD.NAM		VARCHAR(35)	Identity of Means of Transport at the border
TPT_MOT_BRD_CTY	TPT.MOT.BRD.CTY		VARCHAR(3)	Nationality of Means of Transport at the border
TPT_MOT_BRD_COD	TPT.MOT.BRD.COD		VARCHAR(2)	Mode of transport crossing the border
TPT_MOT_INL	TPT.MOT.INL		VARCHAR(2)	Inland mode of transport
TPT_CTF	TPT.CTF		BIT	Container flag
TPT_TOD_COD	TPT.TOD.COD		VARCHAR(3)	Incoterm, code
TPT_TOD_PLC	TPT.TOD.PLC		VARCHAR(35)	Incoterm, place
TPT_TOD_SIT	TPT.TOD.SIT		VARCHAR(2)	Delivery terms - situation code
TPT_CUO_COD	TPT.CUO.COD		VARCHAR(5)	Border customs office - code
TPT_CUO_NAM	TPT.CUO.NAM		VARCHAR(35)	Border customs office - name
TPT_LOP_COD	TPT.LOP.COD		VARCHAR(5)	Place of loading/unloading - code
TPT_LOP_NAM	TPT.LOP.NAM		VARCHAR(35)	Place of loading/unloading - name
TPT_LOP_CTY	TPT.LOP.CTY		VARCHAR(3)	Place of loading/unloading - country code
TPT_LOC	TPT.LOC		VARCHAR(17)	Location of goods
TPT_T1	TPT.T1		INTEGER	Reference to T1 (instance id)
FIN_TRA_NA1	FIN.TRA.NA1		VARCHAR(1)	Nature of transaction - code 1
FIN_TRA_NA2	FIN.TRA.NA2		VARCHAR(1)	Nature of transaction - code 2
FIN_BNK_COD	FIN.BNK.COD		VARCHAR(17)	Bank - code
FIN_BNK_NAM	FIN.BNK.NAM		LONGVARCHAR	Bank - name
FIN_BNK_BRA	FIN.BNK.BRA		VARCHAR(17)	Bank branch - code
FIN_BNK_FRE	FIN.BNK.FRE		VARCHAR(35)	Bank file number
FIN_TOP_COD	FIN.TOP.COD		VARCHAR(3)	Terms of payment - code
FIN_TOP_NAM	FIN.TOP.NAM		VARCHAR(35)	Terms of payment - description
FIN_ACC	FIN.ACC		VARCHAR(17)	Accounting Code
FIN_MPN	FIN.MPN		VARCHAR(35)	Mode of Payment
FIN_AMT_MNL	FIN.AMT.MNL		DOUBLE	Total taxes amount by manual input
FIN_AMT_FEE	FIN.AMT.FEE		DOUBLE	Total Global Taxes
FIN_AMT_DTY	FIN.AMT.DTY		DOUBLE	Total General
FIN_AMT_TBP	FIN.AMT.TBP		DOUBLE	Amount for the Situation of payment
FIN_GTY_NAM	FIN.GTY.NAM		VARCHAR(35)	Guarantee reference code
FIN_GTY_AMT	FIN.GTY.AMT		DOUBLE	Guarantee - amount

Field Name	DOM Representation	Null?	Data Type	Description
FIN_GTY_DAT	FIN.GTY.DAT		DATE	Guarantee - date
FIN_GTY_CTY_COD	FIN.GTY.CTY.COD		VARCHAR(3)	Country code excluded from guarantee
FIN_GTY_CTY_NAM	FIN.GTY.CTY.NAM		VARCHAR(35)	Country name excluded from guarantee
VGS_WRK	VGS.WRK		VARCHAR(1)	Calculation working mode
VGS_WGT_GRS	VGS.WGT.GRS		DOUBLE	Gross mass
VGS_CST	VGS.CST		DOUBLE	Total amount of added costs in national monetary units
VGS_CIF	VGS.CIF		DOUBLE	Total CIF amount in national monetary units
VGS_TOT_NMU	VGS.TOT.NMU		DOUBLE	
VGS_TOT_FCX	VGS.TOT.FCX		DOUBLE	Total items, foreign currency invoice value
VGS_TOT_GRS	VGS.TOT.GRS		DOUBLE	Total items, gross mass amount
VGS_INV_AMT_NMU	VGS.INV.AMT.NMU		DOUBLE	Amount of the invoice in national monetary units
VGS_INV_AMT_FCX	VGS.INV.AMT.FCX		DOUBLE	Amount of the invoice in foreign currency
VGS_INV_CUR_COD	VGS.INV.CUR.COD		VARCHAR(3)	Currency code for the invoice
VGS_INV_CUR_NAM	VGS.INV.CUR.NAM		VARCHAR(35)	Invoice currency - name
VGS_INV_CUR_RAT	VGS.INV.CUR.RAT		DOUBLE	Currency rate for the invoice
VGS_INV_CUR_REF	VGS.INV.CUR.REF		DOUBLE	Rate ref unit
VGS_EFR_AMT_NMU	VGS.EFR.AMT.NMU		DOUBLE	Amount of the external freight in national monetary units
VGS_EFR_AMT_FCX	VGS.EFR.AMT.FCX		DOUBLE	Amount of the external freight in foreign currency
VGS_EFR_CUR_COD	VGS.EFR.CUR.COD		VARCHAR(3)	Currency code for the external freight
VGS_EFR_CUR_NAM	VGS.EFR.CUR.NAM		VARCHAR(35)	Currency name for the external freight
VGS_EFR_CUR_RAT	VGS.EFR.CUR.RAT		DOUBLE	Exchange rate for the external freight
VGS_EFR_CUR_REF	VGS.EFR.CUR.REF		DOUBLE	Rate ref unit
VGS_IFR_AMT_NMU	VGS.IFR.AMT.NMU		DOUBLE	Amount of the internal freight in national monetary units
VGS_IFR_AMT_FCX	VGS.IFR.AMT.FCX		DOUBLE	Amount of the internal freight in foreign currency
VGS_IFR_CUR_COD	VGS.IFR.CUR.COD		VARCHAR(3)	Currency code for the internal freight
VGS_IFR_CUR_NAM	VGS.IFR.CUR.NAM		VARCHAR(35)	Currency name for the internal freight
VGS_IFR_CUR_RAT	VGS.IFR.CUR.RAT		DOUBLE	Exchange rate for the internal freight
VGS_IFR_CUR_REF	VGS.IFR.CUR.REF		DOUBLE	Currency name for the internal freight
VGS_INS_AMT_NMU	VGS.INS.AMT.NMU		DOUBLE	Amount of the insurance in national monetary units
VGS_INS_AMT_FCX	VGS.INS.AMT.FCX		DOUBLE	Amount of the insurance in foreign currency
VGS_INS_CUR_COD	VGS.INS.CUR.COD		VARCHAR(3)	Currency code for the insurance
VGS_INS_CUR_NAM	VGS.INS.CUR.NAM		VARCHAR(35)	Currency name for the insurance
VGS_INS_CUR_RAT	VGS.INS.CUR.RAT		DOUBLE	Exchange rate for the insurance
VGS_INS_CUR_REF	VGS.INS.CUR.REF		DOUBLE	Rate ref unit
VGS_OTC_AMT_NMU	VGS.OTC.AMT.NMU		DOUBLE	Amount of the other costs in national monetary units
VGS_OTC_AMT_FCX	VGS.OTC.AMT.FCX		DOUBLE	Amount of the other costs in foreign currency
VGS_OTC_CUR_COD	VGS.OTC.CUR.COD		VARCHAR(3)	Currency code for the other costs
VGS_OTC_CUR_NAM	VGS.OTC.CUR.NAM		VARCHAR(35)	Currency name for the other costs
VGS_OTC_CUR_RAT	VGS.OTC.CUR.RAT		DOUBLE	Exchange rate for the other costs
VGS_OTC_CUR_REF	VGS.OTC.CUR.REF		DOUBLE	Rate ref unit
VGS_DED_AMT_NMU	VGS.DED.AMT.NMU		DOUBLE	Amount of the deductions in national monetary units
VGS_DED_AMT_FCX	VGS.DED.AMT.FCX		DOUBLE	Amount of the deductions in foreign currency
VGS_DED_CUR_COD	VGS.DED.CUR.COD		VARCHAR(3)	Currency code for the deductions
VGS_DED_CUR_NAM	VGS.DED.CUR.NAM		VARCHAR(35)	Currency name for the deductions
VGS_DED_CUR_RAT	VGS.DED.CUR.RAT		DOUBLE	Exchange rate for the deductions

Field Name	DOM Representation	Null?	Data Type	Description
VGS_DED_CUR_REF	VGS.DED.CUR.REF		DOUBLE	Rate ref unit
WHS_COD	WHS.COD		VARCHAR(17)	Identification of warehouse
WHS_TIM	WHS.TIM		INTEGER	Warehouse time delay
TRS_RSP_COD	TRS.RSP.COD		VARCHAR(17)	Principal responsible for transit - code
TRS_RSP_NAM	TRS.RSP.NAM		LONGVARCHAR	Principal responsible for transit - name
TRS_RSP_REP	TRS.RSP.REP		VARCHAR(35)	Representative of Principal responsible for transit
TRS_SGT_PLC	TRS.SGT.PLC		VARCHAR(35)	Place of signature of transit
TRS_SGT_DAT	TRS.SGT.DAT		DATE	Date of signature of transit
TRS_DES_CUO	TRS.DES.NAM		VARCHAR(35)	Customs office of destination for transit - code
TRS_DES_COD	TRS.DES.CUO		VARCHAR(5)	Customs office of destination for transit
TRS_DES_CTY	TRS.DES.CTY		VARCHAR(3)	Country of customs office of destination for transit
TRS_SLS_NBR	TRS.SLS.NBR		INTEGER	Seals affixed - Number
TRS_SLS_IDE	TRS.SLS.IDE		VARCHAR(17)	Seals affixed - Identity
TRS_CTL	TRS.CTL		VARCHAR(11)	Results of control
TRS_LIM	TRS.LIM		DATE	Transit time limit (date)
TRS_COF	TRS.COF		VARCHAR(35)	Customs officer name
AST_RYR	AST.RYR		VARCHAR(4)	Registration Year
AST_AYR	AST.AYR		VARCHAR(4)	Assessment Year
AST_TOT	AST.TOT		DOUBLE	Total Items Taxes
AST_AMT	AST.AMT		DOUBLE	Total amount assessed for declaration
AST_STN	AST.STN		VARCHAR(11)	Statement Number
AST_STD	AST.STD		DATE	Statement Date
AST_STS	AST.STS		VARCHAR(1)	Statement Serial
RLO_NBR	RLO.NBR		INTEGER	Release Order Sequential Number
EXA_SEC	EXA.SEC		VARCHAR(17)	Declaration Assigned Section
EXA_EXA	EXA.EXA		VARCHAR(17)	Declaration Assigned Examiner
EXA_CEX	EXA.CEX		VARCHAR(17)	Declaration Assigned Chief Examiner
EXA_WGT	EXA.WGT		INTEGER	Declaration Assigned Weight
LST_RCP_AMT	LST.RCP.AMT		DOUBLE	Total Amount of Last Receipt

SAD_Item - SAD Item

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	Internal key
KEY_ITM_NBR	RNK	NOT NULL	INTEGER	Item Number
PCK_NBR	PCK.NBR		DOUBLE	Number of packages - item
PCK_MRK1	PCK.MRK.MK1		VARCHAR(50)	Marks of Packages 1
PCK_MRK2	PCK.MRK.MK2		VARCHAR(50)	Marks of Packages 2
PCK_TYP_COD	PCK.TYP.COD		VARCHAR(17)	Kind of packages - code
PCK_TYP_NAM	PCK.TYP.NAM		VARCHAR(35)	Kind of packages - name
TAR_HSC_NB1	TAR.HSC.NB1		VARCHAR(8)	Harmonized system commodity code
TAR_HSC_NB2	TAR.HSC.NB2		VARCHAR(3)	Commodity code (national precision 2
TAR_HSC_NB3	TAR.HSC.NB3		VARCHAR(3)	Commodity code (national precision 3
TAR_HSC_NB4	TAR.HSC.NB4		VARCHAR(4)	Commodity code (national precision 4
TAR_HSC_NB5	TAR.HSC.NB5		VARCHAR(4)	Commodity code (national precision 5
TAR_PRF	TAR.PRF		VARCHAR(8)	Preference code
TAR_PRC_EXT	TAR.PRC.EXT		VARCHAR(4)	Extended customs procedure code
TAR_PRC_NAT	TAR.PRC.NAT		VARCHAR(3)	National customs procedure code
TAR_QUO	TAR.QUO		VARCHAR(5)	Quota reference
TAR_PRI	TAR.PRI		DOUBLE	Item price
TAR_VMT	TAR.VTM		VARCHAR(1)	Valuation Method
TAR_VDT	TAR.VDT		VARCHAR(55)	Value details - item
TAR_ATT	TAR.ATT		VARCHAR(55)	Attached documents codes - item
TAR_AIC	TAR.AIC		VARCHAR(3)	A.I. code
GDS_ORG_CTY	GDS.ORG.CTY		VARCHAR(3)	Country of origin - code
GDS_ORG_CRG	GDS.ORG.CRG		VARCHAR(4)	Country of origin - region code

Field Name	DOM Representation	Null?	Data Type	Description
GDS_CTN_CT1	GDS.CTN.CT1		VARCHAR(17)	Container Number 1
GDS_CTN_CT2	GDS.CTN.CT2		VARCHAR(17)	Container Number 2
GDS_CTN_CT3	GDS.CTN.CT3		VARCHAR(17)	Container Number 3
GDS_CTN_CT4	GDS.CTN.CT4		VARCHAR(17)	Container Number 4
GDS_DSC	GDS.DSC		LONGVARCHAR	Description of goods
GDS_DS3	GDS.DS3		VARCHAR(44)	Commercial Description of goods
LNK_TPT	LNK.TPT		VARCHAR(26)	Summary declaration (Transport document number)
LNK_PRV_DOC	LNK.PR.V.DOC		VARCHAR(35)	Previous document reference
LNK_PRV_WHS	LNK.PR.V.WHS		VARCHAR(17)	Additional warehouse code
LIC_COD	LIC.COD		VARCHAR(17)	Licence reference number
LIC_AMT_VAL	LIC.AMT.VAL		DOUBLE	Value amount deducted from licence
LIC_AMT_QTY	LIC.AMT.QTY		DOUBLE	Quantity deducted from licence
TXT_FRE	TXT.FRE		VARCHAR(35)	Reserved field (use not defined)
TXT_RSV	TXT.RSV		LONGVARCHAR	Free text
TAX_AMT	TAX.AMT		DOUBLE	Item amount of Duties and taxes
TAX_GTY	TAX.GTY		DOUBLE	Item guaranted amount of Duties and taxes
TAX_MOP	TAX.MOP		VARCHAR(1)	Mode of payment for item amount
TAX_CTR	TAX.CTR		INTEGER	Counter of 'normal' Mode of payments
TAX_DTY	TAX.DTY		DOUBLE	Displayed item amount (normal or guaranted) of Duties and taxes
VIT_WGT_GRS	VIT.WGT.GRS		DOUBLE	Gross mass
VIT_WGT_NET	VIT.WGT.NET		DOUBLE	Net mass
VIT_CST	VIT.CST		DOUBLE	Amount of added costs in national monetary units
VIT_CIF	VIT.CIF		DOUBLE	CIF amount in national monetary units
VIT_ADJ	VIT.ADJ		DOUBLE	Rate of adjustment
VIT_STV	VIT.STV		DOUBLE	Statistical value
VIT_ALP	VIT.ALP		DOUBLE	Alpha coefficient of apportionment
VIT_INV_AMT_NMU	VIT.INV.AMT.NMU		DOUBLE	Amount of the invoice in national monetary units
VIT_INV_AMT_FCX	VIT.INV.AMT.FCX		DOUBLE	Amount of the invoice in foreign currency
VIT_INV_CUR_COD	VIT.INV.CUR.COD		VARCHAR(3)	Currency code for the invoice
VIT_INV_CUR_NAM	VIT.INV.CUR.NAM		VARCHAR(35)	Currency name for the invoice
VIT_INV_CUR_RAT	VIT.INV.CUR.RAT		DOUBLE	Currency rate for the invoice
VIT_INV_CUR_REF	VIT.INV.CUR.REF		DOUBLE	Currency name for the invoice
VIT_EFR_AMT_NMU	VIT.EFR.AMT.NMU		DOUBLE	Amount of the external freight in national monetary units
VIT_EFR_AMT_FCX	VIT.EFR.AMT.FCX		DOUBLE	Amount of the external freight in foreign currency
VIT_EFR_CUR_COD	VIT.EFR.CUR.COD		VARCHAR(3)	Currency code for the external freight
VIT_EFR_CUR_NAM	VIT.EFR.CUR.NAM		VARCHAR(35)	Currency name for the external freight
VIT_EFR_CUR_RAT	VIT.EFR.CUR.RAT		DOUBLE	Exchange rate for the external freight
VIT_EFR_CUR_REF	VIT.EFR.CUR.REF		DOUBLE	Rate ref unit
VIT_IFR_AMT_NMU	VIT.IFR.AMT.NMU		DOUBLE	Amount of the internal freight in national monetary units
VIT_IFR_AMT_FCX	VIT.IFR.AMT.FCX		DOUBLE	Amount of the internal freight in foreign currency
VIT_IFR_CUR_COD	VIT.IFR.CUR.COD		VARCHAR(3)	Currency code for the internal freight
VIT_IFR_CUR_NAM	VIT.IFR.CUR.NAM		VARCHAR(35)	Currency name for the internal freight
VIT_IFR_CUR_RAT	VIT.IFR.CUR.RAT		DOUBLE	Exchange rate for the internal freight
VIT_IFR_CUR_REF	VIT.IFR.CUR.REF		DOUBLE	Rate ref unit
VIT_INS_AMT_NMU	VIT.INS.AMT.NMU		DOUBLE	Amount of the insurance in national monetary units
VIT_INS_AMT_FCX	VIT.INS.AMT.FCX		DOUBLE	Amount of the insurance in foreign currency
VIT_INS_CUR_COD	VIT.INS.CUR.COD		VARCHAR(3)	Currency code for the insurance
VIT_INS_CUR_NAM	VIT.INS.CUR.NAM		VARCHAR(35)	Currency name for the insurance

Field Name	DOM Representation	Null?	Data Type	Description
VIT_INS_CUR_RAT	VIT.INS.CUR.RAT		DOUBLE	Exchange rate for the insurance
VIT_INS_CUR_REF	VIT.INS.CUR.REF		DOUBLE	Rate ref unit
VIT_OTC_AMT_NMU	VIT.OTC.AMT.NMU		DOUBLE	Amount of the other costs in national monetary units
VIT_OTC_AMT_FCX	VIT.OTC.AMT.FCX		DOUBLE	Amount of the other costs in foreign currency
VIT_OTC_CUR_COD	VIT.OTC.CUR.COD		VARCHAR(3)	Currency code for the other costs
VIT_OTC_CUR_NAM	VIT.OTC.CUR.NAM		VARCHAR(35)	Currency name for the other costs
VIT_OTC_CUR_RAT	VIT.OTC.CUR.RAT		DOUBLE	Exchange rate for the other costs
VIT_OTC_CUR_REF	VIT.OTC.CUR.REF		DOUBLE	Rate ref unit
VIT_DED_AMT_NMU	VIT.DED.AMT.NMU		DOUBLE	Amount of the deductions in national monetary units
VIT_DED_AMT_FCX	VIT.DED.AMT.FCX		DOUBLE	Amount of the deductions in foreign currency
VIT_DED_CUR_COD	VIT.DED.CUR.COD		VARCHAR(3)	Currency code for the deductions
VIT_DED_CUR_NAM	VIT.DED.CUR.NAM		VARCHAR(35)	Currency name for the deductions
VIT_DED_CUR_RAT	VIT.DED.CUR.RAT		DOUBLE	Exchange rate for the deductions
VIT_DED_CUR_REF	VIT.DED.CUR.REF		DOUBLE	Rate ref unit
VIT_MKT_RAT	VIT.MKT.RAT		DOUBLE	Market value rate
VIT_MKT_CUR	VIT.MKT.CUR		VARCHAR(3)	National currency code
VIT_MKT_AMT	VIT.MKT.AMT		DOUBLE	Market value amount
VIT_MKT_BSE_DSC	VIT.MKT.BSE.DSC		VARCHAR(35)	Market value basis description
VIT_MKT_BSE_AMT	VIT.MKT.BSE.AMT		DOUBLE	Market value basis amount

SAD_Tax - SAD Taxes

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_ITM_NBR			INTEGER	Item Number
KEY_TAX_RNK	RNK		INTEGER	Internal Index Number of Tax
TAX_LIN_COD	COD		VARCHAR(3)	Tax Code
TAX_LIN_BSE	BSE		DOUBLE	Tax Base
TAX_LIN_RAT	RAT		DOUBLE	Tax Rate
TAX_LIN_AMT	AMT		DOUBLE	Tax Amount
TAX_LIN_MOP	MOP		VARCHAR(1)	Tax Mode of Payment
TAX_LIN_TYP	TYP		VARCHAR(1)	Manual/Automatic flag

SAD_Ask_Tax - SAD Manual Taxes

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_ITM_NBR			INTEGER	Item Number
KEY_ASK_TAX_RNK	RNK		INTEGER	Internal Index Number of Tax
TAX_LIN_COD	COD		VARCHAR(3)	Tax Code
TAX_LIN_BSE	BSE		DOUBLE	Tax Base
TAX_LIN_RAT	RAT		DOUBLE	Tax Rate
TAX_LIN_AMT	AMT		DOUBLE	Tax Amount
TAX_LIN_MOP	MOP		VARCHAR(1)	Tax Mode of Payment
TAX_LIN_TYP	TYP		VARCHAR(1)	Manual/Automatic flag

SAD_Global_Taxes - SAD Global Taxes

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_TAX_RNK	RNK		INTEGER	Internal Index Number of Tax
TAX_COD	COD		VARCHAR(3)	Tax Code

Field Name	DOM Representation	Null?	Data Type	Description
TAX_DSC	DSC		VARCHAR(35)	Tax Description
TAX_BSE	BSE		DOUBLE	Tax Base
TAX_RAT	RAT		DOUBLE	Tax Rate
TAX_AMT	AMT		DOUBLE	Tax Amount
TAX_MOP	MOP		VARCHAR(1)	Mode of payment
TAX_TYP	TYP		VARCHAR(1)	Manual/Automatic flag

SAD_Tax_Totals - SAD Tax Totals

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_RNK	RNK		INTEGER	Internal Index Number of Tax
TAX_COD	COD		VARCHAR(3)	Tax Code
TAX_DSC	DSC		VARCHAR(35)	Tax Description
TAX_AMT	AMT		DOUBLE	Total amount for this item tax
TAX_MOP	MOP		VARCHAR(1)	Mode of payment

SAD_Attached_Documents - SAD Attached Documents

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_ITM_NBR			INTEGER	Item Number
KEY_RNK	RNK		INTEGER	Internal Index Number
COD	COD		VARCHAR(4)	Attached document - code
NAM	NAM		VARCHAR(70)	Attached document - description
REF	REF		VARCHAR(35)	Attached document - reference
DAT	DAT		DATE	Attached document - date
RUL	RUL		VARCHAR(1)	Rule Flag 0:Att Doc captured manually 1:Comes from a taxation rule
IMG	IMG		LONGVARBINARY	Attached Image

SAD_Line_Transactions - SAD Line Transactions

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
KEY_LIN_ID	RNK	NOT NULL	INTEGER	Line Number
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
AUT_REF	AUT.REF		VARCHAR(17)	Authorization Reference
SFT	SFT		INTEGER	Shift Number
LIN	LIN		INTEGER	Line Number
DAT	DAT		DATE	Date
TIM	TIM		TIMESTAMP	Time

SAD_Supplementary_Unit - SAD Supplementary Unit

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId			INTEGER	
KEY_ITM_NBR			INTEGER	Item Number
KEY_SUP_RNK	RNK		INTEGER	Internal Index Number
TAR_SUP_COD	COD		VARCHAR(3)	Sub Unit code
TAR_SUP_NAM	NAM		VARCHAR(50)	Sub Unit Name
TAR_SUP_QTY	QTY		DOUBLE	Sub Unit Quantity

SAD_Int - SAD Previous Documents

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
KEY_INT_NBR	RNK	NOT NULL	INTEGER	Item Number
PCK_NBR	PCK.NBR		INTEGER	Number of packages - item
TAR_HSC_NB1	TAR.HSC.NB1		VARCHAR(8)	Harmonized system commodity code
TAR_HSC_NB2	TAR.HSC.NB2		VARCHAR(3)	Commodity code (national precision 2
TAR_HSC_ART	TAR.HSC.ART		INTEGER	Number of items
GDS_ORG_CTY	GDS.ORG.CTY		VARCHAR(3)	Country of origin - code
VIT_WGT_NET	VIT.WGT.NET		DOUBLE	Net weight
SUP_QTY	SUP.QTY		DOUBLE	Supplementary unit amount
IDE_REG_SER	IDE.REG.SER		VARCHAR(1)	Registration serial
IDE_REG_NBR	IDE.REG.NBR		INTEGER	Registration number
IDE_REG_DAT	IDE.REG.DAT		INTEGER	Registration Date
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
ARC	ARC		INTEGER	Item number of current item
PCP_NBR	PCP.NBR		INTEGER	Number of packages of item
VIP_WGT_NET	VIP.WGT.NET		DOUBLE	Net weight of current item
SPP_QTY	SPP.QTY		DOUBLE	Supplementary unit amount item
VAL_CUR	VAL.CUR		DOUBLE	Current value
VAL_PRC	VAL.PRC		DOUBLE	Previous value

SAD_Relief - SAD Relief

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
KEY_REL_ID	RNK	NOT NULL	INTEGER	Internal index number
KEY_ITM_NBR	ITM		INTEGER	Item number for which tax belongs
TAX_CODE	TXC		VARCHAR(3)	Tax code
REL_CODE	RLC		VARCHAR(8)	Relief code
TAX_AMOUNT	AMT		DOUBLE	Tax amount

SAD_ITM_BLK - Selected SAD Item

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
DEC_REF_YER	SAD.YEA		INTEGER	Declarant reference Year
IDE_CUO_COD	SAD.CUO		VARCHAR(5)	Office Code
DEC_COD	SAD.DEC		VARCHAR(17)	Declarant Code
DEC_REF_NBR	SAD.NBR		VARCHAR(50)	Declarant reference number
KEY_ITM_NBR	ITM		INTEGER	Item number (0 = general segment)
COL_ADM	ADM		VARCHAR(5)	Item Administration Colour
CRI_COD	CRI		VARCHAR(17)	Criteria code that hit item
CRI_TYP	TYP		INTEGER	Criteria type (local, regional, ...)

SAD_ITM_ADM - Item selectivity administration

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
DEC_REF_YER	SAD.YEA		INTEGER	Declarant reference Year
IDE_CUO_COD	SAD.CUO		VARCHAR(5)	Office Code
DEC_COD	SAD.DEC		VARCHAR(17)	Declarant Code
DEC_REF_NBR	SAD.NBR		VARCHAR(50)	Declarant reference number
IDE_DAT	SAD.DAT		DATE	Registration Date
KEY_ITM_NBR	ITM		INTEGER	Numbers Of Items
COL_ADM	ADM		VARCHAR(5)	Administration Lane
PTY_COL_DSC	PTY.COL.DSC		VARCHAR(35)	Selected colour description
PTY_COL_IND	PTY.COL.IND		VARCHAR(1)	Selected colour indicator

Field Name	DOM Representation	Null?	Data Type	Description
PTY_BLU	PTY.BLU		INTEGER	Blue flag
PTY_RED	PTY.RED		INTEGER	Red flag
PTY_YEL	PTY.YEL		INTEGER	Yellow flag
PTY_GRE	PTY.GRE		INTEGER	Green flag
PTY_QUE	PTY.QUE		INTEGER	Query flag
EXA_DSC1	DSC1		LONGVARCHAR	Examination Description
EXA_DSC2	DSC2		LONGVARCHAR	Examination Description

SAD_T1_LoadList - SAD Loading List

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCEID		NOT NULL	INTEGER	
KEY_LDL_NBR	RNK	NOT NULL	INTEGER	Loading List Number
ITM_NBR	ITM.NBR		INTEGER	Item Number
TPT_NBR	TPT.NBR		VARCHAR(17)	Vehicle Ident.
CTN_NBR	CTN.NBR		VARCHAR(17)	Container Number
PCK_NBR	PCK.NBR		INTEGER	Number of packages - item
PCK_TYP_COD	PCK.TYP		VARCHAR(17)	Kind of packages - code
PCK_TYP_NAM	PCK.NAM		VARCHAR(35)	Kind of packages - name
GDS_DSC	GDS.DSC		LONGVARCHAR	Description of goods
GDS_WGT	GDS.WGT		DOUBLE	Gross mass
T1_REG_NBR	T1.REG.NBR		INTEGER	T1 Registration Number
T1_REG_DAT	T1.REG.DAT		DATE	T1 Registration Date
T1_SER	T1.SER		CHAR(1)	T1 Registration Serial
T1_CUO_COD	T1.CUO.COD		CHAR(5)	T1 Office of Departure
T1_ID			INTEGER	T1 Instance Id

SUS_WH_IN - Warehouse declaration entry/exit management table

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	Internal key
KEY_CUO	IDE.CUO.COD		VARCHAR(5)	Office code
KEY_YEAR	DEC.REF.YER		INTEGER	Declarant reference year
KEY_NBER	DEC.REF.NBR		VARCHAR(17)	Declarant reference number
KEY_DEC	DEC.COD		VARCHAR(17)	Declarant code
CMP_COD	CMP.COD		VARCHAR(17)	Company code
WHS_COD	WHS.COD		VARCHAR(17)	Identification of warehouse
ITM_NBER	ITM		INTEGER	Item number
HSC_COD	TAR.HSC.NBR		VARCHAR(11)	Tariff code
TAR_SPC	TAR.HSC.NB5		VARCHAR(11)	Tariff specification
CTY_COD	GDS.ORG.CTY		VARCHAR(3)	Country of origin
BEG_DAT	DAT.BEG		DATE	Begin date/entry date
OUT_DAT	DAT.OUT		DATE	Exit date
END_DAT	DAT.END		DATE	End of delay date
WGT_BEG	WGT.BEG		DOUBLE	Initial weight
WGT_OUT	WGT.OUT		DOUBLE	Weight exited
QTY_BEG	QTY.BEG		DOUBLE	Initial quantity
QTY_OUT	QTY.OUT		DOUBLE	Quantity exited
GTY_BEG	GTY.BEG		DOUBLE	Initial guarantee amount
GTY_OUT	GTY.OUT		DOUBLE	Guarantee amount credited at exit
GTY_RLS	GTY.RLS		VARCHAR(1)	Flag : Declaration fully released or not

WHS_MVT - change of ownership of warehouse goods

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
WHS_COD	COD		VARCHAR(35)	Identification of warehouse
OWN_COD	OWN.COD		VARCHAR(35)	Owner code
OWN_NAM	OWN.NAM		VARCHAR(50)	Owner name
NOW_COD	NOW.COD		VARCHAR(35)	New owner code
NOW_NAM	NOW.NAM		VARCHAR(50)	New owner name
ITM_DLY	ITM.DLY		VARCHAR(6)	Delay
ITM_MVT	ITM.MVT		VARCHAR(35)	Mouvement
ITM_HSC	ITM.HSC		VARCHAR(15)	HS code
ITM_SPC	ITM.SPC		VARCHAR(15)	Spec
ITM_UOM	ITM.UOM		VARCHAR(15)	UOM
ITM_CTY	ITM.CTY		VARCHAR(5)	Country
CHG_DAT	CHG.DAT		DATE	New Owner Date

WHS_MVT_ITM - change of ownership of warehouse goods items

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	Internal key
KEY_ITM_NBR	RNK	NOT NULL	INTEGER	Item number
WHS_ITM_COD	COD		VARCHAR(35)	Tariff code
WHS_ITM_SPC	SPC		VARCHAR(35)	Tariff specification
WHS_ITM_UOM	UOM		VARCHAR(35)	Supplementary unit
WHS_ITM_CTY	CTY		VARCHAR(35)	Country of origin
WHS_ITM_QTY	QTY		VARCHAR(35)	Quantity transferred

WHS_DLY - Warehouse extension of delay AW only

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
WHS_COD	COD		VARCHAR(35)	Identification of warehouse
OWN_COD	OWN.COD		VARCHAR(35)	Owner code
OWN_NAM	OWN.NAM		VARCHAR(50)	Owner name
DLY	DLY		INTEGER	Delay extension - days
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_REF_YER	DEC.REF.YER		INTEGER	Declarant reference Year
DEC_REF_NBR	DEC.REF.NBR		VARCHAR(50)	Declarant reference number

WHS_DLY_ITM - Warehouse extension of delay all items belonging to declaration that has been extended including items that not been extended and those who have -AW only

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	Internal key
KEY_ITM_NBR	RNK	NOT NULL	INTEGER	Item number
WHS_ITM_COD	COD		VARCHAR(35)	Warehouse code
WHS_ITM_SPC	SPC		VARCHAR(35)	Tariff specification
WHS_ITM_UOM	UOM		VARCHAR(35)	Unit of measurement
WHS_ITM_CTY	CTY		VARCHAR(35)	Country of origin
WHS_ITM_QTY	QTY		VARCHAR(35)	Quantity
WHS_ITM_DAT	DAT		VARCHAR(35)	Date of extension

WHS_DLY_SEL - Warehouse extension of delay AW

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	Internal key
KEY_ITM_NBR	RNK	NOT NULL	INTEGER	Item number

Field Name	DOM Representation	Null?	Data Type	Description
WHS_ITM_COD	COD		VARCHAR(35)	Warehouse code
WHS_ITM_SPC	SPC		VARCHAR(35)	Tariff Specification
WHS_ITM_UOM	UOM		VARCHAR(35)	Unit of measurement
WHS_ITM_CTY	CTY		VARCHAR(35)	Country of origin
WHS_ITM_QTY	QTY		VARCHAR(35)	Quantity
WHS_ITM_DAT	DAT		VARCHAR(35)	Date of extension

WHS_EXT_DEL - Warehouse extension of delay with management server

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
DEC_YER	DEC.YER		VARCHAR(50)	Year
DEC_CUO	DEC.CUO		VARCHAR(50)	Office
DEC_SER	DEC.SER		VARCHAR(50)	Serial
DEC_NBR	DEC.NBR		VARCHAR(50)	Dec. Ref. Nber
DEC_MOD	DEC.MOD		VARCHAR(50)	Model of declaration
DEC_MDS	DEC.MDS		VARCHAR(50)	Model description
DEC_REG_DAT	DEC.REG.DAT		VARCHAR(50)	Registered on
DEC_EXP_DAT	DEC.EXP.DAT		VARCHAR(50)	Expired on
DLY_MAX	DLY.MAX		VARCHAR(50)	Maximum delay
DEC_EXP_NDA	DEC.EXP.NDA		VARCHAR(50)	New expiration date
DLY_EXT	DLY.EXT		VARCHAR(50)	Delay extension

SAD_Serial_Storage - SAD Storage Serial Management

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
YER	YER		INTEGER	Year
SIT_COD	SIT.COD		VARCHAR(5)	Customs site, code
SIT_NAM	SIT.NAM		VARCHAR(35)	Customs site, name
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_NAM	DEC.NAM		VARCHAR(35)	Declarant Name
CHR	CHR		VARCHAR(1)	Serial letter or digit
SER_INI	SER.INI		INTEGER	Serial - Initial number
SER_CUR	SER.CUR		INTEGER	Serial - Current number

SAD_Serial_Registration - SAD Registration Serial Management

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
YER	YER		INTEGER	Year
SIT_COD	SIT.COD		VARCHAR(5)	Customs site, code
SIT_NAM	SIT.NAM		VARCHAR(35)	Customs site, name
CHR	CHR		VARCHAR(1)	Serial letter or digit
SER_INI	SER.INI		INTEGER	Serial - Initial number
SER_CUR	SER.CUR		INTEGER	Serial - Current number

SAD_Serial_Assessment - SAD Assessment Serial Management

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	
YER	YER		INTEGER	Year
SIT_COD	SIT.COD		VARCHAR(5)	Customs site, code
SIT_NAM	SIT.NAM		VARCHAR(35)	Customs site, name
DIR_INP	DTI		BIT	Direct trader input flag

Field Name	DOM Representation	Null?	Data Type	Description
CHR	CHR		VARCHAR(1)	Serial letter or digit
SER_INI	SER.INI		INTEGER	Serial - Initial number
SER_CUR	SER.CUR		INTEGER	Serial - Current number

Exit_Note_General_Segment - Exit Note General Segment

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
IDE_YEA	IDE.YEA		INTEGER	Year of exit note
IDE_SER	IDE.SER		VARCHAR(1)	Serial letter of exit note
IDE_NBR	IDE.NBR		VARCHAR(6)	Exit note number
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Office Name
SHD_COD	SHD.COD		VARCHAR(17)	Transit shed code
SHD_NAM	SHD.NAM		VARCHAR(35)	Transit shed name
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_NAM	DEC.NAM		LONGVARCHAR	Declarant Name
TPT_IDE	TPT.IDE		VARCHAR(35)	Transport ID
TPT_INF	TPT.INF		VARCHAR(35)	Master ID
TPT_NAT_COD	TPT.NAT.COD		VARCHAR(3)	Nationality of transport code
TPT_NAT_NAM	TPT.NAT.NAM		VARCHAR(35)	Nationality of transport description
VAL_DAT	VAL.DAT		DATE	Date of validation
VAL_TIM	VAL.TIM		TIMESTAMP	Time of validation
VAL_USR	VAL.USR		VARCHAR(20)	User
EXT_PLC	EXT.PLC		VARCHAR(35)	Place of exit of goods
EXT_DAT	EXT.DAT		DATE	Date of exit of goods
EXT_TIM	EXT.TIM		TIMESTAMP	Time of exit of goods
EXT_USR	EXT.USR		VARCHAR(20)	User

Exit_Note_Item - Exit Note - Items

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
ITM_NBR	RNK	NOT NULL	INTEGER	
SAD_ITM	SAD.ITM		INTEGER	Items
SAD_CUO_COD	SAD.CUO.COD		VARCHAR(5)	Office Code
SAD_CUO_NAM	SAD.CUO.NAM		VARCHAR(35)	Office Name
SAD_DEC_YEA	SAD.DEC.YEA		INTEGER	Dec. year
SAD_DEC_NBR	SAD.DEC.NBR		VARCHAR(11)	Dec. number
SAD_ASS_YEA	SAD.ASS.YEA		INTEGER	Ass. year
SAD_ASS_SER	SAD.ASS.SER		VARCHAR(1)	Ass. serial
SAD_ASS_NBR	SAD.ASS.NBR		VARCHAR(11)	Ass. number
SAD_ASS_DAT	SAD.ASS.DAT		DATE	Date
SAD_PCK_MK1	SAD.PCK.MK1		VARCHAR(35)	Marks of packages 1
SAD_PCK_MK2	SAD.PCK.MK2		VARCHAR(35)	Marks of packages 2
SAD_PCK_NBR	SAD.PCK.NBR		DOUBLE	Number of packages
SAD_PCK_TYP_COD	SAD.PCK.TYP.COD		VARCHAR(17)	Type of packages code
SAD_PCK_TYP_NAM	SAD.PCK.TYP.NAM		VARCHAR(35)	Type of packages description
SAD_WGT_GRS	SAD.WGT.GRS		DOUBLE	Gross mass
MAN_REF	MAN.REF		VARCHAR(28)	Manifest reference
BOL_REF	BOL.REF		VARCHAR(17)	B/L reference

Item_Exit_Note_General_Segment - Item Exit Note General Segment

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
IDE_YEA	IDE.YEA		INTEGER	Year of exit note
IDE_SER	IDE.SER		VARCHAR(1)	Serial letter of exit note
IDE_NBR	IDE.NBR		VARCHAR(6)	Exit note number
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Office Name
REG_YEA	REG.YEA		INTEGER	Registration Year
REG_SER	REG.SER		VARCHAR(1)	Registration Serial
REG_NBR	REG.NBR		VARCHAR(11)	Registration Number
REG_DAT	REG.DAT		DATE	Registration Date
ASS_YEA	ASS.YEA		INTEGER	Assessment Year
ASS_SER	ASS.SER		VARCHAR(1)	Assessment Seria
ASS_NBR	ASS.NBR		VARCHAR(11)	Assessment Number
ASS_DAT	ASS.DAT		DATE	Assessment date
MAN_REF	MAN.REF		VARCHAR(28)	Manifest reference
SHD_COD	SHD.COD		VARCHAR(17)	Transit shed code
SHD_NAM	SHD.NAM		VARCHAR(35)	Transit shed name
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_NAM	DEC.NAM		LONGVARCHAR	Declarant Name
DEC_REF_YEA	DEC.REF.YEA		INTEGER	User reference - year
DEC_REF_NBR	DEC.REF.NBR		VARCHAR(11)	Declarant reference number
TPT_IDE	TPT.IDE		VARCHAR(35)	Transport ID
TPT_INF	TPT.INF		VARCHAR(35)	Master ID
TPT_NAT_COD	TPT.NAT.COD		VARCHAR(3)	Nationality of transport code
TPT_NAT_NAM	TPT.NAT.NAM		VARCHAR(35)	Nationality of transport description
VAL_DAT	VAL.DAT		DATE	Date of validation
VAL_TIM	VAL.TIM		TIMESTAMP	Time of validation
VAL_USR	VAL.USR		VARCHAR(20)	User
EXT_PLC	EXT.PLC		VARCHAR(35)	Place of exit of goods
EXT_DAT	EXT.DAT		DATE	Date of exit of goods
EXT_TIM	EXT.TIM		TIMESTAMP	Time of exit of goods
EXT_USR	EXT.USR		VARCHAR(20)	User
STA	STA		VARCHAR(17)	Status

Item_Exit_Note_Item -

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
RNK	RNK	NOT NULL	INTEGER	
NBR	NBR		INTEGER	Item number
PCK_MK1	PCK.MK1		VARCHAR(35)	Marks of packages 1
PCK_MK2	PCK.MK2		VARCHAR(35)	Marks of packages 2
PCK_NBR	PCK.NBR		DOUBLE	Number of packages - item
PCK_TYP_COD	PCK.TYP.COD		VARCHAR(17)	Kind of packages - code
PCK_TYP_NAM	PCK.TYP.NAM		VARCHAR(35)	Kind of packages - name
GDS_DS1	GDS.DS1		VARCHAR(70)	Goods description 1
GDS_DS2	GDS.DS2		VARCHAR(70)	Goods description 2
CTN_NB1	CTN.NB1		VARCHAR(17)	Container number 1
CTN_NB2	CTN.NB2		VARCHAR(17)	Container number 2
CTN_NB3	CTN.NB3		VARCHAR(17)	Container number 3
CTN_NB4	CTN.NB4		VARCHAR(17)	Container number 4
WGT_GRS	WGT.GRS		DOUBLE	Gross mass
BOL_REF	BOL.REF		VARCHAR(17)	B/L reference

SAD_Serial_Exit_Note - exit note serial document

Field Name	DOM Representation	Null?	Data Type	Description
InstanceId		NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
YER	YER		INTEGER	Year
SIT_COD	SIT.COD		VARCHAR(5)	Customs site, code
SIT_NAM	SIT.NAM		VARCHAR(35)	Customs site, name
CHR	CHR		VARCHAR(1)	Serial letter or digit
SER_INI	SER.INI		INTEGER	Serial - Initial number
SER_CUR	SER.CUR		INTEGER	Serial - Current number

SEL_LISTS - Selectivity Lists

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
LST_COD	COD		VARCHAR(17)	Code
LST_NAM	DSC		VARCHAR(35)	Description
ADM_COD	ADM		VARCHAR(5)	Administration

SEL_LISTS_CMP - Selectivity Lists - Companies

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
COD	COD	NOT NULL	VARCHAR(17)	Company code
NAM	NAM		VARCHAR(200)	Company description

SEL_LISTS_DEC - Selectivity Lists - Declarants

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
COD	COD	NOT NULL	VARCHAR(17)	Declarant code
NAM	NAM		VARCHAR(200)	Declarant name

SEL_LISTS_CTY - Selectivity Lists - Countries

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
COD	COD	NOT NULL	VARCHAR(17)	Country code
NAM	NAM		VARCHAR(200)	Country description

SEL_LISTS_TAR - Selectivity Lists - Commodity codes

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
COD	COD	NOT NULL	VARCHAR(17)	Commodity code
NAM	NAM		VARCHAR(200)	Commodity code

Sections_General_Segment - Sections

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name

Field Name	DOM Representation	Null?	Data Type	Description
COD	COD		VARCHAR(17)	Code
DSC	DSC		VARCHAR(35)	Description
TYP	TYP		INTEGER	Type
COM	COM		LONGVARCHAR	Tariff Interval
TMP_LOC	TMP.LOC		LONGVARCHAR	Location of Goods
VEC	VEC		LONGVARBINARY	array of tariff interval (COM already parsed saved in database (to avoid parsing it every time from asysad))
FLW_IMP	FLW.IMP		VARCHAR(1)	Import Flag
FLW_EXP	FLW.EXP		VARCHAR(1)	Export Flag
DEL	DEL		VARCHAR(1)	flag when document is deleted

Sections_Locations_Table - Sections - Locations

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
COD	COD	NOT NULL	VARCHAR(17)	Location code
NAM	NAM		VARCHAR(200)	Location description

Examiners_General_Segment - Examiners

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name
SEC	SEC		VARCHAR(17)	Section code
COD	COD		VARCHAR(17)	Examining officer
NAM	NAM		VARCHAR(35)	Extended name
STA	STA		VARCHAR(15)	Status
DCL	DCL		INTEGER	Current number of declarations
WLD	WLD		DOUBLE	Current workload
WRN	WRN		BIT	Receive warning
CHF	CHF		BIT	Chief
STI	STI		VARCHAR(1)	status indicator. Sections purposes (asybrk (sad))
DEL	DEL		VARCHAR(1)	flag when document is deleted

INSP_ACT_TAB - Inspection Act

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Office Code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Office Name
CFM	CFM		BIT	Conform flag
INF	INF		LONGVARCHAR	Information
SAD_MOD	SAD.MOD		VARCHAR(3)	Model
SAD_ITM	SAD.ITM		SMALLINT	Items
SAD_DEC_COD	SAD.DEC.COD		VARCHAR(17)	Declarant code
SAD_DEC_NAM	SAD.DEC.NAM		VARCHAR(35)	Declarant name
SAD_DEC_REF_YEA	SAD.DEC.REF.YEA		SMALLINT	Declaration reference year
SAD_DEC_REF_NBR	SAD.DEC.REF.NBR		VARCHAR(11)	Declaration reference number
SAD_REG_SER	SAD.REG.SER		VARCHAR(1)	Customs reference serial letter
SAD_REG_NBR	SAD.REG.NBR		VARCHAR(11)	Customs reference number
SAD_REG_DAT	SAD.REG.DAT		DATE	Customs reference date
SAD_AST_SER	SAD.AST.SER		VARCHAR(1)	Assessment serial letter

Field Name	DOM Representation	Null?	Data Type	Description
SAD_AST_NBR	SAD.AST.NBR		VARCHAR(11)	Assessment number
SAD_AST_DAT	SAD.AST.DAT		DATE	Assessment date
FRD_FR1_COD	FRD.FR1.COD		VARCHAR(5)	Fraud code 1
FRD_FR1_NAM	FRD.FR1.NAM		VARCHAR(35)	Fraud description 1
FRD_FR2_COD	FRD.FR2.COD		VARCHAR(5)	Fraud code 2
FRD_FR2_NAM	FRD.FR2.NAM		VARCHAR(35)	Fraud description 2
FRD_FR3_COD	FRD.FR3.COD		VARCHAR(5)	Fraud code 3
FRD_FR3_NAM	FRD.FR3.NAM		VARCHAR(35)	Fraud description 3
FRD_FR4_COD	FRD.FR4.COD		VARCHAR(5)	Fraud code 4
FRD_FR4_NAM	FRD.FR4.NAM		VARCHAR(35)	Fraud description 4
FRD_FR5_COD	FRD.FR5.COD		VARCHAR(5)	Fraud code 5
FRD_FR5_NAM	FRD.FR5.NAM		VARCHAR(35)	Fraud description 5
FRD_FR6_COD	FRD.FR6.COD		VARCHAR(5)	Fraud code 6
FRD_FR6_NAM	FRD.FR6.NAM		VARCHAR(35)	Fraud description 6
PEN_AMT	PEN.AMT		DOUBLE	Penalty amount
PEN_REF	PEN.REF		VARCHAR(25)	Penalty reference
PEN_DAT	PEN.DAT		DATE	Penalty date
DIS_REF	DIS.REF		VARCHAR(25)	Disputed claims reference
DIS_DAT	DIS.DAT		DATE	Disputed claims date
CRI_CR1	CRI.CR1		VARCHAR(17)	Criteria 1
CRI_CR2	CRI.CR2		VARCHAR(17)	Criteria 2
CRI_CR3	CRI.CR3		VARCHAR(17)	Criteria 3
SAD_AMT_REV	SAD.AMT.REV		DOUBLE	Loss of revenue
SAD_AMT_RFD	SAD.AMT.RFD		DOUBLE	Refund
SAD_SID	SAD.SID		INTEGER	Corresponding SAD Instance Id

SEL_PARAM_TAB - Selectivity Parameters

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
EXP_FLG	EXP		BIT	Export Flag
IMP_FLG	IMP		BIT	Import Flag
DEL	DEL		INTEGER	Delay for manual action - hours
AUT	AUT		INTEGER	Automatic switch to BLUE
DEL_MIN	MIN		INTEGER	Delay for manual action - minutes
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name
RAT_EXP_RED	RAT.EXP.RED		DOUBLE	Expected rate
RAT_EXP_YEL	RAT.EXP.YEL		DOUBLE	Expected rate
RAT_EXP_BLU	RAT.EXP.BLU		DOUBLE	Expected rate
RAT_EXP_GRE	RAT.EXP.GRE		DOUBLE	Expected rate
RAT_RDM_RED	RAT.RDM.RED		DOUBLE	Minimum random rate
RAT_RDM_YEL	RAT.RDM.YEL		DOUBLE	Minimum random rate
RAT_RDM_BLU	RAT.RDM.BLU		DOUBLE	Minimum random rate
HIT_RED	HIT.RED		INTEGER	Maximum hits with no selection
HIT_YEL	HIT.YEL		INTEGER	Maximum hits with no selection
HIT_BLU	HIT.BLU		INTEGER	Maximum hits with no selection
WGT_DCL	WGT.DCL		INTEGER	Declaration Weight
WGT_ITM	WGT.ITM		INTEGER	Item Weight

SEL_NAT_PARAM_TAB - Selectivity national criteria

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
CRI_COD	COD		VARCHAR(17)	Criteria Code
DAT_BEG	DAT.BEG		DATE	Beginning date

Field Name	DOM Representation	Null?	Data Type	Description
DAT_END	DAT.END		DATE	End Date
EXP_FLG	EXP		BIT	Export Flag
IMP_FLG	IMP		BIT	Import Flag
CRI_DOC	DOC		LONGVARCHAR	Documentation
CRI_RUL	CRI		LONGVARBINARY	Actual Criteria
CRI_TYP	TYP		INTEGER	Criteria Type
ADM_COD	ADM		VARCHAR(5)	Administration

SEL_REG_PARAM_TAB - Selectivity regional criteria

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
CRI_COD	COD		VARCHAR(17)	
DAT_BEG	DAT.BEG		DATE	Beginning date
DAT_END	DAT.END		DATE	End Date
EXP_FLG	EXP		BIT	Export Flag
IMP_FLG	IMP		BIT	Import Flag
CRI_DOC	DOC		LONGVARCHAR	Documentation
CRI_RUL	CRI		LONGVARBINARY	Actual Criteria
CRI_TYP	TYP		INTEGER	Criteria Type
ADM_COD	ADM		VARCHAR(5)	Administration

SEL_LOC_PARAM_TAB - Selectivity local criteria

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name
CRI_COD	COD		VARCHAR(17)	
DAT_BEG	DAT.BEG		DATE	Beginning date
DAT_END	DAT.END		DATE	End Date
EXP_FLG	EXP		BIT	Export Flag
IMP_FLG	IMP		BIT	Import Flag
CRI_DOC	DOC		LONGVARCHAR	Documentation
CRI_RUL	CRI		LONGVARBINARY	Actual Criteria
CRI_TYP	TYP		INTEGER	Criteria Type
ADM_COD	ADM		VARCHAR(5)	Administration

VAL_CTL_TAB - Valuation control table

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
COM_COD	COD		VARCHAR(11)	
TAR_SPC	SPC		VARCHAR(5)	
CTY_COD	CTY.COD		VARCHAR(3)	Country code
CTY_NAM	CTY.NAM		VARCHAR(35)	Country name
TAR_DSC	DSC		LONGVARCHAR	
FOR_COD	FOR.COD		VARCHAR(17)	Formula code
FOR_NAM	FOR.NAM		VARCHAR(60)	Formula name
MAN_MIN	MMI		INTEGER	Minimum manual value
MAN_MAX	MMA		INTEGER	Maximum manual value
CAL_ITM	ITM		INTEGER	Calculated items
CAL_MIN	CMI		INTEGER	Calculated minimum
CAL_MAX	CMA		INTEGER	Calculated maximum

Field Name	DOM Representation	Null?	Data Type	Description
CAL_AVE	CAV		INTEGER	Calculated average
CAL_VAR	CVV		INTEGER	Calculated variance

VAL_FOR_TAB - Valuation control formula table

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FOR_COD	COD		VARCHAR(17)	Formula code
FOR_NAM	NAM		VARCHAR(60)	Formula name
FOR_RUL	FOR		LONGVARBINARY	Formula rule

SEL_LCA - manifest selectivity lists general information

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
LST_COD	COD		VARCHAR(17)	List code
LST_NAM	DSC		VARCHAR(35)	List name

SEL_CAR - manifest selectivity lists manifests

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
CAR_RNK	RNK	NOT NULL	INTEGER	Internal index number
CAR_REF	CAR	NOT NULL	VARCHAR(28)	Manifest reference
CAR_DSC	DSC		VARCHAR(35)	Manifest description

SEL_BOL - manifest selectivity lists B/Ls

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	Internal key
BOL_RNK	RNK	NOT NULL	INTEGER	Internal index number
CAR_REF		NOT NULL	VARCHAR(28)	Manifest reference
BOL_REF	BOL	NOT NULL	VARCHAR(26)	B/L reference

RPT_ATITINV_TAB - Temporary admission reports

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FLG_IMP	FLG.IMP		BIT	Importation flag
FLG_EXP	FLG.EXP		BIT	Exportation flag
FLG_PRO	FLG.PRO		BIT	Product flag
FLG_CMP	FLG.CMP		BIT	Importer flag
CPC_COD	CPC.COD		VARCHAR(4)	Procedure code
CPC_NAM	CPC.NAM		VARCHAR(70)	Procedure name
PRO_CO1	PRO.CO1		VARCHAR(6)	Product code
PRO_CO2	PRO.CO2		VARCHAR(2)	Product code
PRO_CO3	PRO.CO3		VARCHAR(3)	Product code
PRO_CO4	PRO.CO4		VARCHAR(4)	Product code
PRO_NAM	PRO.NAM		VARCHAR(88)	Product description
CMP_COD	CMP.COD		VARCHAR(17)	Company code
CMP_NAM	CMP.NAM		VARCHAR(35)	Company name

Field Name	DOM Representation	Null?	Data Type	Description
OPT_PGE			INTEGER	obsolete
DES_PRT			BIT	obsolete
DES_FIL			BIT	obsolete
PRI_HGH			BIT	obsolete
PRI_LOW			BIT	obsolete
PRI_DEL			BIT	obsolete
PRI_DAT			DATE	obsolete
PRI_TIM			TIMESTAMP	obsolete
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name

RPT_ATITLST_TAB - Temporary admission reports

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FLG_IMP	FLG.IMP		BIT	Importation flag
FLG_EXP	FLG.EXP		BIT	Exportation flag
FLG_CLO	FLG.CLO		BIT	Closed flag
FLG_OPE	FLG.OPE		BIT	Opened flag
FLG_EXR	FLG.EXR		BIT	Expired flag
FLG_EXT	FLG.EXT		BIT	Extended flag
FLG_DAT	FLG.DAT		BIT	By expiry date flag
CPC_COD	CPC.COD		VARCHAR(4)	Procedure code
CPC_NAM	CPC.NAM		VARCHAR(70)	Procedure name
PRO_CO1	PRO.CO1		VARCHAR(6)	Product code
PRO_CO2	PRO.CO2		VARCHAR(2)	Product code
PRO_CO3	PRO.CO3		VARCHAR(3)	Product code
PRO_CO4	PRO.CO4		VARCHAR(4)	Product code
PRO_NAM	PRO.NAM		VARCHAR(35)	Product description
LST_DAT	LST.DAT		DATE	Date for list
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name

RPT_ATITACC_TAB - Temporary admission reports

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FLG_IMP	FLG.IMP		BIT	Importation flag
FLG_EXP	FLG.EXP		BIT	Exportation flag
DEC_COD	DEC.COD		VARCHAR(17)	Declarant Code
DEC_NAM	DEC.NAM		VARCHAR(35)	Declarant Name
DEC_YEA	DEC.YEA		INTEGER	Declarant reference year
DEC_REF	DEC.REF		VARCHAR(17)	Declarant reference number
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name

RPT_WHSINV_TAB - Warehouse Inventory reports

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FLG_PRO	CBX.PRO		BIT	Product flag
FLG_CMP	CBX.CMP		BIT	Importer flag
FLG_CTY	CBX.CTY		BIT	Country Flag
WHS_COD	WHS.COD		VARCHAR(17)	Identification of warehouse

Field Name	DOM Representation	Null?	Data Type	Description
WHS_NAM	WHS.NAM		VARCHAR(35)	Warehouse name
PRO_CO1	PRO.COD		VARCHAR(6)	Product code
PRO_CO2	PRO.CO2		VARCHAR(2)	Product code
PRO_CO3	PRO.CO3		VARCHAR(2)	Product code
PRO_CO4	PRO.CO4		VARCHAR(4)	Product code
PRO_NAM	PRO.NAM		VARCHAR(35)	Product description
CMP_COD	CMP.COD		VARCHAR(17)	Company code
CMP_NAM	CMP.NAM		VARCHAR(35)	Company name
CTY_COD	CTY.COD		VARCHAR(5)	Country code
CTY_NAM	CTY.NAM		VARCHAR(35)	Country name
OPT_PGE			INTEGER	obsolete
DES_PRT			BIT	obsolete
DES_FIL			BIT	obsolete
PRI_HGH			BIT	obsolete
PRI_LOW			BIT	obsolete
PRI_DEL			BIT	obsolete
PRI_DAT			DATE	obsolete
PRI_TIM			TIMESTAMP	obsolete

RPT_WHSLST_TAB - Warehouse Summary Reports

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
FLG_CLO	FLG.CLO		BIT	Closed flag
FLG_OPE	FLG.OPE		BIT	Opened flag
FLG_EXR	FLG.EXR		BIT	Expired flag
FLG_EXT	FLG.EXT		BIT	Extended flag
WHS_COD	WHS.COD		VARCHAR(17)	Identification of warehouse
WHS_NAM	WHS.NAM		VARCHAR(35)	Warehouse name
LST_DAT	LST.DAT		DATE	Date for list
OPT_PGE			INTEGER	obsolete
DES_PRT			BIT	obsolete
DES_FIL			BIT	obsolete
PRI_HGH			BIT	obsolete
PRI_LOW			BIT	obsolete
PRI_DEL			BIT	obsolete
PRI_DAT			DATE	obsolete
PRI_TIM			TIMESTAMP	obsolete

RPT_DAYBOOK_TAB - Obsolete

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
NBR_REG			BIT	
NBR_ASS			BIT	
NBR_POS			BIT	
CUO_COD			VARCHAR(5)	Custom office code
CUO_NAM			VARCHAR(35)	Custom office name
DAT			DATE	Date

RPT_MONTHLY_TAB - Obsolete

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
NBR_REG			BIT	
NBR_ASS			BIT	
NBR_POS			BIT	
CUO_COD			VARCHAR(5)	Custom office code
CUO_NAM			VARCHAR(35)	Custom office name
YEA			INTEGER	
MTH			INTEGER	

RPT_DATETODATE_TAB - Date to Date Report

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
NBR_REG	NBR.REG		BIT	Registered Flag
NBR_ASS	NBR.ASS		BIT	Assessed Flag
NBR_POS	NBR.POS		BIT	Post Entry Flag
CUO_COD	CUO.COD		VARCHAR(5)	Custom office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Custom office name
DAT_FROM	DAT.BEG		DATE	Date From
DAT_TO	DAT.END		DATE	Date To