



Manifest - Tables Description - V 0.1.0905

Introduction

The following document presents the technical description of the database tables used to record all of the transaction data relevant to the Manifest.

Structure of the document

This document gives a detailed description of each database table. Notes regarding following table data: The data is presented in the following format.

Field Name - DOM Representation - Null? - Data Type - Description

The Field Name is the name given to the data element in the table.

The DOM Representation is the Data set structure associated with the Field.

Null? shows whether the Field Value could be empty or not.

Data Type indicates the type and length of data being stored, and how the engine is storing it.

This is useful as an indication of the type validation performed against each element.

The Length is to be treated with caution, where data is stored in a numeric format, the length indicated is that for the table column. It may seem different from the length available in the interface screens, but this is because the engine formats the data so that it is stored in its most efficient manner. In particular, the date length seems meaningless. This simply indicates that the data is stored in the Database server date format, which incorporates the necessary structure and length.

Description is a brief explanation of the Field.

The table columns are presented in the same order that they appear in the actual database tables.

Tables Structure

GEN_TAB - Manifest General Segment

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
STA	STA		SMALLINT	Status
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Customs office code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Customs office name
IDE_VOY	IDE.VOY		VARCHAR(17)	Voyage number
IDE_DAT	IDE.DAT		DATE	Date of departure
GEN_MST	GEN.MST		LONGVARCHAR	Master information
GEN_TOT_BOL	GEN.TOT.BOL		SMALLINT	Total Number of B/L
GEN_TOT_PCK	GEN.TOT.PCK		DOUBLE	Total Number of packages
GEN_TOT_CTN	GEN.TOT.CTN		SMALLINT	Total Number of containers
GEN_TOT_GRS	GEN.TOT.GRS		DOUBLE	Total Gross Mass
GEN_ARR_DAT	GEN.ARR.DAT		DATE	Date of arrival
GEN_ARR_TIM	GEN.ARR.TIM		TIMESTAMP	Time of arrival
GEN_REG_YEA	GEN.REG.YEA		SMALLINT	Manifest year of registration
GEN_REG_NBR	GEN.REG.NBR		SMALLINT	Manifest serial registration number
GEN_REG_DAT	GEN.REG.DAT		DATE	Date of registration
GEN_REG_TIM	GEN.REG.TIM		TIMESTAMP	Time of registration
GEN_LOD_COD	GEN.LOD.COD		VARCHAR(5)	Place of departure - code
GEN_LOD_NAM	GEN.LOD.NAM		VARCHAR(35)	Place of departure - name
GEN_UNL_COD	GEN.UNL.COD		VARCHAR(5)	Place of destination - code
GEN_UNL_NAM	GEN.UNL.NAM		VARCHAR(35)	Place of destination - name
GEN_CAR_COD	GEN.CAR.COD		VARCHAR(17)	Carrier code
GEN_CAR_NAM	GEN.CAR.NAM		VARCHAR(35)	Carrier name
GEN_SHI_COD	GEN.SHI.COD		VARCHAR(17)	Shipping Agent code
GEN_SHI_NAM	GEN.SHI.NAM		VARCHAR(35)	Shipping Agent name
GEN_CAR_ADD	GEN.CAR.ADD		LONGVARCHAR	Carrier address
GEN_TPT_NAM	GEN.TPT.NAM		VARCHAR(27)	Name of the transporter
GEN_TPT_PLA	GEN.TPT.PLA		VARCHAR(35)	Place of the transporter
GEN_TPT_REG_NAM	GEN.TPT.REG.NAM		VARCHAR(35)	Transporter registration number
GEN_TPT_REG_DAT	GEN.TPT.REG.DAT		DATE	Transporter registration date
GEN_TPT_MOT_COD	GEN.TPT.MOT.COD		VARCHAR(3)	Mode of Transport - code
GEN_TPT_MOT_NAM	GEN.TPT.MOT.NAM		VARCHAR(35)	Mode of Transport - description
GEN_TPT_NAT_COD	GEN.TPT.NAT.COD		VARCHAR(3)	Nationality of transport - country code
GEN_TPT_NAT_NAM	GEN.TPT.NAT.NAM		VARCHAR(35)	Nationality of transport - country name
WRT	WRT		SMALLINT	Flag written off
GEN_TON_GRS_NET	GEN.TON.GRS.NET		DOUBLE	Net
GEN_TON_GRS_BRT	GEN.TON.GRS.BRT		DOUBLE	Gross
GEN_TON_OFF_NAM	GEN.TON.OFF.NAM		VARCHAR(35)	Office of destination - name
GEN_TON_OFF_COD	GEN.TON.OFF.COD		VARCHAR(5)	Office of destination - code
GEN_TON_LDS	GEN.TON.LDS		DATE	Last discharge
GEN_TON_PRV_REF1	GEN.TON.PR.V.REF1		VARCHAR(8)	Previous reference 1
GEN_TON_PRV_REF2	GEN.TON.PR.V.REF2		VARCHAR(10)	Previous reference 2

BOL_TAB - Bill of lading

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Customs office code
IDE_CUO_NAM	IDE.CUO.NAM		VARCHAR(35)	Customs office name
IDE_VOY	IDE.VOY		VARCHAR(17)	Voyage number
IDE_DAT	IDE.DAT		DATE	Date of departure
IDE_REF	IDE.REF		VARCHAR(17)	Bill of lading reference number
GEN_ARR_DAT	GEN.ARR.DAT		DATE	Date of arrival
GEN_ARR_TIM	GEN.ARR.TIM		TIMESTAMP	Time of arrival

Field Name	DOM Representation	Null?	Data Type	Description
GEN_REG_YEA	GEN.REG.YEA		SMALLINT	Manifest year of registration
GEN_REG_NBR	GEN.REG.NBR		SMALLINT	Manifest serial registration number
GEN_REG_DAT	GEN.REG.DAT		DATE	Date of registration
GEN_REG_TIM	GEN.REG.TIM		TIMESTAMP	Time of registration
GEN_CAR_COD	GEN.CAR.COD		VARCHAR(17)	Carrier code
GEN_CAR_NAM	GEN.CAR.NAM		VARCHAR(35)	Carrier name
GEN_CAR_ADD	GEN.CAR.ADD		LONGVARCHAR	Carrier address
GEN_SHI_COD	GEN.SHI.COD		VARCHAR(17)	Shipping Agent code
GEN_SHI_NAM	GEN.SHI.NAM		VARCHAR(35)	Shipping Agent name
GEN_TON_LDS	GEN.TON.LDS		DATE	Last discharge
GEN_TPT_NAM	GEN.TPT.NAM		VARCHAR(27)	Name of the transporter
GEN_TPT_MOT_COD	GEN.TPT.MOT.COD		VARCHAR(3)	Mode of Transport - code
GEN_TPT_MOT_NAM	GEN.TPT.MOT.NAM		VARCHAR(35)	Mode of Transport - description
GEN_TPT_NAT_COD	GEN.TPT.NAT.COD		VARCHAR(3)	Nationality of transport - country code
GEN_TPT_NAT_NAM	GEN.TPT.NAT.NAM		VARCHAR(35)	Nationality of transport - country name
BOL_LIN	BOL.LIN		SMALLINT	Bill of lading line number
BOL_SLI	BOL.SLI		SMALLINT	Bill of lading sub line number
BOL_STA	BOL.STA		VARCHAR(17)	B/L status
BOL_PRV	BOL.PRIV		VARCHAR(17)	Previous document - B/L reference number of Master B/L
BOL_NAT	BOL.NAT		VARCHAR(2)	B/L nature code
BOL_UCR	BOL.UCR		VARCHAR(35)	Unique Carrier Reference number
BOL_CTN	BOL.CTN		SMALLINT	Number of containers
BOL_GRS	BOL.GRS		DOUBLE	Gross mass
BOL_CBM	BOL.CBM		DOUBLE	Volume in Cubic Meter
BOL_SUB	BOL.SUB		SMALLINT	Number of sub B/Ls
BOL_TYP_COD	BOL.TYP.COD		VARCHAR(3)	B/L type
BOL_TYP_NAM	BOL.TYP.NAM		VARCHAR(35)	B/L description
BOL_EXP_COD	BOL.EXP.COD		VARCHAR(17)	Exporter code
BOL_EXP_NAM	BOL.EXP.NAM		VARCHAR(35)	Exporter name
BOL_EXP_ADD	BOL.EXP.ADD		LONGVARCHAR	Exporter address
BOL_CON_COD	BOL.CON.COD		VARCHAR(17)	Consignee code
BOL_CON_NAM	BOL.CON.NAM		VARCHAR(35)	Consignee name
BOL_CON_ADD	BOL.CON.ADD		LONGVARCHAR	Consignee address
BOL_NOT_COD	BOL.NOT.COD		VARCHAR(17)	Notify code
BOL_NOT_NAM	BOL.NOT.NAM		VARCHAR(35)	Notify name
BOL_NOT_ADD	BOL.NOT.ADD		LONGVARCHAR	Notify address
BOL_LOD_COD	BOL.LOD.COD		VARCHAR(5)	Place of loading - code
BOL_LOD_NAM	BOL.LOD.NAM		VARCHAR(35)	Place of loading - name
BOL_UNL_COD	BOL.UNL.COD		VARCHAR(5)	Place of unloading - code
BOL_UNL_NAM	BOL.UNL.NAM		VARCHAR(35)	Place of unloading - name
BOL_PCK_COD	BOL.PCK.COD		VARCHAR(17)	Package type code
BOL_PCK_NAM	BOL.PCK.NAM		VARCHAR(35)	Description of packages
BOL_PCK_NBR	BOL.PCK.NBR		DOUBLE	Number of packages
BOL_MRK_DSC	BOL.MRK.DSC		LONGVARCHAR	Shipping mark
BOL_GDS_DSC	BOL.GDS.DSC		LONGVARCHAR	Goods description
BOL_FRG_IND_COD	BOL.FRG.IND.COD		VARCHAR(3)	Freight P/C indicator
BOL_FRG_VAL	BOL.FRG.VAL		DOUBLE	Freight value
BOL_FRG_CUR	BOL.FRG.CUR		VARCHAR(3)	Freight currency
BOL_CUS_VAL	BOL.CUS.VAL		DOUBLE	Customs value
BOL_CUS_CUR	BOL.CUS.CUR		VARCHAR(3)	Customs currency
BOL_TPT_VAL	BOL.TPT.VAL		DOUBLE	Transport value
BOL_TPT_CUR	BOL.TPT.CUR		VARCHAR(3)	Transport currency
BOL_INS_VAL	BOL.INS.VAL		DOUBLE	Insurance value
BOL_INS_CUR	BOL.INS.CUR		VARCHAR(3)	Insurance currency
BOL_SEA_NBR	BOL.SEA.NBR		SMALLINT	Seal number
BOL_SEA_MK1	BOL.SEA.MK1		VARCHAR(20)	Marks of seals
BOL_SEA_COD	BOL.SEA.COD		VARCHAR(3)	Sealing party code
BOL_SEA_NAM	BOL.SEA.NAM		VARCHAR(35)	Sealing party decription

Field Name	DOM Representation	Null?	Data Type	Description
BOL_INF_IN1	BOL.INF.IN1		VARCHAR(70)	Information
BOL_OPE_PKA	BOL.OPE.PKA		DOUBLE	Remaining Number of packages
BOL_OPE_WGA	BOL.OPE.WGA		DOUBLE	Remaining Gross mass
BOL_OPE_LOC_COD	BOL.OPE.LOC.COD		VARCHAR(17)	Location code
BOL_OPE_LOC_NAM	BOL.OPE.LOC.NAM		VARCHAR(35)	Location name
BOL_OPE_LOC_INF	BOL.OPE.LOC.INF		VARCHAR(35)	Location info
BOL_OPE_ONW_TRS_COD	BOL.OPE.ONW.TRS.COD		VARCHAR(5)	Transit customs office code
BOL_OPE_ONW_TRS_NAM	BOL.OPE.ONW.TRS.NAM		VARCHAR(35)	Transit customs office name
BOL_OPE_ONW_TRS_REF	BOL.OPE.ONW.TRS.REF		VARCHAR(35)	Transit document reference
BOL_OPE_ONW_TSH_DIS	BOL.OPE.ONW.TSH.DIS		VARCHAR(35)	Transshipment document reference
BOL_OPE_ONW_TSH_LOC_COD	BOL.OPE.ONW.TSH.LOC.COD		VARCHAR(5)	Transshipment location code
BOL_OPE_ONW_TSH_LOC_NAM	BOL.OPE.ONW.TSH.LOC.NAM		VARCHAR(35)	Transshipment location name
BOL_OPE_ONW_CAR_COD	BOL.OPE.ONW.CAR.COD		VARCHAR(17)	Onward carrier code
BOL_OPE_ONW_CAR_NAM	BOL.OPE.ONW.CAR.NAM		VARCHAR(35)	Onward carrier name
BLC	BOL.BLC		SMALLINT	Flag BOL Bolcked - 0:no, 1:yes

CTN_TAB - Containers

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
IDE_CUO_COD	IDE.CUO.COD	NOT NULL	VARCHAR(5)	Customs office code
IDE_VOY	IDE.VOY	NOT NULL	VARCHAR(17)	Voyage number
IDE_DAT	IDE.DAT	NOT NULL	DATE	Date of departure
IDT	IDT		VARCHAR(17)	Reference
NBR	NBR		INTEGER	Number of packages
TYP	TYP		VARCHAR(4)	Type of container
FUL	FUL		VARCHAR(3)	Empty/Full
SEA	SEA		VARCHAR(10)	Seals
MK1	MK1		VARCHAR(10)	Marks
MK2	MK2		VARCHAR(10)	Marks
PTY	PTY		VARCHAR(3)	Sealing Party
EWG	EWG		DOUBLE	Empty weight
GWG	GWG		DOUBLE(3)	Goods weight

Manifest_Serial_Registration - Manifest Serial Management

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
YEA	YEA		SMALLINT	Year
CUO_COD	CUO.COD		VARCHAR(5)	Customs office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Customs office name
SER_INI	SER.INI		SMALLINT	Serial - Initial number
SER_CUR	SER.CUR		SMALLINT	Serial - Current number

BOL_CTN_TAB - Containers per Bill of Lading

Field Name	DOM Representation	Null?	Data Type	Description
ID_BOL		NOT NULL	INTEGER	B/L Instance Id
ID_CTN	CTN.INSTANCE_ID	NOT NULL	INTEGER	Container Instance Id

REM_WRITE_OFF_TAB - manifest write-off information

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
IDE_CUO_COD	IDE.CUO.COD		VARCHAR(5)	Customs office code
IDE_VOY	IDE.VOY		VARCHAR(17)	Voyage number
IDE_DAT	IDE.DAT		DATE	Date of departure
IDE_REF	IDE.REF		VARCHAR(17)	Bill of lading reference number
BLK	BLK		VARCHAR(1)	Bulk flag
PKG	PKG		VARCHAR(17)	Package code
NAT	NAT		VARCHAR(2)	B/L nature
LOC	LOC		VARCHAR(17)	Location
NBR	NBR		DOUBLE	Remaining Packages
GRS	GRS		DOUBLE	Remaining Gross Mass
RES	RES		VARCHAR(25)	SAD that has reserved the B/L ex: CUO08 2009 C 5

HIS_WRITE_OFF_TAB - B/L history of write-off

Field Name	DOM Representation	Null?	Data Type	Description
IDE_CUO_COD	IDE.CUO.COD	NOT NULL	VARCHAR(5)	Customs office code
IDE_VOY	IDE.VOY	NOT NULL	VARCHAR(17)	Voyage number
IDE_DAT	IDE.DAT	NOT NULL	DATE	Date of departure
IDE_REF	IDE.REF	NOT NULL	VARCHAR(17)	Bill of lading reference number
VER	VER	NOT NULL	VARCHAR(35)	Version ID of writing-off document
TYP	TYP	NOT NULL	VARCHAR(16)	Type of Write-Off ex: S.A.D. ; S.A.D. PE adjust
REF_INSTANCE_ID	REF	NOT NULL	INTEGER	Write-Off Document Instance Id
NBR	NBR		DOUBLE	Packages
GRS	GRS		DOUBLE	Gross Mass
PRV	PRV	NOT NULL	VARCHAR(35)	Reference of document that writes-off BL ex: CUO02 2009 L 15

MAN_TRANSH_TAB - Manifest - Transshipment Management

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
REF	REF	NOT NULL	VARCHAR(35)	Document reference
LOC_COD	LOC.COD		VARCHAR(5)	Place of destination
LOC_NAM	LOC.NAM		VARCHAR(35)	Place of destination
CAR_COD	CAR.COD		VARCHAR(17)	Onward carrier
CAR_NAM	CAR.NAM		VARCHAR(35)	Onward carrier

MAN_TRANSIT_TAB - Manifest - Transit Management

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
REF	REF	NOT NULL	VARCHAR(35)	Line Number
CUO_COD	CUO.COD		VARCHAR(5)	Office of destination - Customs office code
CUO_NAM	CUO.NAM		VARCHAR(35)	Office of destination - Customs office name
CAR_COD	CAR.COD		VARCHAR(17)	Onward carrier
CAR_NAM	CAR.NAM		VARCHAR(35)	Onward carrier

MAN_MAN_TAB - Manifest - Manual discharge Management

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	

Field Name	DOM Representation	Null?	Data Type	Description
REF	REF	NOT NULL	VARCHAR(35)	Reference of Manual discharge
DES	DES		LONGVARCHAR	Description of Manual discharge

MAN_DATETODATE_TAB - Manifest Date to Date Report

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
NBR_STO	NBR.STO		BIT	Stored flag
NBR_REG_REF	NBR.REG.REF		BIT	Registered by ref Flag
NBR_REG_VOY	NBR.REG.VOY		BIT	Registered by voy flag
CUO_COD	CUO.COD		CHAR(10)	Customs office code
CUO_NAM	CUO.NAM		CHAR(50)	Customs office name
DAT_FROM	DAT.BEG		DATE	Manifest date from
DAT_TO	DAT.END		DATE	Manifest date to

MAN_WRITEOFF_TAB - Manifest Write-Off Report

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
NBR_WRT	NBR.WRT		BIT	Written-off flag
NBR_NWR	NBR.NWR		BIT	Non-written-off Flag
CUO_COD	CUO.COD		CHAR(10)	Customs office code
CUO_NAM	CUO.NAM		CHAR(50)	Customs office name
DAT_FROM	DAT.BEG		DATE	Manifest date from
DAT_TO	DAT.END		DATE	Manifest date to

MAN_WRITEOFFSTATUS_TAB - Manifest Write-Off Status

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID	INSTANCE_ID	NOT NULL	INTEGER	
MAN_IDE_DAT	MAN.IDE.DAT		DATE	Departure date
MAN_IDE_VOY	MAN.IDE.VOY		CHAR(50)	Voyage number
CUO_COD	CUO.COD		CHAR(10)	Customs office code
CUO_NAM	CUO.NAM		CHAR(50)	Customs office name

MAN_T1_REF_TAB - T1 registration reference + guarantee details for T1(s) from which a manifest has been generated

Field Name	DOM Representation	Null?	Data Type	Description
INSTANCE_ID		NOT NULL	INTEGER	
T1_NBR	RNK	NOT NULL	INTEGER	Rank
REF_REG_CUO	REF.REG.CUO		VARCHAR(5)	Departure office
REF_REG_SER	REF.REG.SER		VARCHAR(1)	Registration series
REF_REG_NBR	REF.REG.NBR		INTEGER	Registration number
REF_REG_DAT	REF.REG.DAT		DATE	Registration date
GTY_ACC	GTY.ACC		VARCHAR(35)	Transit guarantee account
GTY_AMT	GTY.AMT		DOUBLE	T1 guarantee amount
GTY_FLG_FRE	GTY.FLG.FRE		BIT	Guarantee is free