

Françoise: Interface Operations Infrastructure

**Components, tokens, and rules form a dependency graph.
Françoise makes changing that graph safe and reversible.**

The **\$65B+** interface market* is caught between two high-cost approaches.

* GLOBAL DEVTOOLS & UI/UX SOFTWARE: TEAMS AND TOOLS PRODUCING, MANAGING, AND SHIPPING FRONTEND INTERFACES.

Hours of manual approach

Design, handoff, rework, QA, and legacy maintenance compound with every release.

12–18 months · \$300K–\$600K

to build an enterprise UI system

Visual drift turns global updates into 3–6 month overhauls.

Tokens of AI approach

Retries, context loss, drift, and integration eat into the savings.

\$7M · gone in 4 months

Uber's AI coding spend.

Isolated AI-generated code creates weeks of integration refactoring.

Neither approach can automatically govern visual output at scale.

UI has visual relationships, semantic intent, overrides, hierarchy, and context, but no machine-readable model that connects them.

Françoise

builds an intermediate representation of the UI,
mapping interface back to the design system,
correcting manual or AI-generated deviations.

↓ 10x

UI production cost

↓ 100x

design system support cost

ORDER-OF-MAGNITUDE
POTENTIAL BASED ON
REDUCING MANUAL UI
WORK AND AI-DRIVEN
PRODUCTION OVERHEAD.

MARKET-ENTRY PRODUCTS



CORE PRODUCT

Figma Plugin

LIVE

Detects and fixes UI inconsistencies, keeping interfaces compliant with the design system and visual rules.

MCP / Agent API

UPCOMING

Detects and corrects AI-generated UI errors before they propagate into production.

[LOOK A DEMO](#)

Enterprise Infrastructure

ACV ~\$50,000/year

Automatically keeps legacy interfaces clean and new UI technically correct.

Makes design-system updates, legacy changes, production-wide visual changes fast, safe, and inexpensive to roll out.

SAM: \$15B+

Enterprise DesignOps & AI Code Generation.
Design-system teams reallocating budget to AI agents.

Traction

Launched August 2026

40+ interested companies · zero paid acquisition

Verizon · Kapital Bank · inDrive · others

GTM CHANNELS

Founder-led outbound — 10% → call · 30% → pilot/qualified interest

Executive referrals — warm intros into US enterprises, Hollywood, Revolut, Plata

Professional networks — AIGA · design & developer Slack / Discord communities

ICP

Tech enterprises & internal AI pipelines

Spending \$100K+/yr on manual UI sync or internal AI-coding agents

SOM: \$1.2B

Tech Enterprises & Internal AI Pipelines.

SPENDING \$100K+/YR

ON MANUAL UI SYNC OR INTERNAL AI-CODING AGENTS.

YEAR 1

3 → 8 → 17 → 30 accounts

YEAR 3

300 accounts → \$15M ARR

~1.25% OF SOM

Competitive Landscape

	KEY PLAYERS	WHAT THEY SOLVE	CORE LIMITATION
Design-to-code	Anima, Builder.io, Locofy, Codigma	Generate code from Figma	Breaks on messy files
Prompt-to-app	v0, Bolt, Stitch, Banani	Generate UI from prompts	Ignores existing systems
Design versioning	Abstract, Anchorpoint, Figma Branching	Version design files	Doesn't prevent drift
Design system infra	Supernova, Specify, Style Dictionary	Components as data	Adds another source of truth

White space: native, continuous design–code alignment for real-world files.

Platform vendors are structurally disincentivized to build an interoperability layer.

Leading UI research is converging on IR APPLE ML / SQUIRE · SPECIFYUI / SPEC
But there is no known recipe for reconstructing intent from noisy production UI.

**Françoise is the
first to make IR
work on noisy,
real-world UI.**

**Teams can structurally
diff · validate · version · merge · reconcile UI
without leaving their existing workflow.**

- + Migrate across platforms with legacy intact.
- + Bridge visual design and code.

A year of deep-tech R&D across systems engineering, graph algorithms, and compiler theory.

AMONG THE HARD PROBLEMS WE HAD TO SOLVE

Proprietary graph engine

Constraint-guided matching finds equivalent UI structures in large, noisy Figma and code graphs.

Probabilistic intent model


Resolves ambiguity from detached components, overrides, and inconsistent hierarchy.

Deterministic Graph IR

A tool-agnostic representation preserving UI structure and intent across design and code.

The moat compounds with every production graph processed.

Each real-world UI expands our corpus of edge cases, constraints, and evaluation data across the stack.



PRODUCT LEADERSHIP
DESIGN SYSTEMS
APPLIED CS

Daria Kamyshina

CO-FOUNDER & CEO

Computer Science × Applied Arts

BAUMAN MOSCOW STATE TECHNICAL UNIVERSITY

National-level Math & Physics Olympiad finalist

Former Head of Product · ex-Yandex

Led 300+ person product organizations

+22 pp retention · +20% repeat revenue



APPLIED MATH
DISTRIBUTED SYSTEMS
GRAPH ALGORITHMS

Victor Pisarevskii

CO-FOUNDER & CTO

MSc Applied Math · Systems Architecture

BAUMAN MOSCOW STATE TECHNICAL UNIVERSITY

National-level Math & Physics Olympiad finalist

Former Tech Lead, Sber

Built systems serving 10M+ users

Shipped complex financial algorithms to production

RAISING TO VALIDATE REPEATABLE EXPANSION

\$500K Pre-Seed

10 enterprise contracts

Scale the Figma Plugin and Agent API as the Design and Dev Ops entry point.

9 months runway

Ship the enterprise workflow. CI checks, Git, governance.

Prove connector-to-platform expansion in accounts.

\$500K Exit ARR

ceo@francoise.design
francoise.design

Sources

ceo@francoise.design
francoise.design

1. \$300K–\$600K Setup Cost (Eltherion, July 2026)

<https://eltherion.com/blog/how-much-does-it-cost-to-build-a-design-system>

2. 3–6 Month Engineering Overhauls (LegacyLeap, Nov 2025)

<https://www.legacyleap.ai/blog/frontend-modernization-guide/>

3. Uber's \$7M Budget Burn (Forbes, May 2026)

<https://www.forbes.com/sites/janakirammsv/2026/05/17/uber-burns-its-2026-ai-budget-in-four-months-on-claude-code/>

4. "Isolated Code Snippets" (Edana, May 2026)

<https://edana.ch/en/2026/05/16/the-impact-of-ai-coding-assistants-on-software-architecture-towards-efficient-orchestration/>

5. Refactoring AI Output / Tech Debt (arXiv Preprint, Apr 2026)

<https://arxiv.org/html/2604.16399v2>

6. Apple ML — SQUIRE: Interactive UI Authoring via Slot QUery Intermediate REpresentations 2025

<https://machinelearning.apple.com/research/squire>

7. SpecifyUI: Supporting Iterative UI Design Intent Expression through Structured Specifications and Generative AI 2025

<https://arxiv.org/abs/2509.07334>