

HIPAA Compliance Report

Prepared by VLayer Automated Scan

Project Information

Target Path: /Users/simonfranco/Projects/vlayer-demo-nextjs/src

Organization: Not specified

Report Generated: 6/11/2026, 9:55:08 PM

Files Scanned: 2

Scan Summary



Compliance Score: 0/100 (Grade F)

Status: critical

Findings

SEVERITY	FINDING	HIPAA REF
CRITICAL	PHI stored in localStorage /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:25	\$164.502, \$164.514
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:27	45 CFR §164.312(c) - Integrity Controls
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:31	45 CFR §164.312(c) - Integrity Controls
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:36	45 CFR §164.312(c) - Integrity Controls
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:27	45 CFR §164.312(c) - Integrity Controls
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:31	45 CFR §164.312(c) - Integrity Controls
CRITICAL	PHI Data in Error Logs or Thrown Errors /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:36	45 CFR §164.312(c) - Integrity Controls
CRITICAL	ePHI Stored Without Encryption at Rest /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:25	45 CFR §164.312(a)(2)(iv) - Encryption (Required)
CRITICAL	Missing Network Segmentation for PHI /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:20	45 CFR §164.312(e)(1) - Transmission Security (Required)
CRITICAL	Missing Network Segmentation for PHI /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:25	45 CFR §164.312(e)(1) - Transmission Security (Required)
CRITICAL	Missing Network Segmentation for PHI /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:69	45 CFR §164.312(e)(1) - Transmission Security (Required)
CRITICAL	Missing Multi-Factor Authentication for PHI Access /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:12	45 CFR §164.312(a)(2)(i) - Access Control (Required)
CRITICAL	Authentication Configuration Without MFA Enabled /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:2	NPRM §164.312(d) - Person or Entity Authentication
HIGH	Patient name in console output /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:31	\$164.502, \$164.514
HIGH	Patient name in console output /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:36	\$164.502, \$164.514
HIGH	PHI data in console output /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:36	\$164.502, \$164.514
HIGH	PHI in template literal log /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:36	\$164.502, \$164.514
HIGH	PHI data in console output /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:37	\$164.502, \$164.514
HIGH	PHI in template literal log /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:37	\$164.502, \$164.514
HIGH	Unsanitized Error Details Sent to User /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:67	45 CFR §164.312(b) - Audit Controls
HIGH	Encryption issue: Unencrypted HTTP URL /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:20	\$164.312(e)(1)
HIGH	Unsanitized Error Details Sent to User /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/ patients/route.ts:67	45 CFR §164.312(b) - Audit Controls
HIGH	Missing Automatic Session Timeout /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/ dashboard/page.tsx:35	45 CFR §164.312(a)(2)(iii) - Session Control (Required)

Findings (continued)

SEVERITY	FINDING	HIPAA REF
HIGH	Missing Vulnerability Scanning Configuration project-level:1	45 CFR §164.308(a)(8) - Evaluation (Required)
HIGH	PHI Data Access Without Role/Permission Verification /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:21	45 CFR §164.312(a)(1) - Access Control
HIGH	PHI Data Access Without Role/Permission Verification /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:62	45 CFR §164.312(a)(1) - Access Control
MEDIUM	Patient address handling detected /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:51	§164.502, §164.514
MEDIUM	SELECT * on PHI Tables Violates Minimum Necessary Principle /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:22	45 CFR §164.502(b) - Minimum Necessary Requirement
MEDIUM	PHI caching detected /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/dashboard/page.tsx:25	§164.530(j)
MEDIUM	Data deletion without apparent logging /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:63	§164.530(j)
MEDIUM	Database Without Backup Configuration /Users/simonfranco/Projects/vlayer-demo-nextjs/src/app/api/patients/route.ts:2	45 CFR §164.308(a)(7)(ii)(A) - Data Backup Plan
INFO	ePHI Technology Asset Inventory Generated ASSET-INVENTORY:1	45 CFR §164.308(a)(1)(ii)(A) - Risk Analysis (Required)
INFO	ePHI Flow Map Generated PHI-FLOW-MAP:1	45 CFR §164.308(a)(1)(ii)(A) - Risk Analysis (Required)