

THE SEMANTIC DECISION FORGE

NOT AN AGENT.
NOT A PROMPT.

Source material → semantic judgments → legal actions → evaluated JEV runtime

DECISION INFRASTRUCTURE.

1. THE OPERATIONS PROBLEM

“Our people read every case, interpret policy, then decide what happens next.”



The knowledge is scattered across SOPs, code, tickets, logs, datasets, and expert judgment.

Automation fails when it skips the meaning between input and action.

2. WHAT FORGE COMPILES



A compiler of bounded decisions.

It ranks bounded surfaces from resolved cases, then defines reusable Choice, Noul, and Score judgments linked to source evidence.

It compiles small decision surfaces where deterministic code filters legal actions before JEV chooses.

3. WHAT THE CUSTOMER GETS

1

A searchable decision vocabulary

Ranked candidates, questions, evidence, boundaries

2

An executable guarded workflow

Legal actions, adapters, policies, handlers

3

An evaluation-ready dataset

Judgments, actions, corrections, outcomes

Value: faster routine decisions, consistent policy, safe exceptions.

4. FOUR ROLES, KEPT SEPARATE

DISCOVERY + FRONTIER AGENT · compile time

Ranks resolved work, inspects material, proposes the vocabulary.

JEV · runtime

Answers typed semantic questions and chooses among legal options.

CODE · authority and execution

Owens permissions, predicates, thresholds, side effects, secrets.

HUMANS · governance

Approve releases, resolve exceptions, correct labels and policy.

Semantic judgment informs. It never authorizes.

5. EVIDENCE SETS THE CEILING

DESCRIPTIVE MATERIAL

Maximum output: candidate concepts and judgments
No production action authority

AUTHORITATIVE RULES + ACTIONS

Maximum output: reviewable decision surfaces
Still no invented executable binding


VERIFIED BINDINGS + TRUSTED LABELS

Maximum output: calibrated executable runtime
Released only after held-out evaluation

6. THE COMPILED BUNDLE

```
semantic-bundle/  
  material_manifest.yaml  
  semantic_ir.yaml  
  judgment_registry.yaml  
  semantic_links.yaml  
  action_registry.yaml  
  state_registry.yaml  
  decision_surfaces.yaml  
  evidence_ledger.jsonl  
  jev_adapter_spec.yaml  
  coverage_report.md  
  semantic.sqlite + logs
```

7. THE EVALUATED TWO-STAGE RUNTIME



8. WHERE THE VALUE HIDES

Look for work that stops because someone must read something before deciding what happens next.

Exception queues

Operations + logistics
route / retry / review

Policy decisions

Compliance + controls
allow / hold / escalate

Document review

Procurement + support
complete / clarify / act

Best wedge: frequent decision + semantic interpretation + bounded actions + historical cases + measurable outcome.

Do not start with millions of speculative questions. Start with one costly queue.

9. THE BIGGER PICTURE

Forge turns undocumented human reasoning into versioned, searchable, executable, and continuously evaluated decision infrastructure.

Definitions + cases + judgments + corrections + actions + outcomes = a compounding, organization-specific decision dataset.

SAFE SCALE, NOT FREE-FORM AUTONOMY.