



Lab 7

Practice 1




Practice 2



```
frandyta@cis106: ~$ ls wildcardpractice/*.*
wildcardpractice/2020-08-27-capture.raw  wildcardpractice/allfiles.lst  wildcardpractice/beatk.exe  wildcardpractice/bk.pdf  wildcardpractice/book.xml  wildcardpractice/_random.csv  wildcardpractice/sample1.doc
wildcardpractice/2022-02-02-camera.jpg  wildcardpractice/baik.exe     wildcardpractice/beatk.pdf  wildcardpractice/bk.xml  wildcardpractice/fail.log   wildcardpractice/randomtext.txt  wildcardpractice/sample1.xls
wildcardpractice/78food.txt              wildcardpractice/baik.pdf     wildcardpractice/beatk.xml  wildcardpractice/book.exe  wildcardpractice/file.log   wildcardpractice/sample1234.csv  wildcardpractice/sample.pdf
wildcardpractice/allfiles.lst            wildcardpractice/baik.xml     wildcardpractice/bk.exe     wildcardpractice/book.pdf  wildcardpractice/logo100x100.png  wildcardpractice/sample123.csv  wildcardpractice/sample.pdf
frandyta@cis106: ~$ ls wildcardpractice/?*.*
wildcardpractice/.bash_history  wildcardpractice/.hidden1.doc  wildcardpractice/.hidden1.py  wildcardpractice/.hidden2.doc  wildcardpractice/.hidden2.py  wildcardpractice/.hiddenFile.txt
frandyta@cis106: ~$ ls wildcardpractice/b?*.*.*
wildcardpractice/baik.exe  wildcardpractice/baik.xml  wildcardpractice/beatk.pdf  wildcardpractice/book.exe  wildcardpractice/book.xml  wildcardpractice/book.pdf
frandyta@cis106: ~$ ls wildcardpractice/sample?.*
wildcardpractice/sample1.doc  wildcardpractice/sample1.xls
frandyta@cis106: ~$ ls wildcardpractice/?*.*.*
wildcardpractice/.hidden1.py  wildcardpractice/.hidden2.py
frandyta@cis106: ~$
```

Practice 3



```
frandyta@cis106: ~$ ls wildcardpractice/[a-z]*.*
wildcardpractice/allfiles.lst  wildcardpractice/baik.xml  wildcardpractice/beatk.xml  wildcardpractice/bk.xml  wildcardpractice/book.xml  wildcardpractice/logo100x100.png  wildcardpractice/sample1.doc
wildcardpractice/baik.exe     wildcardpractice/beatk.exe  wildcardpractice/bk.exe     wildcardpractice/book.exe  wildcardpractice/fail.log   wildcardpractice/randomtext.txt  wildcardpractice/sample1.xls
wildcardpractice/baik.pdf     wildcardpractice/beatk.pdf  wildcardpractice/bk.pdf     wildcardpractice/book.pdf  wildcardpractice/file.log   wildcardpractice/sample123.csv  wildcardpractice/sample.pdf
frandyta@cis106: ~$ ls wildcardpractice/[A-Z]*[0-9]*
wildcardpractice/sample1234.csv
frandyta@cis106: ~$ ls wildcardpractice/[0-9][0-9][0-9][0-9]*
wildcardpractice/2020-08-27-capture.raw  wildcardpractice/2021-04-10-screenshot.jpeg  wildcardpractice/2022-02-02-camera.jpg
frandyta@cis106: ~$ ls wildcardpractice/[!A-Z][!a-z][!0-9]*
wildcardpractice/2020-08-27-capture.raw  wildcardpractice/baik.xml  wildcardpractice/bk.xml  wildcardpractice/logo100x100.png  wildcardpractice/sample1.doc  wildcardpractice/samplesite.html
wildcardpractice/2021-04-10-screenshot.jpeg  wildcardpractice/beatk.exe  wildcardpractice/book.exe  wildcardpractice/_random.csv  wildcardpractice/sample1.xls
wildcardpractice/2022-02-02-camera.jpg  wildcardpractice/beatk.pdf  wildcardpractice/book.pdf  wildcardpractice/random_text.md  wildcardpractice/sample99.docx
wildcardpractice/78food.txt  wildcardpractice/beatk.xml  wildcardpractice/book.xml  wildcardpractice/randomtext.txt  wildcardpractice/samplejsonfile.json
wildcardpractice/baik.exe  wildcardpractice/bk.exe  wildcardpractice/fail.log  wildcardpractice/sample1234.csv  wildcardpractice/sample.pdf
frandyta@cis106: ~$ ls wildcardpractice/[[:punct:]]*
wildcardpractice/_random.csv
frandyta@cis106: ~$
```


Practice 4

1: frandyta@cis106: ~

```
frandyta@cis106:~$ mkdir -pv music/{jazz,rock}/{mp3files,videos,oggfiles}/new
mkdir: created directory 'music'
mkdir: created directory 'music/jazz'
mkdir: created directory 'music/jazz/mp3files'
mkdir: created directory 'music/jazz/mp3files/new'
mkdir: created directory 'music/jazz/videos'
mkdir: created directory 'music/jazz/videos/new'
mkdir: created directory 'music/jazz/oggfiles'
mkdir: created directory 'music/jazz/oggfiles/new'
mkdir: created directory 'music/rock'
mkdir: created directory 'music/rock/mp3files'
mkdir: created directory 'music/rock/mp3files/new'
mkdir: created directory 'music/rock/videos'
mkdir: created directory 'music/rock/videos/new'
mkdir: created directory 'music/rock/oggfiles'
mkdir: created directory 'music/rock/oggfiles/new'
frandyta@cis106:~$ tree
```

```
music
├── jazz
│   ├── mp3files
│   │   └── new
│   ├── oggfiles
│   │   └── new
│   └── videos
│       └── new
└── rock
    ├── mp3files
    │   └── new
    ├── oggfiles
    │   └── new
    └── videos
        └── new
..
.
```

Question 2



```
1/1  +  [icon]  [icon]  Tilix: frandyta@cis106: ~  [search]  [menu]  [close]  [close]

1: frandyta@cis106: ~  [close]

frandyta@cis106:~$ mkdir -p wallpapers/cars/{1080p,2k,4k}
frandyta@cis106:~$ mkdir -p assets/{imgs,video}/{large,small}
frandyta@cis106:~$ tree wallpapers
wallpapers
├── cars
│   ├── 1080p
│   ├── 2k
│   └── 4k

5 directories, 0 files
frandyta@cis106:~$ tree assets
assets
├── imgs
│   ├── large
│   └── small
└── video
    ├── large
    └── small

7 directories, 0 files
frandyta@cis106:~$ rm -r assets wallpapers
frandyta@cis106:~$
```

Question 3

```

1/1  +  [ ]  [ ]  Tilix: frandyta@cis106: ~/website_ch1_lab7
1: frandyta@cis106: ~/website_ch1_lab7
frandyta@cis106:~$ curl https://cis106.com/assets/scripts/chq-lab7.sh | bash
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
           Dload  Upload  Total   Spent    Left     Speed
100  395    100  395    0    0   1939      0 --:--:-- --:--:-- --:--:--  1955
frandyta@cis106:~$ cd website_ch1_lab7
frandyta@cis106:~/website_ch1_lab7$ mkdir -p assets/{css,images} components config db data pages
frandyta@cis106:~/website_ch1_lab7$ mv *.css assets/css
frandyta@cis106:~/website_ch1_lab7$ mv *.jpg *.png *.raw assets/images
frandyta@cis106:~/website_ch1_lab7$ mv header.html navbar.html sidebar.html footer.html components
frandyta@cis106:~/website_ch1_lab7$ mv APP.conf* DB1.conf.old config
frandyta@cis106:~/website_ch1_lab7$ mv *.sh db
frandyta@cis106:~/website_ch1_lab7$ mv *.json data
frandyta@cis106:~/website_ch1_lab7$ mv post*.html pages
frandyta@cis106:~/website_ch1_lab7$ tree
.
├── 404.html
├── api.js
├── app.js
├── assets
│   ├── css
│   │   ├── _reset.css
│   │   ├── _style.css
│   │   └── _theme.css
│   └── images
│       ├── footer.jpg
│       ├── hero.png
│       ├── item1.raw
│       └── item2.jpg
├── cart.svg
├── components
│   ├── footer.html
│   ├── header.html
│   ├── navbar.html
│   └── sidebar.html
├── config
│   ├── APP.conf
│   ├── APP.conf.bk
│   └── DB1.conf.old
├── data
│   └── posts.json
├── db
│   ├── backup.sh
│   ├── build.sh
│   └── deploy.sh
├── index.html
├── pages
│   ├── post1.html
│   ├── post2.html
│   ├── post3.html
│   ├── _Products.Json
│   ├── Robots.txt
│   └── Users.JSON
└── 9 directories, 29 files
frandyta@cis106:~/website_ch1_lab7$ mv *.Json data
frandyta@cis106:~/website_ch1_lab7$ mv *.JSON data
frandyta@cis106:~/website_ch1_lab7$ tree
.
├── 404.html
├── api.js

```

```
Tilix: frandyta@cis106: ~/website_ch1_lab7
1: frandyta@cis106: ~/website_ch1_lab7
├── post3.html
├── _Products.Json
├── Robots.txt
├── Users.JSON
└──

9 directories, 29 files
frandyta@cis106:~/website_ch1_lab7$ mv *.Json data
frandyta@cis106:~/website_ch1_lab7$ mv *.JSON data
frandyta@cis106:~/website_ch1_lab7$ tree
.
├── 404.html
├── api.js
├── app.js
├── assets
│   ├── css
│   │   ├── _reset.css
│   │   ├── _style.css
│   │   └── _theme.css
│   └── images
│       ├── footer.jpg
│       ├── hero.png
│       ├── item1.raw
│       └── item2.jpg
├── cart.svg
├── components
│   ├── footer.html
│   ├── header.html
│   ├── navbar.html
│   └── sidebar.html
├── config
│   ├── APP.conf
│   ├── APP.conf.bk
│   └── DB1.conf.old
├── data
│   ├── posts.json
│   ├── _Products.Json
│   └── Users.JSON
├── db
│   ├── backup.sh
│   ├── build.sh
│   └── deploy.sh
├── index.html
├── pages
│   ├── post1.html
│   ├── post2.html
│   └── post3.html
├── Robots.txt
└──

9 directories, 29 files
frandyta@cis106:~/website_ch1_lab7$ mkdir app
frandyta@cis106:~/website_ch1_lab7$ mv *.js app
frandyta@cis106:~/website_ch1_lab7$ tree
.
├── 404.html
├── app
│   ├── api.js
│   └── app.js
├── assets
│   ├── css
│   │   └── reset.css
```

```
Tilix: frandyta@cis106: ~/website_ch1_lab7
1: frandyta@cis106: ~/website_ch1_lab7
├── _Products.Json
├── Users.JSON
├── db
│   ├── backup.sh
│   ├── build.sh
│   └── deploy.sh
├── index.html
├── pages
│   ├── post1.html
│   ├── post2.html
│   └── post3.html
└── Robots.txt

9 directories, 29 files
frandyta@cis106:~/website_ch1_lab7$ mkdir app
frandyta@cis106:~/website_ch1_lab7$ mv *.js app
frandyta@cis106:~/website_ch1_lab7$ tree
.
├── 404.html
├── app
│   ├── api.js
│   └── app.js
├── assets
│   ├── css
│   │   ├── _reset.css
│   │   ├── _style.css
│   │   └── _theme.css
│   └── images
│       ├── footer.jpg
│       ├── hero.png
│       ├── item1.raw
│       └── item2.jpg
├── cart.svg
├── components
│   ├── footer.html
│   ├── header.html
│   ├── navbar.html
│   └── sidebar.html
├── config
│   ├── APP.conf
│   ├── APP.conf.bk
│   └── DB1.conf.old
├── data
│   ├── posts.json
│   ├── _Products.Json
│   └── Users.JSON
├── db
│   ├── backup.sh
│   ├── build.sh
│   └── deploy.sh
├── index.html
├── pages
│   ├── post1.html
│   ├── post2.html
│   └── post3.html
└── Robots.txt

10 directories, 29 files
frandyta@cis106:~/website_ch1_lab7$
```

Screenshot of Discussion Board 4

Week Report 7 | Linux Funda

Discussion

blackboard.com/ultra/courses/_49057_1/engagement/discussion/_3518212_1?view=discussions&courseId=_49057_1

110%

Frandy Taveras Almonte

Frandy

Apr 29, 2026 10:16 PM

• Desktop Environment: KDE Plasma

• Linux Distribution: Kubuntu

• KDE Plasma Website: <https://kde.org/plasma-desktop/>

• Kubuntu Website: <https://kubuntu.org/>

I found KDE Plasma to be a very modern and easy desktop environment to use. First, I liked how clean the screen looked and how simple it was to open apps and settings. Also, it gives many options to customize the desktop, colors, and layout. The Linux distribution I explored was Kubuntu, and it worked smoothly with KDE Plasma. In addition, it looked professional and fast at the same time. I would recommend KDE Plasma for people who want a nice design with many useful features.

Reply

Show Other Replies (1)

Type a reply

Eric Morel Perez

Eric Morel Perez

Apr 28, 2026 10:32 PM

I found KDE Plasma to be a beautiful and highly customizable desktop environment. It offers great flexibility with panels, widgets, and themes, allowing users to create a personalized workflow. While it is a bit heavier than minimal environments, it still feels smooth and responsive on modern hardware. I especially liked its polished look and powerful file manager.

I explored KDE Plasma using Kubuntu. It integrates well with the Ubuntu base and provides a stable experience. Overall, I would recommend KDE Plasma to anyone who wants a modern, feature-rich desktop with plenty of customization options.

Desktop Environment: KDE Plasma

Linux Distribution: Kubuntu

KDE Plasma Website: <https://kde.org/plasma-desktop/>

Kubuntu Website: <https://kubuntu.org/>

Reply

Frandy Taveras Almonte

Frandy

Apr 29, 2026 10:22 PM

I agree with your post because KDE Plasma looks modern and very useful. First, I like that it gives many options to customize the desktop and make it personal. Also, Kubuntu seems like a good choice because it is stable and works smoothly with KDE Plasma. I liked it when you mentioned that it feels smooth and responsive on modern hardware. I think it is a great option for users who want a clean design with many features and good performance.

Reply

Type a reply

8 / 8