# Assignment 6: Grid Acceleration & Solid Textures

*陈九润 3180105488*

## 1 代码

### 1.1 增加RayTracingStats函数计算性能

代码略

### 1.2 实现光线与Grid中物体求交函数

在该函数中，首先调用initializeRayMarch函数得到最初交点，然后使用Ray Marching in Grid算法遍历每个经过的Voxel，当Voxel中有object时便用光线与该object求交，并判断交点t值是否在该voxel内，若交点在voxel内则迭代结束

同时，由于平面等无限object无法加入grid中，还要将光线与场景中的平面求交，场景中的平面存储在infiniteObjects数组，先将光线与平面求交，再进行Grid与光线求交，通过对比平面相交的t值和当前voxel的t值可以提前结束迭代，是一个小优化

同时，通过一个std::map hitmap存储object和光线的求交结果，可以避免对物体的重复求交

```
//Assignment6

//intersect with objects
bool intersectObjects(const Ray& r, Hit& h, float tmin)
{
    //avoid duplicate ray-primitive intersections for objects that overlap
multiple cells
    std:map<Object3D*, Hit> hitmap;

    bool state = false;
    //intersect the ray with infinite objects first
    for (int i = 0; i < infiniteObjects.getNumObjects(); i++)
    {
        state|=infiniteObjects.getObject(i)->intersect(r, h, tmin);
    }

    //intersect the ray with gird
    MarchingInfo mi;
    initializeRayMarch(mi, r, tmin);
    //no intersection with the grid
    if (mi.getTmin() == INFINITY)
    {
        return state;
    }
```

```cpp
        int i, j, k;
        mi.getGridIndex(i, j, k);
        //walk through each voxel along the ray
        while (i >= 0 && i < nx && j >= 0 && j < ny && k >= 0 && k < nz)
        {
            RayTracingStats::IncrementNumGridCellsTraversed();
            float voxelTmax = mi.getCurrentVoxelTmax();
            int numObjects = voxels[i][j][k].getNumObjects();
            if (numObjects != 0)
            {
                Hit temph(h);
                for (int o = 0; o < numObjects; o++)
                {
                    Object3D* obj = voxels[i][j][k].getObject(o);

                    //avoid duplicate ray-primitive intersections for objects
that overlap multiple cells
                    if (hitmap.count(obj)==0)
                    {
                        obj->intersect(r, temph, tmin);
                        hitmap[obj] = temph;
                    }
                    else
                    {
                        if (hitmap[obj].getT() < temph.getT())
                        {
                            temph.set(hitmap[obj]);
                        }
                    }
                }

                if (temph.getT() <= voxelTmax+GRID_EPSILON)
                {
                    h.set(temph);
                    return true;
                }
                //early stop
                if (voxelTmax-GRID_EPSILON > h.getT())
                {
                    return state;
                }

            }
            mi.nextCell();
            mi.getGridIndex(i, j, k);
        }

        return state;

    }
```

与阴影光线求交的intersectObjectShadow函数与上个函数类似，只是与物体求交调用
intersectShadowRay函数进行快速求交

```cpp
//intersect objects with shadow rays
```

```cpp
    bool intersectObjectsShadow(const Ray& r, float tmin, float distanceToLight)
    {
        //intersect with finite objects
        for (int i = 0; i < infiniteObjects.getNumObjects(); i++)
        {
            if (infiniteObjects.getObject(i)->intersectShadowRay(r, tmin,
distanceToLight))
            {
                return true;
            }
        }
        MarchingInfo mi;
        initializeRayMarch(mi, r, tmin);
        if (mi.getTmin() == INFINITY)
        {
            return false;
        }

        int i, j, k;
        mi.getGridIndex(i, j, k);
        //walk through each voxel along the ray
        while (i >= 0 && i < nx && j >= 0 && j < ny && k >= 0 && k < nz)
        {
            RayTracingStats::IncrementNumGridCellsTraversed();
            //float voxelTmax = mi.getCurrentVoxelTmax();
            int numObjects = voxels[i][j][k].getNumObjects();
            if (numObjects != 0)
            {
                for (int o = 0; o < numObjects; o++)
                {
                    if (voxels[i][j][k].getObject(o)->intersectShadowRay(r,
tmin, distanceToLight))
                    {
                        return true;
                    }
                }

            }
            mi.nextCell();
            mi.getGridIndex(i, j, k);
        }

        return false;
    }
```

## 1.3 实现快慢两种RayCast函数

RayCast函数调用traceRay函数进行光线追踪，其内部调用group->intersect与场景求交

RayCastFast函数调用traceRayFast函数进行光线追踪，其内部调用grid->intersectObjects函数借助grid与场景求交，以此加速

二者其他部分基本相同

```cpp
//Assignment6
```

```cpp
void RayCast(char* outputFile)
{
    Image outputImage(width, height);
    int xoffset = 0;
    int yoffset = 0;

    //deal with width!=height
    if (width > height)
    {
        yoffset = (squareLength - height) / 2;
    }
    else if (width < height)
    {
        xoffset = (squareLength - width) / 2;
    }

    for (int i = 0; i < width * height; i++)
    {
        int x = i % width;
        int y = i / width;
        int xrayIndex = x + xoffset;
        int yrayIndex = y + yoffset;
        Hit hit;
        Ray ray = generateRayAtIndex(xrayIndex, yrayIndex);
        RayTracingStats::IncrementNumNonShadowRays();
        outputImage.SetPixel(x, y, traceRay(ray, scene->getCamera()->getTMin(),
0, 1, VACUUM_REFRACTION_INDEX, hit));
    }
    outputImage.SaveTGA(outputFile);
}

void RayCastFast(char* outputFile)
{
    Image outputImage(width, height);
    int xoffset = 0;
    int yoffset = 0;

    //deal with width!=height
    if (width > height)
    {
        yoffset = (squareLength - height) / 2;
    }
    else if (width < height)
    {
        xoffset = (squareLength - width) / 2;
    }

    for (int i = 0; i < width * height; i++)
    {
        int x = i % width;
        int y = i / width;
        int xrayIndex = x + xoffset;
        int yrayIndex = y + yoffset;

        Hit hit;
        Ray ray = generateRayAtIndex(xrayIndex, yrayIndex);
        RayTracingStats::IncrementNumNonShadowRays();
```

```
        outputImage.SetPixel(x, y, traceRayFast(ray, scene->getCamera()-
>getTMin(), 0, 1, VACUUM_REFRACTION_INDEX, hit));
    }
    outputImage.SaveTGA(outputFile);
}
```

## 1.4 CheckBoard类

```
class Checkerboard :public Material
{
public:
    Checkerboard(Matrix* m, Material* mat1, Material*
mat2):matrix(m),material1(mat1),material2(mat2)
    {

    }

    void glSetMaterial(void) const
    {
        material1->glSetMaterial();
    }


    virtual Vec3f Shade(const Ray& ray, const Hit& hit, const Vec3f& dirToLight,
const Vec3f& lightColor) const
    {
        Vec3f vertex = hit.getIntersectionPoint();
        matrix->Transform(vertex);
        int sum = floor(vertex.x()) + floor(vertex.y()) + floor(vertex.z());
        if (sum%2)
        {
            return material2->Shade(ray, hit, dirToLight, lightColor);
        }
        else
        {
            return material1->Shade(ray, hit, dirToLight, lightColor);
        }
    }

private:
    Matrix* matrix;
    Material* material1;
    Material* material2;
};
```

## 1.5 Noise类

注意每个子类的getDiffuseColor等函数都要改写，因为颜色与位置有关

```
class Noise : public Material
{
```

```cpp
public:
    Noise(Matrix* m, Material* mat1, Material* mat2, int
octaves):matrix(m),material1(mat1),material2(mat2),octaves(octaves)
    {
    }

    void glSetMaterial(void) const
    {
        material1->glSetMaterial();
    }

    virtual Vec3f Shade(const Ray& ray, const Hit& hit, const Vec3f& dirToLight,
const Vec3f& lightColor) const
    {
        Vec3f vertex = hit.getIntersectionPoint();
        matrix->Transform(vertex);
        float n=N(vertex.x(), vertex.y(), vertex.z());
        n = n * 0.6 + 0.4;
        if (n > 1)
        {
            n = 1;
        }
        else if (n < 0)
        {
            n = 0;
        }
        Vec3f color =n* material1->Shade(ray, hit, dirToLight, lightColor)+ (1-
n)*material2->Shade(ray, hit, dirToLight, lightColor);
        color.Clamp();
        return color;
    }

    float N(float x, float y, float z) const
    {
        float result=0;
        float pow2 = 1;
        for (int i = 0; i < octaves; i++)
        {
            result += PerlinNoise::noise(pow2 * x, pow2 * y, pow2 * z)/pow2;
            pow2 *= 2;
        }

        return result;
    }
private:
    Matrix* matrix;
    Material* material1;
    Material* material2;
    int octaves;
};
```

## 1.6 Marble类

```cpp
class Marble :public Material
{
public:
    Marble(Matrix* m, Material* mat1, Material* mat2, int octaves, float
frequency, float amplitude):matrix(m), material1(mat1), material2(mat2),
octaves(octaves),frequency(frequency),amplitude(amplitude)
    {
        noise = new Noise(matrix, material1, material2, octaves);
    }


    void glSetMaterial(void) const
    {
        material1->glSetMaterial();
    }

    virtual Vec3f Shade(const Ray& ray, const Hit& hit, const Vec3f& dirToLight,
const Vec3f& lightColor) const
    {
        Vec3f vertex = hit.getIntersectionPoint();
        matrix->Transform(vertex);
        float m = M(vertex.x(), vertex.y(), vertex.z());
        m = (m + 1) / 2;
        if (m > 1)
        {
            m = 1;
        }
        else if (m < 0)
        {
            m = 0;
        }
        Vec3f color = m * material1->Shade(ray, hit, dirToLight, lightColor) +
(1 - m) * material2->Shade(ray, hit, dirToLight, lightColor);
        color.Clamp();
        return color;
    }

    float M(float x, float y, float z) const
    {
        return sinf(frequency * x + amplitude * noise->N(x, y, z));
    }

private:
    Matrix* matrix;
    Material* material1;
    Material* material2;
    int octaves;
    float frequency;
    float amplitude;
    Noise* noise;

};
```

# 2 实验结果

## 2.1 图形结果

```
raytracer -input scene6_01_sphere.txt -output output6_01a.tga -size 200 200 -
stats
raytracer -input scene6_01_sphere.txt -output output6_01b.tga -size 200 200 -
grid 10 10 10 -stats
raytracer -input scene6_01_sphere.txt -output output6_01c.tga -size 200 200 -
grid 10 10 10 -visualize_grid
```

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02a.tga -size
200 200 -stats
raytracer -input scene6_02_sphere_triangles.txt -output output6_02b.tga -size
200 200 -grid 10 10 10 -stats
raytracer -input scene6_02_sphere_triangles.txt -output output6_02c.tga -size
200 200 -stats -shadows
raytracer -input scene6_02_sphere_triangles.txt -output output6_02d.tga -size
200 200 -grid 10 10 10 -stats -shadows
raytracer -input scene6_02_sphere_triangles.txt -output output6_02e.tga -size
200 200 -grid 10 10 10 -visualize_grid
```

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03a.tga -size 200
200 -stats
raytracer -input scene6_03_sphere_plane.txt -output output6_03b.tga -size 200
200 -grid 10 10 10 -stats
raytracer -input scene6_03_sphere_plane.txt -output output6_03c.tga -size 200
200 -stats -shadows
raytracer -input scene6_03_sphere_plane.txt -output output6_03d.tga -size 200
200 -grid 10 10 10 -stats -shadows
raytracer -input scene6_03_sphere_plane.txt -output output6_03e.tga -size 200
200 -grid 10 10 10 -visualize_grid
```

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04a.tga -size 200
200 -stats
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04b.tga -size 200
200 -grid 10 10 7 -stats
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04c.tga -size 200
200 -stats -shadows
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04d.tga -size 200
200 -grid 10 10 7 -stats -shadows
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04e.tga -size 200
200 -grid 10 10 7 -visualize_grid
raytracer -input scene6_05_bunny_mesh_1k.txt  -output output6_05.tga -size 200
200 -grid 15 15 12 -stats -shadows
raytracer -input scene6_06_bunny_mesh_5k.txt  -output output6_06.tga -size 200
200 -grid 20 20 15 -stats -shadows
raytracer -input scene6_07_bunny_mesh_40k.txt -output output6_07.tga -size 200
200 -grid 40 40 33 -stats -shadows
```

```
raytracer -input scene6_08_scale_translate.txt -size 200 200 -output
output6_08a.tga
raytracer -input scene6_08_scale_translate.txt -size 200 200 -output
output6_08b.tga -grid 15 15 15
raytracer -input scene6_08_scale_translate.txt -size 200 200 -output
output6_08c.tga -grid 15 15 15 -visualize_grid
```

```
raytracer -input scene6_09_rotated_triangles.txt -size 200 200 -output
output6_09a.tga
raytracer -input scene6_09_rotated_triangles.txt -size 200 200 -output
output6_09b.tga -grid 15 15 9
raytracer -input scene6_09_rotated_triangles.txt -size 200 200 -output
output6_09c.tga -grid 15 15 9 -visualize_grid
```

```
raytracer -input scene6_10_nested_transformations.txt -size 200 200 -output
output6_10a.tga
raytracer -input scene6_10_nested_transformations.txt -size 200 200 -output
output6_10b.tga -grid 30 30 30
raytracer -input scene6_10_nested_transformations.txt -size 200 200 -output
output6_10c.tga -grid 30 30 30 -visualize_grid
```

```
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11a.tga -shadows -bounces 1 -weight 0.01 -stats
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11b.tga -shadows -bounces 1 -weight 0.01 -grid 40 10 40 -stats
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11c.tga -grid 40 10 40 -visualize_grid
```

```
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12a.tga
-shadows -shade_back -bounces 5 -weight 0.01 -stats
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12b.tga
-shadows -shade_back -bounces 5 -weight 0.01 -grid 20 20 20 -stats
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12c.tga
-grid 20 20 20 -visualize_grid
```

```
raytracer -input scene6_13_checkerboard.txt -size 200 200 -output output6_13.tga
-shadows
raytracer -input scene6_14_glass_sphere.txt -size 200 200 -output output6_14.tga
-shadows -shade_back -bounces 5 -weight 0.01 -grid 20 20 20
```

```
raytracer -input scene6_15_marble_cubes.txt -size 300 300 -output output6_15.tga
raytracer -input scene6_16_wood_cubes.txt -size 300 300 -output output6_16.tga
```

```
raytracer -input scene6_17_marble_vase.txt -size 300 300 -output output6_17a.tga
-grid 15 30 15 -bounces 1 -shadows
raytracer -input scene6_17_marble_vase.txt -size 300 300 -output output6_17b.tga
-grid 15 30 15 -visualize_grid
```

```
raytracer -input scene6_18_6.837_logo.txt -size 400 200 -output output6_18a.tga
-shadows -shade_back -bounces 5 -weight 0.01 -grid 80 30 3
raytracer -input scene6_18_6.837_logo.txt -size 400 200 -output output6_18b.tga
-grid 80 30 3 -visualize_grid
```

使用Marble纹理

## 2.2 数据结果

由数据结果可见，使用Grid能大大加速复杂场景的光线追踪，正确设置Voxel数目的情况下，加速效果约为20倍

**scene6_01_sphere.txt**

```
raytracer -input scene6_01_sphere.txt -output output6_01a.tga -size 200 200 -
stats
```

```
*********************************************
RAY TRACING STATISTICS
  total time              0:00:01
  num pixels              40000 (200x200)
  scene bounds            -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells          NULL
  num non-shadow rays     40000
  num shadow rays         0
  total intersections     40000
  total cells traversed   0
  rays per second         40000.0
  rays per pixel          1.0
  intersections per ray   1.0
  cells traversed per ray 0.0
*********************************************
```

```
raytracer -input scene6_01_sphere.txt -output output6_01b.tga -size 200 200 -
grid 10 10 10 -stats
```

```
*********************************************
```

```
RAY TRACING STATISTICS
  total time                0:00:01
  num pixels                40000 (200x200)
  scene bounds              -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells            1000 (10x10x10)
  num non-shadow rays       40000
  num shadow rays           0
  total intersections       5810
  total cells traversed     25204
  rays per second           40000.0
  rays per pixel            1.0
  intersections per ray     0.1
  cells traversed per ray   0.6
*******************************************
```

```
raytracer -input scene6_01_sphere.txt -output output6_01c.tga -size 200 200 -
grid 10 10 10 -visualize_grid
```

**scene6_02_sphere_triangles.txt**

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02a.tga -size
200 200 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                0:00:01
  num pixels                40000 (200x200)
  scene bounds              -3.000000 -1.000000 -3.000000  -> 3.000000 1.000000
3.000000
  num grid cells            NULL
  num non-shadow rays       40000
  num shadow rays           0
  total intersections       120000
  total cells traversed     0
  rays per second           40000.0
  rays per pixel            1.0
  intersections per ray     3.0
  cells traversed per ray   0.0
*******************************************
```

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02b.tga -size
200 200 -grid 10 10 10 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                0:00:01
```

```
  num pixels              40000 (200x200)
  scene bounds            -3.000000 -1.000000 -3.000000  -> 3.000000 1.000000
3.000000
  num grid cells          1000 (10x10x10)
  num non-shadow rays     40000
  num shadow rays         0
  total intersections     33484
  total cells traversed   218996
  rays per second         40000.0
  rays per pixel          1.0
  intersections per ray   0.8
  cells traversed per ray 5.5
  ******************************************
```

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02c.tga -size
200 200 -stats -shadows
```

```
  ******************************************
RAY TRACING STATISTICS
  total time              0:00:01
  num pixels              40000 (200x200)
  scene bounds            -3.000000 -1.000000 -3.000000  -> 3.000000 1.000000
3.000000
  num grid cells          NULL
  num non-shadow rays     40000
  num shadow rays         16030
  total intersections     163186
  total cells traversed   0
  rays per second         56030.0
  rays per pixel          1.4
  intersections per ray   2.9
  cells traversed per ray 0.0
  ******************************************
```

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02d.tga -size
200 200 -grid 10 10 10 -stats -shadows
```

```
  ******************************************
RAY TRACING STATISTICS
  total time              0:00:01
  num pixels              40000 (200x200)
  scene bounds            -3.000000 -1.000000 -3.000000  -> 3.000000 1.000000
3.000000
  num grid cells          1000 (10x10x10)
  num non-shadow rays     40000
  num shadow rays         16030
  total intersections     72776
  total cells traversed   339800
  rays per second         56030.0
  rays per pixel          1.4
  intersections per ray   1.3
```

```
    cells traversed per ray     6.1
*******************************************
```

```
raytracer -input scene6_02_sphere_triangles.txt -output output6_02e.tga -size
200 200 -grid 10 10 10 -visualize_grid
```

### scene6_03_sphere_plane.txt

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03a.tga -size 200
200 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                0:00:01
  num pixels                40000 (200x200)
  scene bounds              -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells            NULL
  num non-shadow rays       40000
  num shadow rays           0
  total intersections       80000
  total cells traversed     0
  rays per second           40000.0
  rays per pixel            1.0
  intersections per ray     2.0
  cells traversed per ray   0.0
*******************************************
```

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03b.tga -size 200
200 -grid 10 10 10 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                0:00:01
  num pixels                40000 (200x200)
  scene bounds              -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells            1000 (10x10x10)
  num non-shadow rays       40000
  num shadow rays           0
  total intersections       45810
  total cells traversed     25204
  rays per second           40000.0
  rays per pixel            1.0
  intersections per ray     1.1
  cells traversed per ray   0.6
```

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03c.tga -size 200
200 -stats -shadows
```

```
*******************************************
RAY TRACING STATISTICS
  total time              0:00:01
  num pixels              40000 (200x200)
  scene bounds            -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells          NULL
  num non-shadow rays     40000
  num shadow rays         34800
  total intersections     147148
  total cells traversed   0
  rays per second         74800.0
  rays per pixel          1.9
  intersections per ray   2.0
  cells traversed per ray 0.0
*******************************************
```

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03d.tga -size 200
200 -grid 10 10 10 -stats -shadows
```

```
*******************************************
RAY TRACING STATISTICS
  total time              0:00:01
  num pixels              40000 (200x200)
  scene bounds            -1.000000 -1.000000 -1.000000  -> 1.000000 1.000000
1.000000
  num grid cells          1000 (10x10x10)
  num non-shadow rays     40000
  num shadow rays         34800
  total intersections     54640
  total cells traversed   39012
  rays per second         74800.0
  rays per pixel          1.9
  intersections per ray   0.7
  cells traversed per ray 0.5
*******************************************
```

```
raytracer -input scene6_03_sphere_plane.txt -output output6_03e.tga -size 200
200 -grid 10 10 10 -visualize_grid
```

**scene6_04_bunny_mesh_200.txt**

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04a.tga -size 200
200 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                 0:00:20
  num pixels                 40000 (200x200)
  scene bounds               -0.191055 0.067364 -0.114066  -> 0.121072 0.372852
0.116906
  num grid cells             NULL
  num non-shadow rays        40000
  num shadow rays            0
  total intersections        8040000
  total cells traversed      0
  rays per second            2000.0
  rays per pixel             1.0
  intersections per ray      201.0
  cells traversed per ray    0.0
*******************************************
```

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04b.tga -size 200
200 -grid 10 10 7 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time                 0:00:01
  num pixels                 40000 (200x200)
  scene bounds               -0.191055 0.067364 -0.114066  -> 0.121072 0.372852
0.116906
  num grid cells             700 (10x10x7)
  num non-shadow rays        40000
  num shadow rays            0
  total intersections        242699
  total cells traversed      118788
  rays per second            40000.0
  rays per pixel             1.0
  intersections per ray      6.1
  cells traversed per ray    3.0
*******************************************
```

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04c.tga -size 200
200 -stats -shadows
```

```
*******************************************
RAY TRACING STATISTICS
  total time                 0:00:50
  num pixels                 40000 (200x200)
```

```
    scene bounds                -0.191055 0.067364 -0.114066  -> 0.121072 0.372852
0.116906
  num grid cells              NULL
  num non-shadow rays         40000
  num shadow rays             66514
  total intersections         20813622
  total cells traversed       0
  rays per second             2130.3
  rays per pixel              2.7
  intersections per ray       195.4
  cells traversed per ray     0.0
  *******************************************
```

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04d.tga -size 200
200 -grid 10 10 7 -stats -shadows
```

```
  *******************************************
RAY TRACING STATISTICS
  total time                  0:00:03
  num pixels                  40000 (200x200)
  scene bounds                -0.191055 0.067364 -0.114066  -> 0.121072 0.372852
0.116906
  num grid cells              700 (10x10x7)
  num non-shadow rays         40000
  num shadow rays             66514
  total intersections         827026
  total cells traversed       261917
  rays per second             35504.7
  rays per pixel              2.7
  intersections per ray       7.8
  cells traversed per ray     2.5
  *******************************************
```

```
raytracer -input scene6_04_bunny_mesh_200.txt -output output6_04e.tga -size 200
200 -grid 10 10 7 -visualize_grid
```

**scene6_05_bunny_mesh_1k.txt**

```
raytracer -input scene6_05_bunny_mesh_1k.txt  -output output6_05.tga -size 200
200 -grid 15 15 12 -stats -shadows
```

```
  *******************************************
RAY TRACING STATISTICS
  total time                  0:00:04
  num pixels                  40000 (200x200)
  scene bounds                -0.188888 0.066800 -0.123311  -> 0.122835 0.374981
0.118204
```

```
   num grid cells          2700 (15x15x12)
   num non-shadow rays      40000
   num shadow rays          66782
   total intersections      1097279
   total cells traversed    407801
   rays per second          26695.5
   rays per pixel           2.7
   intersections per ray    10.3
   cells traversed per ray  3.8
   ********************************************
```

**scene6_06_bunny_mesh_5k.txt**

```
raytracer -input scene6_06_bunny_mesh_5k.txt  -output output6_06.tga -size 200
200 -grid 20 20 15 -stats -shadows
```

```
   ********************************************
   RAY TRACING STATISTICS
   total time               0:00:05
   num pixels               40000 (200x200)
   scene bounds             -0.189399 0.066625 -0.123574  -> 0.122050 0.374198
0.117532
   num grid cells           6000 (20x20x15)
   num non-shadow rays      40000
   num shadow rays          66832
   total intersections      1802799
   total cells traversed    513421
   rays per second          21366.4
   rays per pixel           2.7
   intersections per ray    16.9
   cells traversed per ray  4.8
   ********************************************
```

**scene6_07_bunny_mesh_40k.txt**

```
raytracer -input scene6_07_bunny_mesh_40k.txt -output output6_07.tga -size 200
200 -grid 40 40 33 -stats -shadows
```

```
   ********************************************
   RAY TRACING STATISTICS
   total time               0:00:08
   num pixels               40000 (200x200)
   scene bounds             -0.189320 0.066660 -0.123542  -> 0.121998 0.374318
0.117505
   num grid cells           52800 (40x40x33)
   num non-shadow rays      40000
   num shadow rays          66834
   total intersections      2633551
```

```
   total cells traversed    1051043
   rays per second          13354.2
   rays per pixel           2.7
   intersections per ray    24.7
   cells traversed per ray  9.8
   *******************************************
```

## scene6_11_mirrored_floor.txt

```
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11a.tga -shadows -bounces 1 -weight 0.01 -stats
```

```
   *******************************************
   RAY TRACING STATISTICS
     total time               0:00:15
     num pixels               40000 (200x200)
     scene bounds             -5.000000 0.000000 -5.000000  -> 5.000000 2.600000
5.000000
     num grid cells           NULL
     num non-shadow rays      66192
     num shadow rays          70070
     total intersections      5116487
     total cells traversed    0
     rays per second          9084.1
     rays per pixel           3.4
     intersections per ray    37.5
     cells traversed per ray  0.0
   *******************************************
```

```
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11b.tga -shadows -bounces 1 -weight 0.01 -grid 40 10 40 -stats
```

```
   *******************************************
   RAY TRACING STATISTICS
     total time               0:00:05
     num pixels               40000 (200x200)
     scene bounds             -5.000000 0.000000 -5.000000  -> 5.000000 2.600000
5.000000
     num grid cells           16000 (40x10x40)
     num non-shadow rays      66192
     num shadow rays          70070
     total intersections      660244
     total cells traversed    2971308
     rays per second          27252.4
     rays per pixel           3.4
     intersections per ray    4.8
     cells traversed per ray  21.8
   *******************************************
```

```
raytracer -input scene6_11_mirrored_floor.txt -size 200 200 -output
output6_11c.tga -grid 40 10 40 -visualize_grid
```

**scene6_12_faceted_gem.txt**

```
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12a.tga
-shadows -shade_back -bounces 5 -weight 0.01 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time              0:02:19
  num pixels              40000 (200x200)
  scene bounds            -2.000000 -1.804689 -1.999999  -> 2.000000 0.998174
1.999999
  num grid cells          NULL
  num non-shadow rays     213094
  num shadow rays         379284
  total intersections     56647300
  total cells traversed   0
  rays per second         4261.7
  rays per pixel          14.8
  intersections per ray   95.6
  cells traversed per ray 0.0
*******************************************
```

```
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12b.tga
-shadows -shade_back -bounces 5 -weight 0.01 -grid 20 20 20 -stats
```

```
*******************************************
RAY TRACING STATISTICS
  total time              0:00:56
  num pixels              40000 (200x200)
  scene bounds            -2.000000 -1.804689 -1.999999  -> 2.000000 0.998174
1.999999
  num grid cells          8000 (20x20x20)
  num non-shadow rays     213094
  num shadow rays         379284
  total intersections     8100243
  total cells traversed   5168908
  rays per second         10578.2
  rays per pixel          14.8
  intersections per ray   13.7
  cells traversed per ray 8.7
*******************************************
```

```
raytracer -input scene6_12_faceted_gem.txt -size 200 200 -output output6_12c.tga
-grid 20 20 20 -visualize_grid
```