Vignette Title

 $\ \ \, \text{Vignette Author}$

2017-10-11





Vignettes are long form documentation commonly included in packages. Because they are part of the distribution of the package, they need to be as compact as possible. The html_vignette output type provides a custom style sheet (and tweaks some options) to ensure that the resulting html is as small as possible. The html_vignette format:

- Never uses retina figures
- Has a smaller default figure size
- Uses a custom CSS stylesheet instead of the default Twitter Bootstrap style



Vignette Info

Note the various macros within the vignette section of the metadata block above. These are required in order to instruct R how to build the vignette. Note that you should change the title field and the \VignetteIndexEntry to match the title of your vignette.

Styles

The html_vignette template includes a basic CSS theme. To override this theme you can specify your own CSS in the document metadata as follows:

output:


rmarkdown::html_vignette:

css: mystyles.css

Figures

ic Epidemiology

The figure sizes have been customised so that you can easily put two images side-by-side.



Keck School of

Medicine of USC

More Examples

You can write math expressions, e.g. $Y = X\beta + \epsilon$, footnotes¹, and tables, e.g. using knitr::kable().

		mpg	cyl	disp	hp	drat	wt	qsec	VS
N	Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0
Ν	Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0
	Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1
H	Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1
H	Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0
\	/aliant	18.1	6	225.0	105	2.76	3.460	20.22	1
	Ouster 360	14.3	8	360.0	245	3.21	3.570	15.84	0
Ν	Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1
Ν	Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1
N	Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1

