Minimizers

Using windows and minimizers

Rather than using a stride w, use a window w

Within the window, have an order (function) which picks a single kmer in that window

In this manner, we have:

window w; kmer size k; order o

Window:

Minimizer: Select the minimum kmer from a window according to an order

| Window | Selected kmer (minimizer) |
|------------------|------------------------------|
| GATCGTACAGTCAGTC | ACAGT |
| ATCGTACAGTCAGTCA | ACAGT |
| TCGTACAGTCAGTCAA | ACAGT |
| CGTACAGTCAGTCAAT | ACAGT |
| GTACAGTCAGTCAATG | ACAGT |
| TACAGTCAGTCAATGC | ACAGT |
| ACAGTCAGTCAATGCA | ACAGT |
| CAGTCAGTCAATGCAT | AATGC |
| AGTCAGTCAATGCATT | AATGC |

Minimizers

| Sogmont | Minimizer- | |
|--|-------------------|--|
| Segment | based bin | |
| ATGCGATATCGTAGGCGTCGATGGAGAGCTAGATCGATCG | AGAGCTA | |
| ATGGAGAGCTAGATCGATCGATCTAAATCCCGATCGATTCCGAGCGCGATCAAAGAAATCCC | | |
| AATCCCGATCGAGCGCGATCAAAGC | AATCCCG | |
| ATCCCGATCGAGCGCGATCAAAGCG | AATCGAT | |
| TCCCGATCGATTCCGAGCGCGATCAAAGCGCGATAGGCTAGCTA | AAAGCGC | |