VORALEAF

Website and PWA build blueprint

Product discovery Journal Creator studio Coffee film

This blueprint defines the first VORALEAF web experience and the production systems required to turn it into a trading and creator platform. The first release prioritises original imagery, clear product exploration and useful editorial content. Payment, customer accounts and live broadcasts require separate services and verification before activation.



ROOT HERBAL COFFEE is the selected descriptor, conditional on the final formulation containing the relevant roots. Instant coffee with botanicals is the supporting line. Formula, pricing, stock, directions, nutrition and certification remain supplier approval items.

The user supplied a fitness application tutorial as a reference. We retain its useful ideas of searchable discovery, categories and detailed content pages while creating an original VORALEAF identity. This is a design and engineering recommendation; no claim of unprecedented design, health results, guaranteed virality or sales performance is made.

Prepared for VORALEAF | 24 October 2026 | Version 1.0

02 Experience and page structure

Build an editorial storefront that moves naturally from the coffee moment to a product choice, then to material visitors can return to. Keep the main navigation to Collection, Rituals, Journal and Creator Studio, with search and a saved bag always reachable.

Destination	Visitor task	Content and interaction
Home	Understand the brand	Original coffee visual, three edition cards, ritual finder, journal preview and creator invitation.
Collection	Compare editions	Filter men, women or all; compare packaging, serving counts and proposed formats without implying sex-specific effects.
Product detail	Choose an edition and format	BOLD 01, EMBER 02 or BLOOM 03; format selector; gallery; specification status; FAQs; save to enquiry bag.
Rituals and movement	Find a relevant moment	A presentation and occasion finder, an ambient timer and movement inspiration cards. No symptom questions or health scoring.
Journal	Read and return	Searchable articles about coffee rituals, presentation, creative routines and everyday movement.
Creator Studio	Prepare original content	Local camera and microphone recording, teleprompter and a local blog draft. Downloads stay under the creator’s control.
Bag and contact	Ask a precise question	Selected edition, format and quantity populate an enquiry. Email or WhatsApp opens only after a visitor action.

Navigation and search

The first static build uses history routes for products, bag, journal, articles, movement, studio, about and contact, with browser back support. Production SEO should emit complete HTML for each product and article, canonical URLs, unique metadata and an XML sitemap. Search operates on approved product and article fields, with a useful empty state and a clear reset.

Return visits

Save articles on the device, publish a consistent editorial series and offer a fresh coffee-film or creator prompt. A visitor should find value before being asked for an account or email address. Publish dates and author identities must be real; use VORALEAF Editorial for brand-authored material and avoid fabricated expert biographies.

03 Release scope and operational boundaries

The following matrix separates the browser experience from services that need commercial setup, credentials, supplier information or a production backend. A polished prototype must make these boundaries visible in the relevant flow.

Capability	First release	Production extension
Edition pages	Three edition concepts; both proposed pack formats	Signed formulas, directions, allergens, nutrition, caffeine, claims and approved photography.
Bag	Browser-local saved choices and quantities; enquiry flow	Verified prices, tax, delivery, inventory and hosted payment checkout.
Journal	Original brand articles; search and category filters; local saves	Editorial CMS, named contributors, revision history and scheduled publication.
Ritual finder	Occasion and visual preference matching	Test conversion usefulness without inferring medical needs or protected characteristics.
PWA	Manifest and service worker; cached shell and runtime assets; camera excluded	Real-device install and update testing; explicit offline and reconnect states.
Creator studio	Local camera and mic recording, download, teleprompter and blog draft	Authenticated uploads, rights releases, moderation, storage and transcoding.
Live WebRTC	Architecture and service plan	Signaling, TURN, secure rooms, moderation, monitoring and a media service.
Exercise and video APIs	Editorial examples without live API dependency	Licensed provider subscription, server-only keys, cache and reviewed content.
Hero media	Original visual and synthetic motion study	Commissioned live-action film following the shot script on page 5.

Product formats

Every edition has two alternatives: 6 x 15 g servings for a net 90 g carton, or 10 x 10 g servings for a net 100 g carton. Each serving uses a sealed metallic-coloured food-contact inner pouch inside a separate illustrated paper envelope. These alternatives are proposals until the supplier confirms filling, dose and fit. Do not treat the 10 g serving as equivalent to the 15 g serving.

The initial deployment is a private review site. Its bag generates a draft email or downloadable enquiry; neither action is a payment or a confirmed order. Use “Request availability” or “Add to enquiry” until prices and fulfilment are authorised. Do not invent discounts, scarcity, delivery promises, ratings or reviews.

04 Original visual system and asset production

Use warm ivory, forest green and restrained metallic accents across the interface. Large editorial type and generous spacing should frame rich botanical imagery. Product colour carries meaning: BOLD uses forest green and champagne gold; EMBER uses oxblood and copper; BLOOM uses ivory, mulberry and rose gold. BOLD and EMBER inner pouches remain yellow gold. BLOOM inner pouches remain rose gold.

Asset family	Production brief	Acceptance criteria
Coffee hero	Macro pour into a ceramic cup; soft window light; dark botanical setting; clear space for text	One coherent vessel and stream, plausible liquid surface, no floating powder or inconsistent hands.
Product images	Each carton, envelope and inner pouch, plus all three editions together	Correct edition, serving count, net weight and pouch colour; no invented certification marks.
Everyday activity	Adults walking outdoors, resting after a session, stretching or meeting in a calm gym setting	Diverse bodies and ages; ordinary activity; no before-and-after or implied coffee treatment.
Quiet moments	Reading, a warm room, morning light, hands around a cup and green surroundings	Natural anatomy, accessible spaces, believable objects and an uncluttered focal point.
Creator stories	Hands opening an envelope, showing the pouch and composing a coffee scene	Clear ownership and disclosure; labelled concept footage where synthetic.
Journal covers	Original close-ups of ceramic, paper, botanical artwork and daily routines	Editorial relevance; no external logos, medical diagrams or unauthorised people.

Rights and image quality

Maintain an asset register with filename, creator, generation or capture method, permissions, model or property releases when applicable, edit history, approved uses and expiry. Do not download footage from the tutorial or YouTube for commercial reuse. AI images are illustrative concepts and do not establish real customers, manufacturing processes or product results.

Retain high-resolution masters. Deliver responsive AVIF or WebP images with a JPEG fallback where needed. Export different crops for desktop, mobile and editorial cards. Use accurate alt text describing visible content; leave purely decorative imagery with an empty alt attribute. Do not hide SEO keywords inside alt text.

Active people and symptoms

Movement imagery may suggest an everyday occasion. It must not imply that VORALEAF treats breathlessness, fatigue or exercise intolerance. Avoid transformation sequences that show an exhausted person becoming athletic after a cup. Content about persistent symptoms requires separate clinical editorial review and appropriate care guidance.

05 Hero film script and production specification

Commission a 24-second original live-action film called The Coffee Moment. The synthetic motion study in the first build is a visual prototype. It must not be described as real filming or a product demonstration. Final preparation shots must follow signed supplier instructions.

Time	Picture and action	Sound and words
0-3 s	Macro view of a VORALEAF paper envelope on a textured surface. Light travels across the print as an adult hand enters.	Soft paper movement. No spoken line.
3-6 s	The hand opens the envelope and removes the inner pouch. A men’s edition shows gold; a separate BLOOM cut shows rose gold.	A short pouch sound. Voiceover: “A moment, made yours.”
6-9 s	Approved product is dispensed into a clean ceramic cup. Keep a practical angle and omit this shot until directions are confirmed.	Natural pour or granule sound. No ingredient or benefit caption.
9-14 s	Real water or coffee pours in one continuous, physically credible stream. Capture ripples and a gentle plume of steam.	Close-recorded liquid sound. On-screen: “ROOT HERBAL COFFEE”.
14-18 s	A slow stir and a still cup in warm light. Cut to a person settling beside a window or after an ordinary walk.	Room ambience. Voiceover: “Make room for your coffee moment.”
18-21 s	Three approved edition packs appear on the same surface. Keep all labels readable and the products at a believable scale.	Subtle musical resolve. On-screen: “BOLD EMBER BLOOM”.
21-24 s	Hold the VORALEAF identity beside the cup, with open space for the site’s live HTML button.	On-screen: “Explore the collection”. End on a frame that returns gently to the opening light.

Capture and delivery

Shoot a 4K master at 25 fps for standard motion, with dedicated 50 or 100 fps pour takes where lighting supports clean slow motion. Use a controlled tabletop, tripod or slider, macro lens, soft side light and a real food stylist. Record clean pouring, paper and cup sounds separately. Obtain performer and location permissions and commercial music rights.

Deliver a 16:9 desktop film, a separate 9:16 mobile composition and a poster image. Encode an H.264 MP4 and a tested WebM alternative. Make an 8-12 second silent loop for the background, preserving the full 24-second version behind an explicit play control. Keep text and buttons in HTML, provide pause and captions for spoken versions, and use a still poster for reduced motion or data saving.

06 Journal and creator content programme

Build recurring series that can be maintained by a small team. Useful content earns repeat visits through a clear topic, good photography and reliable publication. A coffee brand can discuss rituals and ordinary movement without claiming to treat symptoms or improve athletic performance.

Series	Example title	Format and cadence
The Coffee Moment	A small coffee corner for a small London home	Original photographs and a 500-800 word article, twice monthly.
Inside the Envelope	Why every VORALEAF serving has two separate pieces	A 30-second unboxing film and accurate packaging notes.
Outside for a While	What to take on an easy neighbourhood walk	A visual checklist focused on comfort, route planning and personal preference.
The Creative Table	How to light a coffee scene beside a window	A practical creator tutorial with a local recording prompt.
Meet the Editions	BOLD EMBER and BLOOM in colour	Edition comparisons based on approved presentation and format facts.
Made With Care	Reading a coffee label before you buy	Plain-language explanation using only final verified label information.

Publishing workflow

Authors declare sources, commercial relationships and asset rights. Editors check accuracy, accessibility and implied claims. Food, health, environmental and certification statements require evidence review. The publisher records approval, a real publication date and a change log. Review specifications whenever the supplier changes a formula or pack.

Creators and community

Brief creators on pack visibility, correct preparation and advertising disclosure. Reject fabricated experiences, health outcomes and expert endorsements. Rights permission must specify platform, territory, duration, editing and paid-media use. Affiliate links need conspicuous disclosure. [9]

The local studio is a drafting tool. A future submission service needs explicit upload and publication choices, moderation, removal and rights-complaint processes. Keep recordings out of analytics and never upload automatically. Creators must be able to review, discard or download without publishing.

Search and social distribution

Use a descriptive title and one search intent per page. Link articles to relevant editions. Write captions around the visible moment and verified pack facts. Test formats without promising virality. Avoid unapproved health benefits in titles, slugs, metadata or hashtags.

07 Application and service architecture

Keep the initial website deployable as static HTML, CSS and JavaScript. Progressive enhancement should preserve core navigation and useful copy. Add server services only for functions that need secrets, durable records, identity or payments. This keeps the presentation fast while allowing each service to develop independently.

Layer	Responsibility	Production boundary
Browser and PWA	Page rendering, search, preference finder, local bag, article saves and local camera preview	No provider secrets, card data, health profiling or implicit uploads.
Content delivery	Versioned static assets, product and article pages, manifests and media posters	Immutable asset names, cache headers and an explicit update process.
Application API	Validated enquiry, account, content and checkout requests	Authentication where needed, schema validation, rate limits, audit records and idempotency.
Commerce provider	Authoritative prices, tax, stock, hosted checkout and order events	Server creates sessions; signed webhook confirms payment before fulfilment.
Editorial CMS	Products, articles, media approvals and revisions	Roles for author, editor and publisher; publishing rules enforce evidence status.
Media service	Uploads, object storage, transcoding and approved playback	Short-lived upload tokens, file checks, rights records and moderation.
Live service	Room identity, signaling, TURN and real-time media transport	Authenticated admission, short-lived credentials, abuse controls and observability.

Suggested request contracts

GET /api/catalog returns approved products with a version and last-reviewed date. POST /api/enquiries accepts product IDs, variant IDs, quantities, reply details and the relevant privacy acknowledgement. POST /api/checkout creates a provider session only from server-known variant IDs and prices. POST /api/media/uploads issues a restricted upload destination after identity and rights checks. POST /api/live/rooms grants a time-limited room role. These routes are a production design, not services supplied by the static prototype.

API reliability

Use timeouts, bounded retries with jitter, input length limits and clear failure states. Store external IDs alongside an internal stable ID. Reject unknown variants and invalid quantities. Never calculate an authoritative order total from a browser-submitted price. Use structured logs with request IDs and redact personal details, secrets and video data. A failed editorial API must not block product browsing.

08 Data models and measurement events

Use explicit evidence and publication fields so missing supplier data cannot silently become marketing copy. Store unknown values as null with a status; zero is a real value and must not represent missing caffeine, price or sugar information.

Record	Required fields	Integrity rule
Product	id, edition, audience_label, descriptor, description, status, evidence_version	Audience label is positioning; it does not establish sex-specific efficacy.
Variant	id, product_id, serving_g, count, net_g, pouch_colour, price_status	Net weight equals count x serving weight; no purchase unless price and stock are approved.
Specification	formula_id, ingredients, allergens, nutrition, caffeine_mg, directions, warnings, review_status	Signed supplier source and date are required before publication.
Claim	id, text, market, type, evidence_ref, legal_basis, approved_by, expiry	Only approved claims enter public copy, metadata or creator briefs.
Article	id, slug, title, category, author, sources, published_at, reviewed_at, status	Real author and dates; content approval precedes indexing.
Media	id, master, renditions, alt, origin, rights, releases, disclosure, approval	Rights and use scope travel with every exported rendition.
Enquiry	id, items, reply_channel, created_at, status, privacy_version	Collect only what a reply needs; define retention and deletion.
Live room	id, host_id, visibility, starts_at, role_rules, recording_state	Private by default; explicit notice and permission for any recording.

Event schema

A production event contains event_name, event_version, timestamp, anonymous session ID where lawful, route, content ID, variant ID where relevant and consent or exception state. Do not include free text, email addresses, phone numbers, camera frames, medical symptoms or full URLs containing personal data.

Recommended events are view_product, select_format, add_to_enquiry, open_contact, search_content, save_article, complete_ritual_finder, play_film, start_local_recording and download_recording. A contact click is an intention signal; it is not a sent enquiry. A recording start is not an upload. Order conversion must come from a verified commerce event after payment.

Browser storage

Version the local bag and saved-article schema, validate it before rendering and provide a clear reset. Treat browser storage as optional: if access is blocked or full, keep the current session usable and explain that saves may not persist. Do not infer identity from local preferences or merge them into advertising profiles.

09 PWA offline behaviour and performance

The PWA should add practical convenience: an app icon, a fast return to the collection and useful access during a weak connection. Installation varies by platform. Supply a manifest with name, icons, start URL, display mode and theme colours, serve over HTTPS and provide clear platform-specific guidance. A service worker supports offline behaviour but is not universally an installation prerequisite. [2]

Caching policy

The first release caches the application shell and selected runtime pages or assets; camera data is excluded. Use versioned cache names and remove superseded caches on activation. Cache approved article and product content conservatively, with dates where freshness matters. Use network-first for changeable catalog data and never cache private responses or payment pages. Keep large videos out of automatic downloads unless explicitly chosen. [13]

Offline browsing may show already cached material. An enquiry or order must never appear submitted while offline. Keep a local draft only with clear status and let the visitor deliberately retry after reconnecting. The service worker must not intercept camera permissions or record in the background. Treat cache eviction and quota errors as normal conditions.

Quality measure	Acceptance target	How to verify
Largest Contentful Paint	At most 2.5 seconds at the 75th percentile	Field data after launch, segmented by mobile and desktop. [7]
Interaction to Next Paint	At most 200 milliseconds at the 75th percentile	Field data plus slow-device interaction checks. [7]
Cumulative Layout Shift	At most 0.1 at the 75th percentile	Reserve media dimensions and measure real sessions. [7]
Accessibility	WCAG 2.2 AA as a release objective	Keyboard, screen-reader, zoom and contrast review. [8]
Initial media	Poster first; no large download required for core browsing	Test mobile data saving, autoplay blocks and reduced motion.
Offline recovery	Cached reading works; writes show an honest pending or unavailable state	Airplane mode, reconnect, stale cache and update tests.

Motion and inclusive access

Pause decorative motion on request and respect prefers-reduced-motion. Avoid scroll-jacking, flashing and sound on entry. Keep a visible focus indicator, meaningful headings, labelled form controls, accessible error messages and comfortably sized targets. Content cannot depend on hover. A film needs captions for speech, and its essential message must remain available in text.

10 WebRTC and the creator recording studio

The user wrote both WebRTX and WebRTC. This blueprint interprets the real-time requirement as WebRTC, the browser technology for real-time audio, video and data. WebRTX remains an undefined term and is not treated as a distinct implemented technology. Local camera capture and recording are useful first steps, but they do not connect two visitors.

Local studio

Request getUserMedia only after the visitor presses Enable camera, explain whether audio is requested and show a clear stop control. HTTPS and browser permission are required. Provide useful states for denial, no device, an occupied camera and unsupported recording formats. Stop every media track when the visitor closes the studio or leaves the view. [3]

Use MediaRecorder where supported, check MIME types at runtime and offer the resulting local file for review and download. Revoke unused object URLs and cap recording duration or memory use. The teleprompter and local blog draft help prepare a piece without publishing it. A recording stays on the device through the application; future uploads need a separate explicit submission. [12]

Production live rooms

For a host-led coffee conversation or creator workshop, authenticate the host and issue short-lived role tokens. A signaling channel exchanges session descriptions and ICE candidates. WebRTC does not define that signaling service. Configure STUN and TURN so visitors behind restrictive networks can connect; relay credentials should be time-limited and never hard-coded. [4]

Use a managed media service or a selective forwarding unit for one-to-many sessions rather than connecting every viewer directly to every other viewer. Separate a public broadcast from a private call: admission rules, participant visibility, recording rights, chat moderation and retention differ. Do not enable stranger matching by default.

Control	Required behaviour
Admission	Signed room membership, host and viewer roles, expiring room tokens and participant limits.
Network resilience	TURN relay test, reconnect logic, device switching and a low-bandwidth audio or text fallback.
Privacy	Visible camera, microphone and recording state; no recording without explicit notice and permission.
Abuse response	Host removal, report and block tools, moderated chat, rate limits and an incident contact.
Operations	Connection success, join time, packet loss, relay cost and failure alerts without recording media in logs.

11 External exercise and video integrations

The tutorial’s discovery pattern can inform a movement library: search, categories, detail pages and related content. Live provider calls should be added only after licence, cost, content quality and privacy review. The first VORALEAF site must remain useful without either API.

ExerciseDB through RapidAPI

Confirm the selected API version, plan, endpoint contract and asset-use licence with the provider. The current provider lists exercise and image endpoints. Retrieve data through VORALEAF server code, with the provider key in a secret store. Never place a key in client JavaScript, a public environment variable, a mobile bundle or the source repository. [5, 14]

Normalise provider results into an internal exercise schema and keep the provider attribution and restrictions. Add allowlisted filters, pagination, timeouts, cache limits and rate limits. Do not copy exercise images into permanent assets unless the licence allows it. Store exercise content separately from coffee marketing so adjacency does not imply the coffee causes the depicted physical result.

YouTube discovery

Prefer an editorially approved playlist or a server-curated set of video IDs. If search is needed, use an official YouTube integration or a licensed provider and inspect its current quota and terms before release. Cache results only within the permitted policy, debounce queries and show useful fallbacks for missing or removed videos. Do not rely on historical quota numbers. [6]

Load a third-party player after a deliberate action and the appropriate privacy choice. A YouTube link or embed does not grant rights to download, alter or rehost the footage. Do not use a “search and download” service as permission to copy a creator’s video. Keep attribution accurate, review suitability and follow the API policies for refresh, deletion and audiovisual storage. [15]

Failure	User experience	Operational action
Missing key or service disabled	Show approved local content and explain that live results are unavailable	Alert the operator; do not expose configuration details.
Rate limit or quota reached	Keep cached approved results and a retry option	Bounded backoff, quota alert and provider usage review.
Removed or unsuitable media	Hide the embed and retain a useful article summary	Flag editorial review and remove stale references.
Contract or schema change	Preserve core product navigation	Version the adapter, validate responses and run contract checks.

12 Commerce privacy and evidence controls

Before selling, obtain signed formulas, specifications, lawful ingredients, allergens, nutrition, caffeine, directions and warnings for each serving size. Confirm photography, traceability, import route, fulfilment, prices, taxes, delivery charges, returns and support. Unknown values must remain unpublished.

Food claims and trust marks

Review imagery, testimonials, titles and hashtags alongside the copy. Do not suggest coffee treats medical conditions. Energy, weight management, balance and desire claims need evidence and GB claims review. Any limited on-hold botanical route requires specific assessment. Manufacturer advertising does not establish a lawful VORALEAF benefit. [10, 16]

Before displaying a Halal seal, obtain current product and site certification, private-label coverage and mark permission. Organic claims need whole-product certification and a valid import route. Substantiate recycling separately for each component. The PREMIUM QUALITY PRODUCT horse badge is a brand badge, not independent certification.

Payments and order handling

Use hosted payment rather than collecting card details in the static site. Calculate totals on the server, verify signed webhooks and prevent duplicate fulfilment. Test failures, cancellations, duplicates and refunds. Confirm contractual information, delivery terms and cancellation rights before trading.

Privacy and storage

Record each data field’s purpose, lawful basis, recipient, retention and deletion route. Minimise enquiries and keep recordings local unless explicitly submitted. Provide a privacy notice and access or deletion process. Assess each storage or access technology against current PECR exceptions; otherwise obtain the required consent. Analytics and local storage do not all have the same status. [11]

Security baseline

Configure HTTPS, content security, referrer and permissions policies. Validate and escape user content, protect mutations, enforce least privilege and redact logs. Scan uploads, verify file types and cap sizes. Scan dependencies and secrets, separate test and production credentials, back up records and rehearse rollback.

13 Delivery plan and release acceptance

This eight-week planning estimate assumes a small multidisciplinary team. Supplier evidence and external approvals can change it. Assign product, design, engineering, editorial and food-label review responsibilities before starting.

Wk	Work and dependency	Reviewable result
1	Confirm product facts, customer journeys, asset rights and supplier gaps	Approved scope, content inventory, evidence register and page map.
2	Build visual direction and responsive navigation; develop original image briefs	Desktop and mobile design with approved edition colours.
3	Complete product pages, format selection, enquiry bag and contact paths	Working discovery prototype with no invented prices or claims.
4	Publish journal structure, search, saves and creator prompts; configure PWA	Accessible editorial flow, offline behaviour and install tests.
5	Produce live-action hero film and final product photography after directions approval	Rights-cleared masters, mobile crops, captions and compressed renditions.
6	Add production CMS and commerce only after operational approvals	Staging checkout with verified products, webhooks and support flow.
7	Pilot creator upload and moderated live session if providers are selected	Private room tests, TURN coverage, moderation and deletion tests.
8	Run cross-device acceptance and soft launch to a defined test audience	Recorded findings, launch decision, rollback plan and support ownership.

Acceptance before a public trading launch

Check products, formats, quantities, empty states, search, saves and browser back. Verify contact links and enquiry contents without sending. Test mobile layouts, zoom, keyboard and a screen reader across Chrome, Safari and Firefox, including supported iOS features.

Test camera denial, recorder teardown, storage failure, offline use and service-worker updates. Scan for secrets and unapproved claims. Match labels and weights to variants. Keep payments, uploads and live rooms disabled until accepted.

Measurement and release decisions

Set a two-week baseline, review discovery and enquiries weekly, and investigate failed tasks through consented usability sessions. Retain the previous release and record changes.

14 Measurement and launch operations

These are proposed validation targets, not forecasts or guarantees. Set final commercial targets after traffic quality, retail margin and conversion baselines are known.

Measure	Initial target	Decision it supports
Product selection	At least 8 of 10 usability participants choose an edition and format without help	Whether the product structure and format selector are clear.
Enquiry accuracy	All selected IDs, counts and quantities survive the enquiry handoff in acceptance tests	Whether the bag communicates the visitor’s actual request.
Content usefulness	At least 7 of 10 test readers find a relevant article and can explain its purpose	Whether categories, titles and search support discovery.
Performance	Meet the Core Web Vitals targets on page 9 once field data is available	Whether large media and interactions need optimisation.
Evidence control	Every public product claim has an approved source and review date	Whether publication is safe to expand to paid acquisition.

Read the funnel accurately

Track a sequence from collection visit to edition view, format selection, enquiry bag and contact handoff. An email application opening does not prove that an enquiry was sent. Measure completed enquiries only when an authorised backend or a verified inbox process can count them. A saved article is useful engagement evidence, but it does not demonstrate a health outcome or future purchase.

Review repeat visits and article completion by content series after a sufficient sample develops. Keep a written hypothesis for each test, such as whether a clear pack comparison helps visitors choose a format. Agree a minimum sample and decision rule before interpreting a result. Do not declare a winner from a handful of visits or promote an unmeasured design as the best-performing version.

Operating ownership

The product owner approves catalog changes and commercial terms. The editor manages article accuracy, creator disclosures and media rights. The engineer owns deployment, service-worker updates, error monitoring and rollback. The responsible food-label reviewer signs off claims and certification wording. Customer support owns replies, complaints and the escalation path. Record actual names before the public launch.

Reconfirm product specifications whenever a supplier changes a formula, serving size, manufacturing site or package. Pause affected pages and campaigns when evidence is withdrawn or a certificate expires. Keep the last approved version and the reason for every public correction.

Brand contact hello@voraleaf.com | Telephone and WhatsApp Business +44 7463 326519
VORALEAF 294 Coldharbour Lane London SW9 8SE United Kingdom

15 Primary sources and reading record

Primary sources were checked on 24 October 2026. Provider contracts, API behaviour, browser support and regulatory guidance must be checked again before the relevant production feature is released. Source numbers support the nearby requirements in this blueprint; engineering recommendations remain recommendations.

[1] Reference repository
https://github.com/adrianhajdin/project_fitness_app

[2] MDN Making PWAs installable
https://developer.mozilla.org/en-US/docs/Web/Progressive_web_apps/Guides/Making_PWAs_installable

[3] MDN getUserMedia
https://developer.mozilla.org/en-US/docs/Web/API/MediaDevices/getUserMedia

[4] WebRTC Peer connections
https://webrtc.org/getting-started/peer-connections

[5] ExerciseDB provider listing
https://rapidapi.com/justin-WFnsXH_t6/api/exercisedb

[6] YouTube Data API search reference
https://developers.google.com/youtube/data/reference/rest/v3/search/list

[7] web dev Web Vitals
https://web.dev/articles/vitals

[8] W3C WCAG 2.2
https://www.w3.org/TR/WCAG22/

[9] ASA Influencers guide
https://www.asa.org.uk/resource/influencers-guide.html

[10] CAP Code Food supplements and health claims
https://www.asa.org.uk/type/non_broadcast/code_section/15.html

[11] ICO Storage and access exceptions
https://ico.org.uk/for-organisations/direct-marketing-and-privacy-and-electronic-communications/guidance-on-the-use-of-storage-and-access-technologies/what-are-the-exceptions/

[12] MDN MediaRecorder
https://developer.mozilla.org/en-US/docs/Web/API/MediaRecorder

[13] MDN Offline and background operation
https://developer.mozilla.org/en-US/docs/Web/Progressive_web_apps/Guides/Offline_and_background_operation

[14] RapidAPI Configuring authentication
https://docs.rapidapi.com/v2/docs/configuring-api-authentication

[15] YouTube API developer policies
https://developers.google.com/youtube/terms/developer-policies

[16] ASA Food health claims
https://www.asa.org.uk/advice-online/food-health-claims.html