

13 Import from, export to CSV or Excel

For this document the 11 places that make up the 'ElfStedentocht' are used.

More info: <https://en.wikipedia.org/wiki/Elfstedentocht>

Warning: Although a route/trip can be created, it does not follow the original. For that you would have to use more shaping points.

These are the places that make up the ElfStedentocht


Leeuwarden
Sneek
IJlst
Sloten
Stavoren
Hindeloopen
Workum
Bolsward
Harlingen
Franeker
Dokkum
Leeuwarden

Note: In this document only place names are used for the addresses, but you can use anything that GeoCode recognizes. See **11 Using GeoCode**

Using the clipboard


From Excel to TripManager.

1. Prepare a sheet in Excel with the **address** in column E. No column heading needed. Address is the minimal info needed. Other columns can be added if desired and available.




	A	B	C	D	E
1					Leeuwarden
2					Sneek
3					IJlst
4					Sloten
5					Stavoren
6					Hindeloopen
7					Workum
8					Bolsward
9					Harlingen
10					Franeker
11					Dokkum
12					Leeuwarden

2. Tip: if you enter data in columns C,D (Lat,Lon) set the format In Excel to text and enter values in decimal form. For an example see **From Tripmanager to Excel**
3. Select all lines, Columns A-E, and copy to Clipboard (CTRL+C)
4. Create a new empty Trip in TripManager See **12 Using Trip Editor**
5. In TripManager Right Click/Paste, or CTRL+V



6. Because columns A-D were empty in Excel default route point names are assigned, all points are Shape, and there are no Coordinates.
7. You can now look up the addresses to obtain the coordinates. See **Looking up addresses**
8. When done save the trip, or export to GPX/CSV.

Note: The example above copies all route points at once. Copying a selection as a block, and inserting after an existing point is also supported. Here RtePt 5 to 7 are copied and inserted after RtePt 11.




The screenshot shows the Trip Editor window with the following table:


Id	Route point	Point type	Lat	Lon	Address
1	RtePt 1	Via	53.200594	5.791855	Leeuwarden
2	RtePt 2	Shape	53.033548	5.661103	Sneek
3	RtePt 3	Shape	53.010137	5.623324	IJlst
4	RtePt 4	Shape	52.894991	5.645395	Sloten
5	RtePt 5	Shape	52.883269	5.360212	Stavoren
6	RtePt 6	Shape	52.942618	5.400482	Hindeloopen
7	RtePt 7	Shape	52.977849	5.446409	Workum
8	RtePt 8	Shape	53.062018	5.522896	Bolsward
9	RtePt 9	Shape	53.175210	5.414200	Harlingen
10	RtePt 10	Shape	53.188051	5.540965	Franeker
11	RtePt 11	Shape	53.324352	5.999231	Dokkum
12	RtePt 12	Shape	52.883269	5.360212	Stavoren
13	RtePt 13	Shape	52.942618	5.400482	Hindeloopen
14	RtePt 14	Shape	52.977849	5.446409	Workum
15	RtePt 15	Via	53.200594	5.791855	Leeuwarden

From Tripmanager to Excel

1. Create a new empty sheet in Excel and set at least column C and D as text.



2. Select all lines in TripManager (CTRL+A) and copy to clipboard (CTRL+C)



3. Paste in Excel.

	A	B	C	D	E
1	RtePt 1	True	53.200594	5.791855	Leeuwarden
2	RtePt 2	False	53.033548	5.661103	Sneek
3	RtePt 3	False	53.010137	5.623324	IJlst
4	RtePt 4	False	52.894991	5.645395	Sloten
5	RtePt 5	False	52.883269	5.360212	Stavoren
6	RtePt 6	False	52.942618	5.400482	Hindeloopen
7	RtePt 7	False	52.977849	5.446409	Workum
8	RtePt 8	False	53.062018	5.522896	Bolsward
9	RtePt 9	False	53.175210	5.414200	Harlingen
10	RtePt 10	False	53.188051	5.540965	Franeke
11	RtePt 11	False	53.324352	5.999231	Dokkum
12	RtePt 12	True	53.200594	5.791855	Leeuwarden

4. Do with it whatever you like.

Using CSV files

Prepare a CSV file

- The CSV should contain a heading line with the column names. These column names are recognized. **Route point;Point type;Lat;Lon;Address**
Tip: The column names are the same as in TripManager except **ID**, that can not be used.
- The CSV should contain at least 1 column: **Address**.
- **Columns Lat/Lon are not mandatory, but if you supply them use the decimal separator as specified in your Windows regional settings!** (usually a comma, or a point)


Sample using all columns created by exporting a trip file in TripManager

See **From TripManager to CSV**

```
Route point;Point type;Lat;Lon;Address
RtePt 1;Via;53,200594;5,791855;Leeuwarden
RtePt 2;Shape;53,033548;5,661103;Sneek
RtePt 3;Shape;53,010137;5,623324;IJlst
RtePt 4;Shape;52,894991;5,645395;Sloten
RtePt 5;Shape;52,883269;5,360212;Stavoren
RtePt 6;Shape;52,942618;5,400482;Hindeloopen
RtePt 7;Shape;52,977849;5,446409;Workum
RtePt 8;Shape;53,062018;5,522896;Bolsward
RtePt 9;Shape;53,175210;5,414200;Harlingen
RtePt 10;Shape;53,188051;5,540965;Franeker
RtePt 11;Shape;53,324352;5,999231;Dokkum
RtePt 12;Via;53,200594;5,791855;Leeuwarden
```

Sample using 2 columns created by saving as CSV in Excel.


```
Route point;Address
Leeuwarden;Leeuwarden
Sneek;Sneek
IJlst;IJlst
Sloten;Sloten
Stavoren;Stavoren
Hindeloopen;Hindeloopen
Workum;Workum
Bolsward;Bolsward
Harlingen;Harlingen
Franeker;Franeker
Dokkum;Dokkum
Leeuwarden;Leeuwarden
```




Note: Here the route point names are the same as the addresses, but they can be different of course.

From CSV to TripManager

1. Create a new empty Trip in Tripmanager.
2. Click on the CSV button, Import.




3. Open the prepared CSV file. The result should look like this. You can now **look for addresses**.



Note: If the point type is not supplied it is set to Via.

From TripManager to CSV

1. Creating a CSV file is as simple as opening a trip in TripManager and clicking on GPX/Export.



Note: You can use the created CSV file for importing.


Looking up addresses

Select the lines to look up, or select all lines (CTRL+A) and click on the Search button.


When no coordinates are available TripManager will search for the coordinates from the address.

If coordinates are available TripManager will search for the place.

For every selected line the search dialog will be shown. Select the matching line and accept the proposed coordinates with OK.



Cancel will not update the Coordinates, Retry allows you to change the search parameter and retry.



Note: While the trip has not been calculated, TM will only draw straight lines between the route points.