


Final Project

Team Number 10

1. Mikhail Sakhno
2. Nabil Atta
3. Frank Carrasco
4. Waleed Amawy

1. Normalized Relational Schema



For this scenario, we have defined 3 schemas for different purposes.
RDV(Raw Data Vault), UDV(Universal Data Vault) and DDV(Dimensional Data Vault)

2. DDL

a. RDV(Raw data)

b. UDV(Normalized tables)

CREATE SCHEMA IF NOT EXISTS udv;

CREATE TABLE IF NOT EXISTS udv.users (
 user_id BIGINT PRIMARY KEY,

```
    user_phone VARCHAR(20)
);
```

```
CREATE TABLE IF NOT EXISTS udv.items (
    item_id BIGINT PRIMARY KEY,
    item_title TEXT,
    item_price NUMERIC(10,2),
    item_category TEXT
);
```

```
CREATE TABLE IF NOT EXISTS udv.drivers (
    driver_id BIGINT PRIMARY KEY,
    driver_phone VARCHAR(20)
);
```

```
CREATE TABLE IF NOT EXISTS udv.stores (
    store_id BIGINT PRIMARY KEY,
    store_address TEXT
);
```

```
CREATE TABLE IF NOT EXISTS udv.orders (
    order_id BIGINT PRIMARY KEY,
    address_text TEXT,
    created_at TIMESTAMP,
    paid_at TIMESTAMP,
```

canceled_at TIMESTAMP,
payment_type TEXT,
order_discount NUMERIC(5,2),
order_cancellation_reason TEXT,
user_id BIGINT,
store_id BIGINT,

CONSTRAINT fk_orders_user
FOREIGN KEY (user_id)
REFERENCES udv.users (user_id),

CONSTRAINT fk_orders_store
FOREIGN KEY (store_id)
REFERENCES udv.stores (store_id)

);

CREATE TABLE IF NOT EXISTS udv.deliveries (

order_id BIGINT,
delivery_started_at TIMESTAMP,
delivered_at TIMESTAMP,
delivery_cost NUMERIC(10,2),
driver_id BIGINT,

CONSTRAINT fk_delivery_order
FOREIGN KEY (order_id)

```
REFERENCES udv.orders (order_id),

CONSTRAINT fk_delivery_driver
    FOREIGN KEY (driver_id)
    REFERENCES udv.drivers (driver_id)
);
```

```
CREATE TABLE IF NOT EXISTS udv.order_items (
    order_id BIGINT,
    item_id BIGINT,
    item_quantity INT,
    item_canceled_quantity INT,
    item_discount NUMERIC(5,2),
    item_replaced_id BIGINT,

    CONSTRAINT fk_order_items_order
        FOREIGN KEY (order_id)
        REFERENCES udv.orders (order_id),

    CONSTRAINT fk_order_items_item
        FOREIGN KEY (item_id)
        REFERENCES udv.items (item_id),

    CONSTRAINT fk_order_items_replaced_item
        FOREIGN KEY (item_replaced_id)
```

```
REFERENCES udv.items (item_id)  
);
```

c. DDV(Data Marts)