





ALERTS

 **Error**  
Connection to Produce & Publish Server is not functional


error.svg

Alert .alert-error, role="alert", aria-live="assertive"


 **Warning**  
You have not configured a mail host or a site 'From' address, various features including contact forms, email notification and password reset will not work. Go to the Mail control panel to fix this.

warning.svg

Alert .alert-warning, role="alert", aria-live="assertive"

 **Info**


You are running in "debug mode", intended for development. Changes will take effect immediately, but will make your site run slower.




info.svg  
clear.svg

Alert .alert-info, role="status", aria-live="polite"

Recommended to use always with a dismiss

 **You are now logged in!**



ready.svg  
clear.svg

Alert .alert-success, role="status", aria-live="polite"

Recommended to use always with a dismiss. Success is auto-dismissed after 5 seconds

```
<div class="alert alert-warning alert-dismissible" role="alert" aria-live="assertive">
  <button type="button" class="alert-dismiss" aria-label="Dismiss"> // Optional
    <svg ... >
  </button>
  
  <h2 class="alert-title">Title</h2>
  <p class="alert-description">Description</p> // Optional
</div>
```

NOTES

You are running in "debug mode", intended for development. Changes will take effect immediately, but will make your site run slower.

<p class="note" role="note"> ... </p>


You are running in "debug mode", intended for development. Changes will take effect immediately, but will make your site run slower.

In the future notes can be extended to support tips, important messaging or usage recommendations




## CONFIRMATION DIALOGS

User must confirm actions that cannot be easily undo or have consequences



```
<dialog class="dialog" role="alertdialog" aria-labelledby="dialog-title-id01">
  <div class="dialog" role="document" tabindex="0">
    <h2 class="dialog-title" id="dialog-title-id01">Delete selected types?</h2>
    <p class="dialog-description">Optional description, better not to have</p>
    <div class="button-group" role="group" aria-label="Dialog actions">
      <button type="button" class="button button-highlighted">
        
        <span class="button-label">Cancel</span>
      </button>
      <button type="button" class="button button-destructive button-highlighted">
        
        <span class="button-label">Delete</span>
      </button>
    </div>
  </div>
</dialog>
```



```
<dialog class="dialog" role="alertdialog" aria-labelledby="dialog-title-id01">
  <div class="dialog" role="document" tabindex="0">
    <h2 class="dialog-title" id="dialog-title-id01">Delete selected types?</h2>
    <p class="dialog-description">Optional description, better not to have</p>
    <button type="button" class="button button-primary button-highlighted">
      
      <span class="button-label">OK</span>
    </button>
  </div>
</dialog>
```



HIERACHY



```
.button // Default
.button .button-primary // Primary blue
.button .button-destructive // Destructive red
.button .button-highlighted // Adds circled style
```

GROUPS

If there are several buttons a group is required. With a single button, just the button itself is required.

```
<div class="button-group" role="group" aria-label="Label to the group of buttons">
  <button type="button" class="button button-destructive button-highlighted">
    
    <span class="button-label">Remove</span>
  </button>
</div>
```


TEXT BUTTONS

Update

```
.button .button-primary

Just remove the <img> tag
<button type="button" class="button button-primary">
  <span class="button-label">Update</span>
</button>
```

PSEUDO-STATES




STATUS IN ICONS

Status appears as a hint in the toolbar for the main action replacing the primary





TOOLTIPS AND SHORTCUTS

Note that not only tooltips but shortcuts must be also translated. E.g.: Delete key "del" is "supr" in a Catalan keyboard. Adding a shortcut is convinient, both for productivity and accessibility; addapt them to Win and Mac.



```
<div class="button-group" role="group" aria-label="Label...">
  <button type="button" class="button button-destructive button-highlighted has-tooltip"
    aria-describedby="button-tooltip-id01">
    
    <span class="button-label">Remove</span>
    <span class="button-tooltip" id="button-tooltip-id01"
      role="tooltip">Remove <kbd title="delete">del</kbd></span>
  </button>
</div>
```



```
<kbd><kbd title="command">⌘</kbd><kbd>N</kbd></kbd>
Composite shortcuts are marked nesting kbd's tags
```



TOOLBARS



```
<div class="button-toolbar" role="toolbar" aria-label="{{theme-name}} toolbar">
  <div class="button-group" role="group" aria-label="Manage {{theme-name}}">
    <button type="button" class="button button-primary">
      
      <span class="button-label">Remove</span>
    <button ...>
    <button ...>
  </div>
  <div class="button-group push-right" role="group" aria-label="Manage {{theme-name}}">
    <button type="button" class="button">Update</button>
    <button type="button" class="button button-primary">Activate</button>
    <button type="button" class="button button-destructive">Delete</button>
  </div>
</div>
```

Separator



Groups separator

```
...
  <div class="button-group ...>
    </div>
  ...
  <span class="button-group-separator" role="separator" aria-orientation="vertical" tabindex="-1">
    <div class="button-group ...>
      ...
    </div>
  </span>
  ...
</div>
```

Buttons separator

```
...
  <button ...>
    <span class="button-separator" role="separator" aria-orientation="vertical" tabindex="-1">
      <button ...>
        ...
      </button>
    </span>
  </button>
</div>
```

SIZING

There are 2 sizes of buttons defined.  
By default buttons are 24 dp. It exists a large version of 36 dp.  
Note thar original SVG size is 36 x 36 px.

Mobile/Touch



.button-large



.button

Desktop/Mouse



.button-large



75%



.button



75%

Large class may not be needed. Can be do via position of the element instead



## LEGENDS AND FIELDSETS

Generic fieldset and legend

NAVIGATION ITEMS

```
<fieldset class="form-fieldset">
  <legend class="form-legend">Navigation items</legend>
  <div class="form-group"> ...
  <div class="form-group"> ...
  <div class="form-group"> ...
</fieldset>
```

Collapsible

IN-MEMORY CACHE

```
<fieldset class="form-fieldset">
  <legend class="form-legend form-collapsible">
    <button type="button" class="button"
      aria-controls="form-collapsible-id01" aria-expanded="false">
      
      <span class="button-label">Show</span>
    </button>
    In-memory cache
  </legend>
  <div class="form-collapsible-wrapper" aria-hidden="true"
    id="form-collapsible-id01">
    <div class="form-group">
      ...
    </div>
  </div>
  ...
</fieldset>
```

When button is collapsed it is aria-expanded="false" with label "Show" and wrapper is aria-hidden="true".  
When button is expanded it is aria-expanded="true" with label "Hide" and wrapper is aria-hidden="false".

IMPORT CACHING PROFILES

IN-MEMORY CACHE

```
<span class="button-tooltip" id="button-tooltip-id01" role="tooltip">Show</span>
```



TEXTUAL INPUTS

Generic label + text input

USER

Guill O’Tina

2 lines vertically centered ::placeholder

TWO LINES STRING

Username...

:focus

USER

Guill O’Tina

:hover

USER

Guill O’Tina

:active

USER

Guill O’Tina

:disabled

USER

Guill O’Tina

:valid

USER

Guill O’Tina

Valid

:invalid

USER

Guill O’Tina

Invalid, error, whatever

:read-only

USER

Guill O’Tina

Use for non-editable but must be readable properties

DROPDOWNS

Select dropdown

SELECT

Guill O’Tina

Arrow. Apply to other inputs of similar kind

:default :hover :active :disabled

Arrow open

:default :hover :active

SELECT

List

AlbumStandard

Extended

selected List

:disabled Standard

:hover List

:active Standard

STATUS

Draft

Public

Intranet

Draft

Private

.dropdown-status

:hover Private

:active Private



EXTENSION TO TEXTUAL INPUTS

required

MAXIMUM ENTRIES ●

numeric input

1000

DATE

date input

Date and time...

DATE

:focus in compund elements

Date and time...

TOOLBAR LOGO URL

Shadow indicates that text continues right

/++plone++static/plone-toc

Toolbar logo URL relative to site root.  
By default: /++plone++static/plone-toolbarlogo.svg

.form-help

ANALYTICS

Textarea height 70 dp instead of 50 dp

Paste code snipped provided

ANALYTICS

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Shadow overflow ::resizer:hover



CHECKBOXES

☒

USE CONTRY-SPECIFIC VARIANTS

E.g.: pt-br (Brazilian Portuguese)

☒

SHOW LANGUAGE FLAGS

☒

:checked

☐

:unchecked

☐

:indeterminate

☐

:disabled

```
<div class="form-group">
  <input id="form-checkbox-id01" type="checkbox" name="form-checkbox-id01"
    required="required" class="form-checkbox"/>
  <label for="form-checkbox-id01" aria-describedby="form-checkbox-id01-help" class="form-label">
    <span>Checkbox label<span class="form-required">(required)</span></span></label>
    <p id="form-checkbox-id01-help" class="form-help">Complementary and clarification to the label</p>
</div>
```

GROUP OF CHECKBOXES

TYPES SHOWN IN SEARCHES

- ☒ COLLECTION
- ☐ COMMENT
- ☒ EVENT
- ☒ FILE
- ☒ FOLDER
- ☒ IMAGE
- ☒ LINK
- ☒ NEWS ITEM
- ☒ PAGE

Newly installed content will be enabled by default unless explicitly tuned off.

```
<div class="form-group">
  <legend aria-describedby="form-legend-help" class="form-legend">
    <span>Legend grouping label</span></legend>
  <input id="form-checkbox-id01" type="checkbox"
    name="form-checkbox-id01" class="form-checkbox"/>
  <label for="form-checkbox-id01" class="form-label">
    <span>Checkbox 01 label</span></label>
  <input id="form-radio-id02" type="checkbox"
    name="form-checkbox-id02" class="form-checkbox"/>
  <label for="form-checkbox-id02" class="form-label">
    <span>Checkbox 02 label</span></label>
  <p id="form-legend-help" class="form-help">
    Complementary and clarification to all radios
  </p>
</div>
```

RADIOS

PROFILE TO IMPORT CACHE SETTINGS

☒

CACHING PROXY

☐

CACHING PROXY AND SPLIT-VIEW

☐

NO CACHING PROXY

```
<div class="form-group">
  <legend aria-describedby="form-legend-help" class="form-legend">
    <span>Legend grouping label</span></legend>
  <input id="form-radio-id01" type="radio" name="form-radio-id01" class="form-radio"/>
  <label for="form-radio-id01" class="form-label"><span>Radio 01 label</span></label>
  <input id="form-radio-id02" type="radio" name="form-radio-id02" class="form-radio"/>
  <label for="form-radio-id02" class="form-label"><span>Radio 02 label</span></label>
  <p id="form-legend-help" class="form-help">Complementary and clarification to all radios</p>
</div>
```

☒

:checked

☐

:unchecked

☐

:disabled

☐

TOGGLES TBD Needs to be refined

Use as main checkbox in site setup. A toggles leads the hierarchy and makes other checkboxes less relevant in comparison

CREATE NAVIGATION TABS

Add automatically a tab of elements created at root level.

```
<div class="form-group">
  <label for="form-toggle-id01" aria-describedby="form-toggle-id01-help" class="form-label">
    <span>Toggle label</span></label>
  <input id="form-toggle-id01" type="checkbox" name="form-toggle-id01" class="form-toggle"/>
  <p id="form-toggle-id01-help" class="form-help">Complementary and clarification to the label</p>
</div>
```

☒

:checked

☐

:unchecked

☐


:disabled

☐




### MULTI VALUE CHIPS


#### NASTY TAGS



Nasty tags and their contents are completely blocked when a page is saved or rendered.



#### CHIPS



### SCROLL

TBD

Needs to be refined

