

# My title\*

My subtitle if needed

First author

Another author

6 April 2023

First sentence. Second sentence. Third sentence. Fourth sentence.

## 1 Introduction

You can and should cross-reference sections and sub-sections.

The remainder of this paper is structured as follows. Section [2](#)...

## 2 Data

Some of our data is of penguins (Figure [1](#)), from Horst, Hill, and Gorman (2020).

Talk more about it.

And also planes (Figure [2](#)). (You can change the height and width, but don't worry about doing that until you have finished every other aspect of the paper - Quarto will try to make it look nice and the defaults usually work well once you have enough text.)

```
Rows: 19 Columns: 3
```

```
-- Column specification -----
```

```
Delimiter: ","
```

```
dbl (3): width, length, flying_time
```

```
i Use `spec()` to retrieve the full column specification for this data.
```

```
i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```

Talk way more about it.

---

\*Code and data are available at: [LINK](#).



Figure 1: Bills of penguins



Figure 2: More bills of penguins

## 3 Model

The goal of our modelling strategy is twofold. Firstly,...

Here we briefly describe the Bayesian analysis model used to investigate... Background details and diagnostics are included in [Appendix B](#).

### 3.1 Model set-up

Define  $y_i$  as the number of seconds that the plane remained aloft. Then  $\beta_i$  is the wing width and  $\gamma_i$  is the wing length, both measured in millimeters.

$$y_i | \mu_i, \sigma \sim \text{Normal}(\mu_i, \sigma) \tag{1}$$

$$\mu_i = \alpha + \beta_i + \gamma_i \tag{2}$$

$$\alpha \sim \text{Normal}(0, 2.5) \tag{3}$$

$$\beta \sim \text{Normal}(0, 2.5) \tag{4}$$

$$\gamma \sim \text{Normal}(0, 2.5) \tag{5}$$

$$\sigma \sim \text{Exponential}(1) \tag{6}$$

We run the model in R (R Core Team 2022) using the `rstanarm` package of Goodrich et al. (2022). We use the default priors from `rstanarm`.

#### 3.1.1 Model justification

We expect a positive relationship between the size of the wings and time spent aloft. In particular...

We can use maths by including latex between dollar signs, for instance  $\theta$ .

## 4 Results

Our results are summarized in [Table 1](#).

Table 1: Forecasting and explanatory models of marathon times based on five-kilometer run times

	First model
(Intercept)	1.12 (1.70)
length	0.01 (0.01)
width	−0.01 (0.02)
Num.Obs.	19
R2	0.320
R2 Adj.	0.019
Log.Lik.	−18.128
ELPD	−21.6
ELPD s.e.	2.1
LOOIC	43.2
LOOIC s.e.	4.3
WAIC	42.7
RMSE	0.60

## 5 Discussion

### 5.1 First discussion point

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

### 5.2 Second discussion point

### 5.3 Third discussion point

### 5.4 Weaknesses and next steps

Weaknesses and next steps should also be included.

## Appendix

### A Additional data details

### B Model details

#### B.1 Posterior predictive check

In Figure 3a we implement a posterior predictive check. This shows...

In Figure 3b we compare the posterior with the prior. This shows...




Figure 3: Examining how the model fits, and is affected by, the data

#### B.2 Diagnostics

Figure 4a is a trace plot. It shows... This suggests...

Figure 4b is a Rhat plot. It shows... This suggests...




Figure 4: Checking the convergence of the MCMC algorithm

## References

- Goodrich, Ben, Jonah Gabry, Imad Ali, and Sam Brilleman. 2022. “Rstanarm: Bayesian Applied Regression Modeling via Stan.” <https://mc-stan.org/rstanarm/>.
- Horst, Allison Marie, Alison Presmanes Hill, and Kristen B Gorman. 2020. *Palmerpenguins: Palmer Archipelago (Antarctica) Penguin Data*. <https://doi.org/10.5281/zenodo.3960218>.
- R Core Team. 2022. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.