

T3 final-EFT one-loop RGE term comparison: EFT

All T3 particles have been integrated out at this stage. The active theory is the SM plus the dimension-five Weinberg operator. Rows are the UV model configurations that produced the matched coefficient, while columns align the additive structures in its one-loop beta function. Each populated cell contains the complete term, including its coefficient and the factor C_5 . We use $16\pi^2 \mu dC_5/d\mu = \beta_{C_5}^{(1)}$.

Notation key

symbol	interaction / definition
g_1	$D_\mu \supset ig_1 Y B_\mu$
g_2	$D_\mu \supset ig_2 T^A W_\mu^A$
g_3	$D_\mu \supset ig_3 t^A G_\mu^A$
Y_u	$-\bar{Q} Y_u \tilde{H} u + \text{h.c.}$
Y_d	$-\bar{Q} Y_d H d + \text{h.c.}$
Y_e	$-\bar{L} Y_e H e + \text{h.c.}$
y_1	$L F S_1 + \text{h.c.}$
y_2	$L F S_2 + \text{h.c.}$
M_F	$-\bar{F} M_F F$
T	$\text{Tr}(Y_e^\dagger Y_e + 3Y_u^\dagger Y_u + 3Y_d^\dagger Y_d)$
$T_\nu^{(1)}$	$\text{Tr}(y_1^\dagger y_1)$
$T_\nu^{(2)}$	$\text{Tr}(y_2^\dagger y_2)$
T_ν	$T_\nu^{(1)} + T_\nu^{(2)}$
m_1^2	$m_1^2 S_1^\dagger S_1$
m_2^2	$m_2^2 S_2^\dagger S_2$
λ_1	$\frac{1}{2} \lambda_1 (H^\dagger H)^2$
$\lambda_{S_1}^{(1)}$	$\frac{1}{2} \lambda_{S_1}^{(1)} (S_1^\dagger S_1)^2$
$\lambda_{S_2}^{(1)}$	$\frac{1}{2} \lambda_{S_2}^{(1)} (S_2^\dagger S_2)^2$
$\lambda_{HS_1}^{(1)}$	$\lambda_{HS_1}^{(1)} (H^\dagger H)(S_1^\dagger S_1)$
$\lambda_{HS_2}^{(1)}$	$\lambda_{HS_2}^{(1)} (H^\dagger H)(S_2^\dagger S_2)$
$\lambda_{HS_1}^{(A)}$	$\lambda_{HS_1}^{(A)} (H^\dagger T^A H)(S_1^\dagger T^A S_1)$
$\lambda_{HS_2}^{(A)}$	$\lambda_{HS_2}^{(A)} (H^\dagger T^A H)(S_2^\dagger T^A S_2)$
λ_5	$\lambda_5 H H S_1 S_2^\dagger + \text{h.c.}$
$\lambda_{12}^{(1)}$	$\lambda_{12}^{(1)} (S_1^\dagger S_1)(S_2^\dagger S_2)$
$\lambda_{12}^{(A)}$	$\lambda_{12}^{(A)} (S_1^\dagger T^A S_1)(S_2^\dagger T^A S_2)$
$\lambda_{12}^{(\times)}$	$\lambda_{12}^{(\times)} (S_1^\dagger S_2)(S_2^\dagger S_1)$
$\lambda_{S_1}^{(A)}$	$\lambda_{S_1}^{(A)} (S_1^\dagger T^A S_1)(S_1^\dagger T^A S_1)$
$\lambda_{S_2}^{(A)}$	$\lambda_{S_2}^{(A)} (S_2^\dagger T^A S_2)(S_2^\dagger T^A S_2)$
α	$Y_{S_1} = \alpha/2, Y_F = (\alpha+1)/2, Y_{S_2} = (\alpha+2)/2$
$C_2(d)$	$(d^2 - 1)/4$

$T(d)$	$d(d^2-1)/12$
$C_{LLS_1S_2}^{ij;AB}$	$L_iL_jS_1^AS_2^B$
C_{ijab}	$L_iL_j\phi_a\phi_b$
C_5^{ij}	$(L_i^TCL_j)HH$
R_W	$16\pi^2\beta_{C_5}\supset R_W\lambda_5C_{LLS_1S_2}$

$$\beta_{C_5}^{(1)}$$

Quantity: C_5

$$16\pi^2\,\mu\frac{dC_5}{d\mu}=\beta_{C_5}^{(1)}$$

Terms 1 of 2

Column Representative term structure		
T1	$C_5g_2^2$	
T2	$C_5\lambda_1$	
T3	$C_5Y_eY_e^\dagger$	

Model	α	S_1	S_2	F	T1	T2	T3
T3-A-m4	-4	(1, -2)	(3, -1)	(2, - $\frac{3}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-A-m2	-2	(1, -1)	(3, 0)	(2, - $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-A-p0	0	(1, 0)	(3, 1)	(2, $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-B-m3	-3	(2, - $\frac{3}{2}$)	(2, - $\frac{1}{2}$)	(1, -1)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-B-m1	-1	(2, - $\frac{1}{2}$)	(2, $\frac{1}{2}$)	(1, 0)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-B-p1	1	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	(1, 1)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-C-m3	-3	(2, - $\frac{3}{2}$)	(2, - $\frac{1}{2}$)	(3, -1)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-C-m1	-1	(2, - $\frac{1}{2}$)	(2, $\frac{1}{2}$)	(3, 0)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-C-p1	1	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	(3, 1)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-D-m2	-2	(3, -1)	(1, 0)	(2, - $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-D-p0	0	(3, 0)	(1, 1)	(2, $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-D-p2	2	(3, 1)	(1, 2)	(2, $\frac{3}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-E-m4	-4	(3, -2)	(3, -1)	(2, - $\frac{3}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-E-m2	-2	(3, -1)	(3, 0)	(2, - $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-E-p0	0	(3, 0)	(3, 1)	(2, $\frac{1}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$
T3-E-p2	2	(3, 1)	(3, 2)	(2, $\frac{3}{2}$)	$-3C_5g_2^2$	$2C_5\lambda_1$	$-C_5Y_eY_e^\dagger$

Quantity: C_5

Terms 2 of 2

Column	Representative term structure
T1	$C_5 Y_d Y_d^\dagger$
T2	$C_5 Y_u Y_u^\dagger$

Model	α	S_1	S_2	F	T1	T2
T3-A-m4	-4	(1, -2)	(3, -1)	(2, - $\frac{3}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-A-m2	-2	(1, -1)	(3, 0)	(2, - $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-A-p0	0	(1, 0)	(3, 1)	(2, $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-B-m3	-3	(2, - $\frac{3}{2}$)	(2, - $\frac{1}{2}$)	(1, -1)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-B-m1	-1	(2, - $\frac{1}{2}$)	(2, $\frac{1}{2}$)	(1, 0)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-B-p1	1	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	(1, 1)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-C-m3	-3	(2, - $\frac{3}{2}$)	(2, - $\frac{1}{2}$)	(3, -1)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-C-m1	-1	(2, - $\frac{1}{2}$)	(2, $\frac{1}{2}$)	(3, 0)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-C-p1	1	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	(3, 1)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-D-m2	-2	(3, -1)	(1, 0)	(2, - $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-D-p0	0	(3, 0)	(1, 1)	(2, $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-D-p2	2	(3, 1)	(1, 2)	(2, $\frac{3}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-E-m4	-4	(3, -2)	(3, -1)	(2, - $\frac{3}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-E-m2	-2	(3, -1)	(3, 0)	(2, - $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-E-p0	0	(3, 0)	(3, 1)	(2, $\frac{1}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$
T3-E-p2	2	(3, 1)	(3, 2)	(2, $\frac{3}{2}$)	$6C_5 Y_d Y_d^\dagger$	$6C_5 Y_u Y_u^\dagger$