T3 B_+1: full general UV Lagrangian and RGEs

Matchete/RGBeta symbolic output in mathematical notation

B_+1

Additional quartics: 1, additional bilinears: 0, extra Yukawa: none.
General matching and Wilson coefficients are not computed in this symbolic report.

Notation key

symbol	interaction / definition
g_1	$D_\mu \supset i g_1 Y B_\mu$
g_2	$D_\mu \supset i g_2 T^A W_\mu^A$
g_3	$D_\mu \supset i g_3 t^A G_\mu^A$
Y_u	$-\bar{Q} Y_u \widetilde{H} u + \text{h.c.}$
Y_d	$-\bar{Q} Y_d H d + \text{h.c.}$
Y_e	$-\bar{L} Y_e H e + \text{h.c.}$
y_1	$L F S_1 + \text{h.c.}$
y_2	$L F S_2 + \text{h.c.}$
M_F	$-\bar{F} M_F F$
T	$\text{Tr}(Y_e^\dagger Y_e + 3 Y_u^\dagger Y_u + 3 Y_d^\dagger Y_d)$
$T_\nu^{(1)}$	$\text{Tr}(y_1^\dagger y_1)$
$T_\nu^{(2)}$	$\text{Tr}(y_2^\dagger y_2)$
T_ν	$T_\nu^{(1)} + T_\nu^{(2)}$
m_1^2	$m_1^2 S_1^\dagger S_1$
m_2^2	$m_2^2 S_2^\dagger S_2$
λ_1	$\frac{1}{2}\lambda_1 (H^\dagger H)^2$
$\lambda_{S_1}^{(1)}$	$\frac{1}{2}\lambda_{S_1}^{(1)} (S_1^\dagger S_1)^2$
$\lambda_{S_2}^{(1)}$	$\frac{1}{2}\lambda_{S_2}^{(1)} (S_2^\dagger S_2)^2$
$\lambda_{HS_1}^{(1)}$	$\lambda_{HS_1}^{(1)} (H^\dagger H)(S_1^\dagger S_1)$
$\lambda_{HS_2}^{(1)}$	$\lambda_{HS_2}^{(1)} (H^\dagger H)(S_2^\dagger S_2)$
$\lambda_{HS_1}^{(A)}$	$\lambda_{HS_1}^{(A)} (H^\dagger T^A H)(S_1^\dagger T^A S_1)$
$\lambda_{HS_2}^{(A)}$	$\lambda_{HS_2}^{(A)} (H^\dagger T^A H)(S_2^\dagger T^A S_2)$
λ_5	$\lambda_5 H H S_1 S_2^\dagger + \text{h.c.}$
$\lambda_{12}^{(1)}$	$\lambda_{12}^{(1)} (S_1^\dagger S_1)(S_2^\dagger S_2)$
$\lambda_{12}^{(A)}$	$\lambda_{12}^{(A)} (S_1^\dagger T^A S_1)(S_2^\dagger T^A S_2)$
$\lambda_{12}^{(\times)}$	$\lambda_{12}^{(\times)} (S_1^\dagger S_2)(S_2^\dagger S_1)$
$\lambda_{S_1}^{(A)}$	$\lambda_{S_1}^{(A)} (S_1^\dagger T^A S_1)(S_1^\dagger T^A S_1)$
$\lambda_{S_2}^{(A)}$	$\lambda_{S_2}^{(A)} (S_2^\dagger T^A S_2)(S_2^\dagger T^A S_2)$
α	$Y_{S_1} = \alpha/2,\ Y_F = (\alpha+1)/2,\ Y_{S_2} = (\alpha+2)/2$
$C_2(d)$	$(d^2-1)/4$
$T(d)$	$d(d^2-1)/12$
$C_{LLS_1S_2}^{ij;AB}$	$L_i L_j S_1^A S_2^B$
C_{ijab}	$L_i L_j \phi_a \phi_b$
C_5^{ij}	$(L_i^T C L_j) H H$
R_W	$16\pi^2 \beta_{C_5} \supset R_W \lambda_5 C_{LLS_1S_2}$

Complete BSM UV Lagrangian

Matchete BSM Lagrangian, excluding the pure Standard Model contribution. $\mathcal{L}_{\text{BSM}} = \text{Bar}(\text{Coupling}(\text{lambdaT3ExtraQ0220001}, \{\}, 0)\text{Bar}(\text{Field}(\text{NewScalar1}, \text{Scalar}, \{\text{Index}(\text{d}\$\$1, \text{T3BSMd2})\}, \{\}))\text{Bar}(\text{Field}(\text{NewScalar1}, \text{Scalar}, \{\text{Index}(\text{d}\$\$2, \text{T3BSMd2})\}, \{\}))\text{Field}$

$+\text{Coupling}(\text{MS1}, \{\}, 0)^2\text{Field}(\text{NewScalar1}, \text{Scalar}, \{\text{Index}(\text{d}\$\$1, \text{T3BSMd2})\}, \{\})(-\text{Bar}(\text{Field}(\text{NewScalar1}, \text{Scalar}, \{\text{Index}(\text{d}\$\$1, \text{T3BSMd2})\}, \{\})))$

$$+\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\text{Index}(\text{d\$\$1},\text{Lorentz})\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\text{Index}(\text{d\$\$1},\text{Lorentz})\}))$$

$$+\text{Coupling}(\text{lambdaH1Inv1},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\})\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{T3HiggsPortal1CGInv1},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Bar}(\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))),\text{Index}(\text{d\$\$1},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaH1Inv2},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\})\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{T3HiggsPortal1CGInv2},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Bar}(\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))),\text{Index}(\text{d\$\$1},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaT3},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\})\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\})\text{CG}(\text{T3MixCG},\{\text{Bar}(\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Bar}(\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})),\text{Index}(\text{d\$\$1},\text{T3BSMd2}))$$

$$+\text{Coupling}(\text{lambdaT3ExtraQ022000I1},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\})\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{T3ExtraCGQ022000I1},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund})),\text{Bar}(\text{Index}(\text{d\$\$1},\text{T3BSMd2})),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\frac{1}{2}\text{Coupling}(\text{lambdaS1Inv1},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$3},\text{T3BSMd2})\},\{\})\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$4},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\}))\text{CG}(\text{T3Scalar1SelfCGInv1},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\text{Bar}(\text{Index}(\text{d\$\$3},\text{T3BSMd2})),\text{Index}(\text{d\$\$2},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$4},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{MS2},\{\},0)^2\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\})(-\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\})))$$

$$+\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\text{Index}(\text{d\$\$1},\text{Lorentz})\})\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\text{Index}(\text{d\$\$1},\text{Lorentz})\}))$$

$$+\text{Bar}(\text{Coupling}(\text{lambdaT3},\{\},0)\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{Bar}(\text{T3MixCG}),\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaH2Inv1},\{\},0)\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\})\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{T3HiggsPortal2CGInv1},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Bar}(\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))),\text{Index}(\text{d\$\$1},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaH2Inv2},\{\},0)\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))\},\{\})\text{Bar}(\text{Field}(H,\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\{\}))\text{CG}(\text{T3HiggsPortal2CGInv2},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))\},\text{Bar}(\text{Index}(\text{d\$\$2},\text{SU2L}(\text{fund}))),\text{Index}(\text{d\$\$1},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$2},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaS2Inv1},\{\},0)\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$3},\text{T3BSMd2})\},\{\})\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$4},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\}))\text{CG}(\text{T3CrossScalarCGInv1},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\text{Bar}(\text{Index}(\text{d\$\$3},\text{T3BSMd2})),\text{Index}(\text{d\$\$2},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$4},\text{T3BSMd2})))$$

$$+\text{Coupling}(\text{lambdaS2Inv2},\{\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$3},\text{T3BSMd2})\},\{\})\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$4},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\}))\text{CG}(\text{T3CrossScalarCGInv2},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\text{Bar}(\text{Index}(\text{d\$\$3},\text{T3BSMd2})),\text{Index}(\text{d\$\$2},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$4},\text{T3BSMd2})))$$

$$+\frac{1}{2}\text{Coupling}(\text{lambdaS2Inv1},\{\},0)\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$3},\text{T3BSMd2})\},\{\})\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$4},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$2},\text{T3BSMd2})\},\{\}))\text{CG}(\text{T3Scalar2SelfCGInv1},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\text{Bar}(\text{Index}(\text{d\$\$3},\text{T3BSMd2})),\text{Index}(\text{d\$\$2},\text{T3BSMd2}),\text{Bar}(\text{Index}(\text{d\$\$4},\text{T3BSMd2})))$$

$$-\text{Coupling}(\text{MF},\{\},0)\text{NCM}(\text{Bar}(\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\})),\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\}))$$

$$+\text{Coupling}(\text{y2},\{\text{Index}(\text{d\$\$1},\text{Flavor}),\text{Index}(\text{d\$\$1},\text{NFlavor})\},0)\text{Bar}(\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{CG}(\text{T3Y2CG},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{T3BSMd2})\})\text{NCM}(\text{Bar}(\text{Field}(l,\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{Flavor})\},\{\})),\text{DiracProduct}(\text{Proj}(1)),\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\}))$$

$$+\text{Coupling}(\text{y1},\{\text{Index}(\text{d\$\$1},\text{Flavor}),\text{Index}(\text{d\$\$1},\text{NFlavor})\},0)\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\})\text{CG}(\text{T3Y1CG},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Bar}(\text{Index}(\text{d\$\$1},\text{T3BSMd2}))\})\text{NCM}(\text{Bar}(\text{Field}(l,\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{Flavor})\},\{\})),\text{DiracProduct}(\text{GammaCC},\text{Proj}(1)),\text{Transp}(\text{Bar}(\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\}))))$$

$$+i\text{NCM}(\text{Bar}(\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\})),\text{DiracProduct}(\text{GammaM}(\text{Index}(\text{d\$\$1},\text{Lorentz}))),\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\text{Index}(\text{d\$\$1},\text{Lorentz})\}))$$

$$+\text{Field}(\text{NewScalar2},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\})\text{Bar}(\text{Coupling}(\text{y2},\{\text{Index}(\text{d\$\$1},\text{Flavor}),\text{Index}(\text{d\$\$1},\text{NFlavor})\},0)\text{CG}(\text{Bar}(\text{T3Y2CG}),\{\text{Bar}(\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))),\text{Bar}(\text{Index}(\text{d\$\$1},\text{T3BSMd2}))\})\text{NCM}(\text{Bar}(\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\})),\text{DiracProduct}(\text{Proj}(-1)),\text{Field}(l,\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{Flavor})\},\{\}))$$

$$+\text{Bar}(\text{Coupling}(\text{y1},\{\text{Index}(\text{d\$\$1},\text{Flavor}),\text{Index}(\text{d\$\$1},\text{NFlavor})\},0)\text{Bar}(\text{Field}(\text{NewScalar1},\text{Scalar},\{\text{Index}(\text{d\$\$1},\text{T3BSMd2})\},\{\}))\text{CG}(\text{Bar}(\text{T3Y1CG}),\{\text{Bar}(\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund}))),\text{Index}(\text{d\$\$1},\text{T3BSMd2})\})\text{NCM}(\text{Transp}(\text{Field}(l,\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{SU2L}(\text{fund})),\text{Index}(\text{d\$\$1},\text{Flavor})\},\{\})),\text{DiracProduct}(\text{GammaCC},\text{Proj}(-1)),\text{Field}(\text{NewFermion},\text{Fermion},\{\text{Index}(\text{d\$\$1},\text{NFlavor})\},\{\}))$$

Interaction inventory

- `Yukawa1_GenericCG`
- `Yukawa2_GenericCG`
- `Scalar1SelfInv1`
- `Scalar2SelfInv1`
- `HiggsPortal1Inv1`
- `HiggsPortal1Inv2`
- `HiggsPortal2Inv1`
- `HiggsPortal2Inv2`
- `ScalarCrossPortalInv1`
- `ScalarCrossPortalInv2`
- `T3ScalarMix_GenericCG`
- `T3ExtraQ_0_2_2_0_0_0_1`

One-loop renormalisable beta functions

$16\pi^2\, dX/d\ln\mu = \beta_X$

g_1

$$16\pi^2 \frac{dg_1}{d\ln\mu} = \frac{25{g_1}^3}{2}$$

g_2

$$16\pi^2 \frac{dg_2}{d\ln\mu} = -\frac{17{g_2}^3}{6}$$

g_3

$$16\pi^2 \frac{dg_3}{d\ln\mu} = -7{g_3}^3$$

Y_u

$$\begin{aligned}
16\pi^2 \frac{dY_u}{d\ln\mu} = {} & 3\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big)\,(Y_u)_{ij} \\
& + \mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big)\,(Y_u)_{ij} \\
& + 3\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)\,(Y_u)_{ij} \\
& - \frac{3}{2}(\Big(Y_d\ (Y_d)^\dagger\ Y_u\Big)_{ij} - \Big(Y_u\ (Y_u)^\dagger\ Y_u\Big)_{ij}) \\
& - \frac{9}{4}{g_2}^2\,(Y_u)_{ij} \\
& - 8{g_3}^2\,(Y_u)_{ij} \\
& - \frac{17}{12}{g_1}^2\,(Y_u)_{ij}
\end{aligned}$$

Y_d

$$\begin{aligned}
16\pi^2 \frac{dY_d}{d\ln\mu} = {} & \mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big)\,(Y_d)_{ij} \\
& + 3\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)\,(Y_d)_{ij} \\
& + 3\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big)\,(Y_d)_{ij} \\
& + \frac{3}{2}(\Big(Y_d\ (Y_d)^\dagger\ Y_d\Big)_{ij} - \Big(Y_u\ (Y_u)^\dagger\ Y_d\Big)_{ij}) \\
& - \frac{9}{4}{g_2}^2\,(Y_d)_{ij} \\
& - 8{g_3}^2\,(Y_d)_{ij} \\
& - \frac{5}{12}{g_1}^2\,(Y_d)_{ij}
\end{aligned}$$

Y_e

$$\begin{aligned}16\pi^2 \frac{dY_e}{d\ln\mu} &= 3\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big)\,(Y_e)_{ij} \\ &+ 3\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)\,(Y_e)_{ij} \\ &+ \mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big)\,(Y_e)_{ij} \\ &+ \frac{1}{2}(\Big(y_1\ (y_1)^\dagger\ Y_e\Big)_{ij} + \Big(y_2\ (y_2)^\dagger\ Y_e\Big)_{ij} + 3\,\Big(Y_e\ (Y_e)^\dagger\ Y_e\Big)_{ij}) \\ &- \frac{9}{4}{g_2}^2\,(Y_e)_{ij} \\ &- \frac{15}{4}{g_1}^2\,(Y_e)_{ij}\end{aligned}$$

y_1

$$\begin{aligned}16\pi^2 \frac{dy_1}{d\ln\mu} &= T_\nu^{(1)}\,(y_1)_{ij} \\ &+ \frac{1}{2}(\Big(y_2\ (y_2)^\dagger\ y_1\Big)_{ij} + \Big(Y_e\ (Y_e)^\dagger\ y_1\Big)_{ij} + 3\,\Big(y_1\ (y_1)^\dagger\ y_1\Big)_{ij}) \\ &- \frac{9}{4}{g_2}^2\,(y_1)_{ij} \\ &- \frac{15}{4}{g_1}^2\,(y_1)_{ij}\end{aligned}$$

y_2

$$\begin{aligned}16\pi^2 \frac{dy_2}{d\ln\mu} &= T_\nu^{(2)}\,(y_2)_{ij} \\ &+ \frac{1}{2}(\Big(y_1\ (y_1)^\dagger\ y_2\Big)_{ij} + \Big(Y_e\ (Y_e)^\dagger\ y_2\Big)_{ij} + 3\,\Big(y_2\ (y_2)^\dagger\ y_2\Big)_{ij}) \\ &- \frac{9}{4}{g_2}^2\,(y_2)_{ij} \\ &- \frac{15}{4}{g_1}^2\,(y_2)_{ij}\end{aligned}$$

M_F

$$\begin{aligned}16\pi^2 \frac{dM_F}{d\ln\mu} &= \Big((y_1)^T\ (y_1)^*\ M_F\Big)_{ij} \\ &+ \Big(M_F\ (y_2)^\dagger\ y_2\Big)_{ij} \\ &- 6{g_1}^2\,(M_F)_{ij}\end{aligned}$$

m_1^2

$$\begin{aligned}16\pi^2 \frac{dm_1^2}{d\ln\mu} &= m_1^2(2T_\nu^{(1)} + 6\lambda_{S_1}^{(1)}) \\ &- 4\,\mathrm{Tr}\Big(M_F\ (M_F)^\dagger\ (y_1)^T\ (y_1)^*\Big) \\ &- \frac{9{g_2}^2 m_1^2}{2}\end{aligned}$$

$$
\begin{aligned}
&- \frac{3{g_1}^2 m_1^2}{2} \\
&+ 4\lambda_{12}^{(1)} m_2^2
\end{aligned}
$$

m_2^2

$$
\begin{aligned}
16\pi^2 \frac{dm_2^2}{d\ln\mu} = {} & m_2^2(2T_\nu^{(2)} + 6\lambda_{S_2}^{(1)}) \\
& - 4\,\mathrm{Tr}\Big(M_F\ (y_2)^\dagger\ y_2\ (M_F)^\dagger\Big) \\
& - \frac{9{g_2}^2 m_2^2}{2} \\
& - \frac{27{g_1}^2 m_2^2}{2} \\
& + 4\lambda_{12}^{(1)} m_1^2
\end{aligned}
$$

λ_1

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_1}{d\ln\mu} = {} & \lambda_1(12\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big) + 4\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big) + 12\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)) \\
& - 12\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\ Y_d\ (Y_d)^\dagger\Big) \\
& - 4\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\ Y_e\ (Y_e)^\dagger\Big) \\
& - 12\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\ Y_u\ (Y_u)^\dagger\Big) \\
& + 4\lambda_5\,(\lambda_5)^* \\
& + 8\mathrm{lambdaT3GeneralQ022000I1}\,(\mathrm{lambdaT3GeneralQ022000I1})^* \\
& + \frac{9{g_2}^4}{4} \\
& + {g_1}^2\left(\frac{3{g_2}^2}{2} - 3\lambda_1\right) \\
& - 9{g_2}^2\lambda_1 \\
& + \frac{3{g_1}^4}{4} \\
& + 12{\lambda_1}^2 \\
& + 4{\lambda_{HS_1}^{(1)}}^2 \\
& + \frac{{\lambda_{HS_1}^{(A)}}^2}{4} \\
& + 4{\lambda_{HS_2}^{(1)}}^2 \\
& + \frac{{\lambda_{HS_2}^{(A)}}^2}{4}
\end{aligned}
$$

$\lambda_{S_1}^{(1)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{S_1}^{(1)}}{d\ln\mu} = {} & 4\lambda_{S_1}^{(1)} T_\nu^{(1)} \\
& - 4\,\mathrm{Tr}\Big(y_1\ (y_1)^\dagger\ y_1\ (y_1)^\dagger\Big) \\
& + 8\mathrm{lambdaT3GeneralQ022000I1}\,(\mathrm{lambdaT3GeneralQ022000I1})^*
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{9{g_2}^4}{4} \\
&+ {g_1}^2 \left(\frac{3{g_2}^2}{2} - 3\lambda_{S_1}^{(1)} \right) \\
&- 9{g_2}^2 \lambda_{S_1}^{(1)} \\
&+ \frac{3{g_1}^4}{4} \\
&+ 4{\lambda_{12}^{(1)}}^2 \\
&+ \frac{{\lambda_{12}^{(A)}}^2}{4} \\
&+ 4{\lambda_{HS_1}^{(1)}}^2 \\
&+ \frac{{\lambda_{HS_1}^{(A)}}^2}{4} \\
&+ 12{\lambda_{S_1}^{(1)}}^2
\end{aligned}
$$

$\lambda_{S_2}^{(1)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{S_2}^{(1)}}{d\ln\mu} = {} & 4\lambda_{S_2}^{(1)} T_\nu^{(2)} \\
& - 4\,\mathrm{Tr}\Big(y_2\ (y_2)^\dagger\ y_2\ (y_2)^\dagger \Big) \\
& + \frac{9{g_2}^4}{4} \\
& + {g_1}^2 \left(\frac{27{g_2}^2}{2} - 27\lambda_{S_2}^{(1)} \right) \\
& - 9{g_2}^2 \lambda_{S_2}^{(1)} \\
& + \frac{243{g_1}^4}{4} \\
& + 4{\lambda_{12}^{(1)}}^2 \\
& + \frac{{\lambda_{12}^{(A)}}^2}{4} \\
& + 4{\lambda_{HS_2}^{(1)}}^2 \\
& + \frac{{\lambda_{HS_2}^{(A)}}^2}{4} \\
& + 12{\lambda_{S_2}^{(1)}}^2
\end{aligned}
$$

$\lambda_{HS_1}^{(1)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{HS_1}^{(1)}}{d\ln\mu} = {} & \lambda_{HS_1}^{(1)} (2T_\nu^{(1)} + 6\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger \Big) + 2\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger \Big) + 6\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger \Big)) \\
& - 2\,\mathrm{Tr}\Big(y_1\ (y_1)^\dagger\ Y_e\ (Y_e)^\dagger \Big) \\
& + 6\lambda_5\ (\lambda_5)^* \\
& + 24\mathrm{lambdaT3GeneralQ022000I1}\ (\mathrm{lambdaT3GeneralQ022000I1})^* \\
& + \frac{9{g_2}^4}{4} \\
& - 9{g_2}^2 \lambda_{HS_1}^{(1)}
\end{aligned}
$$

$$
\begin{aligned}
&+ \frac{3{g_1}^4}{4} \\
&- 3{g_1}^2\lambda_{HS_1}^{(1)} \\
&+ 4\lambda_{12}^{(1)}\lambda_{HS_2}^{(1)} \\
&+ 6\lambda_1\lambda_{HS_1}^{(1)} \\
&+ 4{\lambda_{HS_1}^{(1)}}^2 \\
&+ 6\lambda_{HS_1}^{(1)}\lambda_{S_1}^{(1)} \\
&+ \frac{3{\lambda_{HS_1}^{(A)}}^2}{4}
\end{aligned}
$$

$\lambda_{HS_2}^{(1)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{HS_2}^{(1)}}{d\ln\mu} = {} & \lambda_{HS_2}^{(1)}(2T_\nu^{(2)} + 6\,\mathrm{Tr}\Big(Y_d\ {(Y_d)}^\dagger\Big) + 2\,\mathrm{Tr}\Big(Y_e\ {(Y_e)}^\dagger\Big) + 6\,\mathrm{Tr}\Big(Y_u\ {(Y_u)}^\dagger\Big)) \\
& - 2\,\mathrm{Tr}\Big(y_2\ {(y_2)}^\dagger\ Y_e\ {(Y_e)}^\dagger\Big) \\
& + 6\lambda_5\,{(\lambda_5)}^* \\
& + \frac{9{g_2}^4}{4} \\
& - 9{g_2}^2\lambda_{HS_2}^{(1)} \\
& + \frac{27{g_1}^4}{4} \\
& - 15{g_1}^2\lambda_{HS_2}^{(1)} \\
& + 4\lambda_{12}^{(1)}\lambda_{HS_1}^{(1)} \\
& + 6\lambda_1\lambda_{HS_2}^{(1)} \\
& + 4{\lambda_{HS_2}^{(1)}}^2 \\
& + 6\lambda_{HS_2}^{(1)}\lambda_{S_2}^{(1)} \\
& + \frac{3{\lambda_{HS_2}^{(A)}}^2}{4}
\end{aligned}
$$

$\lambda_{12}^{(1)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{12}^{(1)}}{d\ln\mu} = {} & \lambda_{12}^{(1)}(2T_\nu^{(1)} + 2T_\nu^{(2)}) \\
& - 2\,\mathrm{Tr}\Big(y_1\ {(y_1)}^\dagger\ y_2\ {(y_2)}^\dagger\Big) \\
& + 3\lambda_5\,{(\lambda_5)}^* \\
& + \frac{9{g_2}^4}{4} \\
& - 9{g_2}^2\lambda_{12}^{(1)} \\
& + \frac{27{g_1}^4}{4} \\
& - 15{g_1}^2\lambda_{12}^{(1)} \\
& + 4{\lambda_{12}^{(1)}}^2 \\
& + 6\lambda_{12}^{(1)}\lambda_{S_1}^{(1)}
\end{aligned}
$$

$$
\begin{aligned}
&+ 6\lambda_{12}^{(1)}\lambda_{S_2}^{(1)} \\
&+ \frac{3{\lambda_{12}^{(A)}}^2}{4} \\
&+ 4\lambda_{HS_1}^{(1)}\lambda_{HS_2}^{(1)}
\end{aligned}
$$

λ_5

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_5}{d\ln\mu} = \lambda_5 \Bigg(& T_\nu^{(1)} + T_\nu^{(2)} + 6\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big) + 2\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big) + 6\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big) + \frac{\lambda_{12}^{(A)}}{6} + \frac{2\lambda_{HS_1}^{(A)}}{3} + 2\lambda_{HS_2}^{(A)} \Bigg) \\
& - 9{g_2}^2\lambda_5 \\
& - 9{g_1}^2\lambda_5 \\
& + 2\lambda_{12}^{(1)}\lambda_5 \\
& + 2\lambda_1\lambda_5 \\
& + 4\lambda_{HS_1}^{(1)}\lambda_5 \\
& + 4\lambda_{HS_2}^{(1)}\lambda_5
\end{aligned}
$$

$\lambda_{HS_1}^{(A)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{HS_1}^{(A)}}{d\ln\mu} = & \lambda_{HS_1}^{(A)}(2T_\nu^{(1)} + 6\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big) + 2\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big) + 6\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)) \\
& + \frac{8}{3}\,\mathrm{Tr}\Big(y_1\ (y_1)^\dagger\ Y_e\ (Y_e)^\dagger\Big) \\
& + \frac{16}{3}\lambda_5\,(\lambda_5)^* \\
& + 64\mathrm{lambdaT3GeneralQ022000I1}\,(\mathrm{lambdaT3GeneralQ022000I1})^* \\
& + {g_1}^2\left(6{g_2}^2 - 3\lambda_{HS_1}^{(A)}\right) \\
& - 9{g_2}^2\lambda_{HS_1}^{(A)} \\
& + \lambda_{12}^{(A)}\lambda_{HS_2}^{(A)} \\
& + 2\lambda_1\lambda_{HS_1}^{(A)} \\
& + 8\lambda_{HS_1}^{(1)}\lambda_{HS_1}^{(A)} \\
& + 2\lambda_{HS_1}^{(A)}\lambda_{S_1}^{(1)}
\end{aligned}
$$

$\lambda_{HS_2}^{(A)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{HS_2}^{(A)}}{d\ln\mu} = & \lambda_{HS_2}^{(A)}(2T_\nu^{(2)} + 6\,\mathrm{Tr}\Big(Y_d\ (Y_d)^\dagger\Big) + 2\,\mathrm{Tr}\Big(Y_e\ (Y_e)^\dagger\Big) + 6\,\mathrm{Tr}\Big(Y_u\ (Y_u)^\dagger\Big)) \\
& + 8\,\mathrm{Tr}\Big(y_2\ (y_2)^\dagger\ Y_e\ (Y_e)^\dagger\Big) \\
& + 16\lambda_5\,(\lambda_5)^* \\
& + {g_1}^2\left(18{g_2}^2 - 15\lambda_{HS_2}^{(A)}\right) \\
& - 9{g_2}^2\lambda_{HS_2}^{(A)} \\
& + \lambda_{12}^{(A)}\lambda_{HS_1}^{(A)} \\
& + 2\lambda_1\lambda_{HS_2}^{(A)}
\end{aligned}
$$

$$
\begin{aligned}
&+ 8\lambda_{HS_2}^{(1)}\lambda_{HS_2}^{(A)} \\
&+ 2\lambda_{HS_2}^{(A)}\lambda_{S_2}^{(1)}
\end{aligned}
$$

$\lambda_{12}^{(A)}$

$$
\begin{aligned}
16\pi^2 \frac{d\lambda_{12}^{(A)}}{d\ln\mu} = {} & \lambda_{12}^{(A)}(2T_\nu^{(1)} + 2T_\nu^{(2)}) \\
& - \frac{8}{3}\operatorname{Tr}\Big(y_1\ (y_1)^\dagger\ y_2\ (y_2)^\dagger\Big) \\
& + \frac{4}{3}\lambda_5\,(\lambda_5)^* \\
& + {g_1}^2\left(18{g_2}^2 - 15\lambda_{12}^{(A)}\right) \\
& - 9{g_2}^2\lambda_{12}^{(A)} \\
& + 8\lambda_{12}^{(1)}\lambda_{12}^{(A)} \\
& + 2\lambda_{12}^{(A)}\lambda_{S_1}^{(1)} \\
& + 2\lambda_{12}^{(A)}\lambda_{S_2}^{(1)} \\
& + \lambda_{HS_1}^{(A)}\lambda_{HS_2}^{(A)}
\end{aligned}
$$

$lambdaT3GeneralQ022000I1$

$$
\begin{aligned}
16\pi^2 \frac{dlambdaT3GeneralQ022000I1}{d\ln\mu} = {} & \text{lambdaT3GeneralQ022000I1}(2T_\nu^{(1)} + 6\operatorname{Tr}\Big(Y_d\ (Y_d)^\dagger\Big) + 2\operatorname{Tr}\Big(Y_e\ (Y_e)^\dagger\Big) + 6\operatorname{Tr}\Big(Y_u\ (Y_u \\
& - 9{g_2}^2\text{lambdaT3GeneralQ022000I1} \\
& - 3{g_1}^2\text{lambdaT3GeneralQ022000I1} \\
& + 2\lambda_1\text{lambdaT3GeneralQ022000I1} \\
& + 8\lambda_{HS_1}^{(1)}\text{lambdaT3GeneralQ022000I1} \\
& + 4\lambda_{HS_1}^{(A)}\text{lambdaT3GeneralQ022000I1} \\
& + 2\lambda_{S_1}^{(1)}\text{lambdaT3GeneralQ022000I1}
\end{aligned}
$$