

T3 group factors: UV

Active theory: SM + $S_1 + S_2 + F$. The same beta function is shown across runs in a single comparison table, with exact analytic group factors in the run columns.

$$j = \frac{d-1}{2}, \quad C_2(d) = \frac{d^2-1}{4}, \quad T(d) = \frac{d(d^2-1)}{12}.$$

In every comparison table, $\mathcal{S}$ denotes the RGE structure multiplying the displayed group factor in $16\pi^2\beta$.

Notation key

symbol	interaction / definition
g_1	$D_\mu \supset ig_1 Y B_\mu$
g_2	$D_\mu \supset ig_2 T^A W_\mu^A$
g_3	$D_\mu \supset ig_3 t^A G_\mu^A$
Y_u	$-\bar{Q}Y_u\tilde{H}u + \text{h.c.}$
Y_d	$-\bar{Q}Y_dHd + \text{h.c.}$
Y_e	$-\bar{L}Y_eHe + \text{h.c.}$
y_1	$LF S_1 + \text{h.c.}$
y_2	$LF S_2 + \text{h.c.}$
M_F	$-\bar{F}M_F F$
T	$\text{Tr}(Y_e^\dagger Y_e + 3Y_u^\dagger Y_u + 3Y_d^\dagger Y_d)$
$T_\nu^{(1)}$	$\text{Tr}(y_1^\dagger y_1)$
$T_\nu^{(2)}$	$\text{Tr}(y_2^\dagger y_2)$
T_ν	$T_\nu^{(1)} + T_\nu^{(2)}$
m_1^2	$m_1^2 S_1^\dagger S_1$
m_2^2	$m_2^2 S_2^\dagger S_2$
λ_1	$\frac{1}{2}\lambda_1(H^\dagger H)^2$
$\lambda_{S_1}^{(1)}$	$\frac{1}{2}\lambda_{S_1}^{(1)}(S_1^\dagger S_1)^2$
$\lambda_{S_2}^{(1)}$	$\frac{1}{2}\lambda_{S_2}^{(1)}(S_2^\dagger S_2)^2$
$\lambda_{HS_1}^{(1)}$	$\lambda_{HS_1}^{(1)}(H^\dagger H)(S_1^\dagger S_1)$
$\lambda_{HS_2}^{(1)}$	$\lambda_{HS_2}^{(1)}(H^\dagger H)(S_2^\dagger S_2)$
$\lambda_{HS_1}^{(A)}$	$\lambda_{HS_1}^{(A)}(H^\dagger T^A H)(S_1^\dagger T^A S_1)$
$\lambda_{HS_2}^{(A)}$	$\lambda_{HS_2}^{(A)}(H^\dagger T^A H)(S_2^\dagger T^A S_2)$
λ_5	$\lambda_5 H H S_1 S_2^\dagger + \text{h.c.}$
$\lambda_{12}^{(1)}$	$\lambda_{12}^{(1)}(S_1^\dagger S_1)(S_2^\dagger S_2)$
$\lambda_{12}^{(A)}$	$\lambda_{12}^{(A)}(S_1^\dagger T^A S_1)(S_2^\dagger T^A S_2)$
$\lambda_{12}^{(\times)}$	crossed independent S_1 – S_2 contraction
$\lambda_{S_1}^{(A)}$	additional independent S_1 self-contraction
$\lambda_{S_2}^{(A)}$	additional independent S_2 self-contraction
α	$Y_{S_1} = \alpha/2, Y_F = (\alpha+1)/2, Y_{S_2} = (\alpha+2)/2$
$C_2(d)$	$(d^2-1)/4$
$T(d)$	$d(d^2-1)/12$
$C_{LLS_1S_2}^{ij:AB}$	$L_i L_j S_1^A S_2^B$
C_{ijab}	$L_i L_j \phi_a \phi_b$
C_5^{ij}	$(L_i^T C L_j) H H$
R_W	$16\pi^2\beta_{C_5} \supset R_W \lambda_5 C_{LLS_1S_2}$

Field representations

run	S_1	S_2	F	α
T3 – B	$(2, -\frac{1}{2})$	$(2, \frac{1}{2})$	$(1, 0)$	-1

T3 – C	$(2, -\frac{1}{2})$	$(2, \frac{1}{2})$	$(3, 0)$	-1
T3 – A	$(1, 0)$	$(3, 1)$	$(2, \frac{1}{2})$	0
T3 – D	$(3, -1)$	$(1, 0)$	$(2, -\frac{1}{2})$	-2
T3 – E	$(3, 0)$	$(3, 1)$	$(2, \frac{1}{2})$	0

Gauge and Yukawa beta functions

$\beta_{g_1}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
g_1^3	$\frac{43}{6}$	$\frac{43}{6}$	$\frac{59}{6}$	$\frac{59}{6}$	$\frac{59}{6}$

$\beta_{g_2}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
g_2^3	$-\frac{17}{6}$	$\frac{7}{6}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$\frac{1}{6}$

$\beta_{g_3}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
g_3^3	-7	-7	-7	-7	-7

$\beta_{Y_u}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
$(Y_d(Y_d)^\dagger Y_u)_{ij}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$
$(Y_u(Y_u)^\dagger Y_u)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$g_2^2(Y_u)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_3^2(Y_u)_{ij}$	-8	-8	-8	-8	-8
$g_1^2(Y_u)_{ij}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$
$T(Y_u)_{ij}$	1	1	1	1	1

$\beta_{Y_d}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
$(Y_d(Y_d)^\dagger Y_d)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$(Y_u(Y_u)^\dagger Y_d)_{ij}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$
$g_2^2(Y_d)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_3^2(Y_d)_{ij}$	-8	-8	-8	-8	-8
$g_1^2(Y_d)_{ij}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$
$T(Y_d)_{ij}$	1	1	1	1	1

$\beta_{Y_e}^{(1)}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = -3$)
---------------	--------------------------	--------------------------	-------------------------	--------------------------	--------------------------

$(y_1(y_1)^\dagger Y_e)_{ij}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$
$(y_2(y_2)^\dagger Y_e)_{ij}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$
$(Y_e(Y_e)^\dagger Y_e)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$g_2^2(Y_e)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_1^2(Y_e)_{ij}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$
$T(Y_e)_{ij}$	1	1	1	1	1

$\beta_{y_1}^{(1)}$

S	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\text{Tr}(y_1(y_2)^\dagger)(y_2)_{ij}$	1	$\frac{3}{2}$	0	0	0
$T_\nu^{(1)}(y_1)_{ij}$	1	$\frac{3}{2}$	2	1	1
$(y_1(y_2)^\dagger y_2)_{ij}$	1	$\frac{1}{2}$	0	0	0
$(y_2(y_2)^\dagger y_1)_{ij}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$
$(Y_e(Y_e)^\dagger y_1)_{ij}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
$(y_1(y_1)^\dagger y_1)_{ij}$	$\frac{3}{2}$	$\frac{5}{4}$	1	$\frac{3}{2}$	$\frac{3}{2}$
$g_2^2(y_1)_{ij}$	$-\frac{9}{4}$	$-\frac{33}{4}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_1^2(y_1)_{ij}$	$-\frac{3}{4}$	$-\frac{3}{4}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$

$\beta_{y_2}^{(1)}$

S	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\text{Tr}(y_2(y_1)^\dagger)(y_1)_{ij}$	1	$\frac{3}{2}$	0	0	0
$T_\nu^{(2)}(y_2)_{ij}$	1	$\frac{3}{2}$	1	2	1
$(y_1(y_1)^\dagger y_2)_{ij}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$
$(y_2(y_1)^\dagger y_1)_{ij}$	1	$\frac{1}{2}$	0	0	0
$(Y_e(Y_e)^\dagger y_2)_{ij}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$
$(y_2(y_2)^\dagger y_2)_{ij}$	$\frac{3}{2}$	$\frac{5}{4}$	$\frac{3}{2}$	1	$\frac{3}{2}$
$g_2^2(y_2)_{ij}$	$-\frac{9}{4}$	$-\frac{33}{4}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_1^2(y_2)_{ij}$	$-\frac{3}{4}$	$-\frac{3}{4}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$

β_{M_F}

S	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$(y_1^T y_1^*) M_F$	1	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{3}{4}$
$M_F(y_2^\dagger y_2)$	1	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$
$g_2^2 M_F$	0	-12	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_1^2 M_F$	0	0	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$

$\beta_{m_1^2}$

S	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$m_1^2 T_\nu^{(1)}$	2	3	4	2	2
$M_F^\dagger M_F T_\nu^{(1)}$	-16	-24	-8	-4	-4
$\lambda_{S_1}^{(1)} m_1^2$	6	6	4	8	8
$g_2^2 m_1^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	0	-12	-12
$g_1^2 m_1^2$	$-\frac{3}{2}$	$-\frac{3}{2}$	0	-6	0
$\lambda_{12}^{(1)} m_2^2$	4	4	6	2	6
$\lambda_{S_1}^{(A)} m_1^2$	0	0	0	4	4

$\lambda_{12}^{(\times)} m_2^2$	0	0	0	0	4
---------------------------------	---	---	---	---	---

$\beta_{m_2^2}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$m_2^2 T_\nu^{(2)}$	2	3	2	4	2
$M_F^\dagger M_F T_\nu^{(2)}$	-16	-24	-4	-8	-4
$\lambda_{S_2}^{(1)} m_2^2$	6	6	8	4	8
$g_2^2 m_2^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	-12	0	-12
$g_1^2 m_2^2$	$-\frac{3}{2}$	$-\frac{3}{2}$	-6	0	-6
$\lambda_{12}^{(1)} m_1^2$	4	4	2	6	6
$\lambda_{S_2}^{(A)} m_2^2$	0	0	4	0	4
$\lambda_{12}^{(\times)} m_1^2$	0	0	0	0	4

$\beta_{\lambda_{HS_1}^{(1)}}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\lambda_{HS_1}^{(1)} T_\nu^{(1)}$	2	3	4	2	2
$\text{Tr}(y_1^\dagger y_1 Y_e^\dagger Y_e)$	-2	-3	-4	-2	-2
$ \lambda_5 ^2$	6	6	12	4	4
$g_2^2 \lambda_{HS_1}^{(1)}$	-9	-9	$-\frac{9}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_1^2 \lambda_{HS_1}^{(1)}$	-3	-3	$-\frac{3}{2}$	$-\frac{15}{2}$	$-\frac{3}{2}$
$\lambda_1 \lambda_{HS_1}^{(1)}$	6	6	6	6	6
$\left(\lambda_{HS_1}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{HS_1}^{(1)} \lambda_{S_1}^{(1)}$	6	6	4	8	8
$\lambda_{12}^{(1)} \lambda_{HS_2}^{(1)}$	4	4	6	2	6
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	0	6	6
g_1^4	$\frac{3}{4}$	$\frac{3}{4}$	0	3	0
$\left(\lambda_{HS_1}^{(A)}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	0	2	2
$\lambda_{HS_1}^{(1)} T$	2	2	2	2	2
$\lambda_{HS_1}^{(1)} \lambda_{S_1}^{(A)}$	0	0	0	4	4
$\lambda_{HS_2}^{(1)} \lambda_{12}^{(\times)}$	0	0	0	0	4

$\beta_{\lambda_{HS_2}^{(1)}}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\lambda_{HS_2}^{(1)} T_\nu^{(2)}$	2	3	2	4	2
$\text{Tr}(y_2^\dagger y_2 Y_e^\dagger Y_e)$	-2	-3	-2	-4	-2
$ \lambda_5 ^2$	6	6	4	12	4
$g_2^2 \lambda_{HS_2}^{(1)}$	-9	-9	$-\frac{33}{2}$	$-\frac{9}{2}$	$-\frac{33}{2}$
$g_1^2 \lambda_{HS_2}^{(1)}$	-3	-3	$-\frac{15}{2}$	$-\frac{3}{2}$	$-\frac{15}{2}$
$\lambda_1 \lambda_{HS_2}^{(1)}$	6	6	6	6	6
$\left(\lambda_{HS_2}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{HS_2}^{(1)} \lambda_{S_2}^{(1)}$	6	6	8	4	8
$\lambda_{12}^{(1)} \lambda_{HS_1}^{(1)}$	4	4	2	6	6
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	6	0	6
g_1^4	$\frac{3}{4}$	$\frac{3}{4}$	3	0	3
$\left(\lambda_{HS_2}^{(A)}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	2	0	2

$\lambda_{HS_2}^{(1)} T$	2	2	2	2	2
$\lambda_{HS_2}^{(1)} \lambda_{S_2}^{(A)}$	0	0	4	0	4
$\lambda_{HS_1}^{(1)} \lambda_{12}^{(\times)}$	0	0	0	0	4

$\beta_{\lambda_{12}^{(1)}}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\text{Tr}(y_1^\dagger y_1 y_2^\dagger y_2)$	-2	$-\frac{9}{2}$	-4	-4	-2
$ \lambda_5 ^2$	3	3	4	4	$\frac{4}{3}$
$g_2^2 \lambda_{12}^{(1)}$	-9	-9	-12	-12	-24
$g_1^2 \lambda_{12}^{(1)}$	-3	-3	-6	-6	-6
$\left(\lambda_{12}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{12}^{(1)} \lambda_{S_1}^{(1)}$	6	6	4	8	8
$\lambda_{12}^{(1)} \lambda_{S_2}^{(1)}$	6	6	8	4	8
$\lambda_{HS_1}^{(1)} \lambda_{HS_2}^{(1)}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	0	0	12
g_1^4	$\frac{3}{4}$	$\frac{3}{4}$	0	0	0
$\left(\lambda_{12}^{(A)}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	0	0	4
$\lambda_{12}^{(1)} T_\nu$	2	3	0	0	2
$\lambda_{12}^{(1)} T_\nu^{(1)}$	0	0	4	2	0
$\lambda_{12}^{(1)} T_\nu^{(2)}$	0	0	2	4	0
$\lambda_{12}^{(1)} \lambda_{S_2}^{(A)}$	0	0	4	0	4
$\lambda_{12}^{(1)} \lambda_{S_{12}}^{(\tilde{A})}$	0	0	0	4	4
$\left(\lambda_{12}^{(\times)}\right)^2$	0	0	0	0	4
$\lambda_{12}^{(\times)} \lambda_{S_1}^{(A)}$	0	0	0	0	4
$\lambda_{12}^{(\times)} \lambda_{S_2}^{(A)}$	0	0	0	0	4

β_{λ_5}

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$\lambda_5 \lambda_1$	2	2	2	2	2
$\lambda_5 \lambda_{HS_1}^{(1)}$	4	4	4	4	4
$\lambda_5 \lambda_{HS_2}^{(1)}$	4	4	4	4	4
$\lambda_5 \lambda_{12}^{(1)}$	2	2	2	2	2
$g_2^2 \lambda_5$	-9	-9	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{33}{2}$
$g_1^2 \lambda_5$	-3	-3	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$\lambda_5 \lambda_{HS_1}^{(A)}$	-2	-2	0	-4	-2
$\lambda_5 \lambda_{HS_2}^{(A)}$	2	2	4	0	2
$\lambda_5 \lambda_{12}^{(A)}$	$-\frac{1}{2}$	$-\frac{1}{2}$	0	0	2
$\lambda_5 T$	2	2	2	2	2
$\lambda_5 T_\nu$	1	$\frac{3}{2}$	0	0	1
$\lambda_5 T_\nu^{(1)}$	0	0	2	1	0
$\lambda_5 T_\nu^{(2)}$	0	0	1	2	0
$\lambda_5 \lambda_{12}^{(\times)}$	0	0	0	0	-2

Additional scalar-coupling beta functions

$\beta_{\lambda_{HS_1}^{(A)}}$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$g_1^2 g_2^2$	-6	-6	0	-12	0

$$\beta_{\lambda_{HS_2}^{(A)}}$$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$g_1^2 g_2^2$	6	6	12	0	12

$$\beta_{\lambda_{12}^{(A)}}$$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
$g_1^2 g_2^2$	-6	-6	0	0	0

$$\beta_{\lambda_{12}^{(\times)}}$$

$\mathcal{S}$	T3 – B ($\alpha = -1$)	T3 – C ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – D ($\alpha = -2$)	T3 – E ($\alpha = 0$)
g_2^4	0	0	0	0	6
$\left(\lambda_{12}^{(A)}\right)^2$	0	0	0	0	2
$\lambda_{12}^{(1)} \lambda_{12}^{(\times)}$	0	0	0	0	8
$\left(\lambda_{12}^{(\times)}\right)^2$	0	0	0	0	10
$\lambda_{12}^{(\times)} \lambda_{S_1}^{(A)}$	0	0	0	0	-2
$\lambda_{12}^{(\times)} \lambda_{S_2}^{(A)}$	0	0	0	0	-2

First threshold

The first EFT GroupFactors report below is selected from the actual threshold plan stored in the run. No assumption is made here about whether F , S_1 , S_2 , or a degenerate set is integrated out first.