

T3 matched EFT Lagrangian terms: EFT_2_after_S1_S2

EFT order: 5; loop order: 1. Rows are model configurations and columns are field configurations. This stage integrates out S1, S2. Remaining active T3 fields: none.

Field combinations 1 of 2

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	H	ℓ	e	F	H	ℓ
T3-A	0	1	0	3	1	2	$\frac{1}{2}$	$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$		
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$		
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{3}{8}\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
cont.										$+\frac{h\bar{y}_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
cont.										$+\frac{3}{8}h\bar{y}_{1,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{\sqrt{3}h\bar{y}_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{3}{8}\sqrt{3}h\bar{y}_{2,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			
T3-B	0	2	0	2	1	1	$\frac{1}{2}$	$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$		
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$		
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{3}{8}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
cont.										$+\frac{h\bar{y}_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
cont.										$+\frac{3}{8}h\bar{y}_{1,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{h\bar{y}_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{3}{8}h\bar{y}_{2,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			
T3-C	0	2	0	2	1	3	$\frac{1}{2}$	$-\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$-\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$		
								$-\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$		$-\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$		
								$-\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
								$-\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{3}{8}\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$				
cont.										$+\frac{\sqrt{3}h\bar{y}_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
cont.										$+\frac{3}{8}\sqrt{3}h\bar{y}_{1,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{\sqrt{3}h\bar{y}_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			
										$+\frac{3}{8}\sqrt{3}h\bar{y}_{2,i_1,r_1} \bar{Y}_{e,i_3,i_2} \bar{e}_{i_2} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}{}^\dagger$			

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	$H \ell$	$H \ell$	$F H \ell$
T3-D	0	3	0	1	1	2	$\frac{1}{2}$	$+ \frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$ $+ \frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$ $+ \frac{2h\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{\sqrt{3}\epsilon M_F}$	$\frac{\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{3\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{8} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{3}{8} \frac{h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{2h\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{\sqrt{3}M_F}$	$+ \frac{2h \log\left(\frac{\bar{\mu}^2}{M_F^2}\right)}{\sqrt{3}M_F} \frac{\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$ $+ \frac{2h \log\left(\frac{\bar{\mu}^2}{M_F^2}\right)}{\sqrt{3}M_F} \frac{\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{\sqrt{3}M_F}$
cont.								$+ \frac{2h\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{\sqrt{3}M_F}$	$+ \frac{\sqrt{3}h\bar{y}_{1,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1} {}^\dagger$ $+ \frac{3}{8} \frac{\sqrt{3}h\bar{y}_{1,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1} {}^\dagger$ $+ \frac{h\bar{y}_{2,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1} {}^\dagger$	
cont.								$+ \frac{3}{8} \frac{h\bar{y}_{2,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1} {}^\dagger$		
T3-E	0	3	0	3	1	2	$\frac{1}{2}$	$- \frac{2\sqrt{\frac{8}{3}}h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\epsilon M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$ $- \frac{2\sqrt{\frac{8}{3}}h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$ $- \frac{2\sqrt{\frac{2}{3}}h\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{\epsilon M_F}$	$\frac{\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{3}{8} \frac{\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$ $+ \frac{3}{8} \frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$ $- \frac{2\sqrt{\frac{8}{3}}h \log\left(\frac{\bar{\mu}^2}{M_F^2}\right)}{M_F} \frac{\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$- \frac{2\sqrt{\frac{8}{3}}h \log\left(\frac{\bar{\mu}^2}{M_F^2}\right)}{M_F} \frac{\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{M_F}$
cont.								$- \frac{2\sqrt{\frac{2}{3}}h\lambda_{T3} L_{a_3,i_1} C P_R \bar{L}_{a_4,i_2} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1} {}^\dagger H_{a_2} {}^\dagger}{M_F}$	$+ \frac{\sqrt{3}h\bar{y}_{1,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1} {}^\dagger$ $+ \frac{3}{8} \frac{\sqrt{3}h\bar{y}_{1,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1} {}^\dagger$ $+ \frac{\sqrt{3}h\bar{y}_{2,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1} {}^\dagger$	
cont.								$+ \frac{3}{8} \frac{\sqrt{3}h\bar{y}_{2,i_1,r_1}\bar{Y}_{e,i_3,i_2}\bar{e}_{i_2}}{4\epsilon} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1} {}^\dagger$		

Field combinations 2 of 2

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	F	H	ℓ	e
T3-A	0	1	0	3	1	2	$\frac{1}{2}$	$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-B	0	2	0	2	1	1	$\frac{1}{2}$	$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-C	0	2	0	2	1	3	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-D	0	3	0	1	1	2	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-E	0	3	0	3	1	2	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											