

T3 group factors: EFT1 after integrating out F

Active theory: $\text{SM} + S_1 + S_2 + C_{LLS_1S_2}$. The fermion F is absent, so y_1 , y_2 and M_F are not running EFT couplings.

$$j = \frac{d-1}{2}, \quad C_2(d) = \frac{d^2-1}{4}, \quad T(d) = \frac{d(d^2-1)}{12}.$$

In every comparison table, $\mathcal{S}$ denotes the RGE structure multiplying the displayed group factor in $16\pi^2\beta$.

Field representations

run	S_1	S_2	α
T3 – A	(1, -1)	(3, 0)	-2
T3 – A	(1, $-\frac{1}{2}$)	(3, $\frac{1}{2}$)	-1
T3 – A	(1, 0)	(3, 1)	0
T3 – A	(1, $\frac{1}{2}$)	(3, $\frac{3}{2}$)	1
T3 – A	(1, 1)	(3, 2)	2
T3 – B	(2, -1)	(2, 0)	-2
T3 – B	(2, $-\frac{1}{2}$)	(2, $\frac{1}{2}$)	-1
T3 – B	(2, 0)	(2, 1)	0
T3 – B	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	1
T3 – B	(2, 1)	(2, 2)	2
T3 – C	(2, -1)	(2, 0)	-2
T3 – C	(2, $-\frac{1}{2}$)	(2, $\frac{1}{2}$)	-1
T3 – C	(2, 0)	(2, 1)	0
T3 – C	(2, $\frac{1}{2}$)	(2, $\frac{3}{2}$)	1
T3 – C	(2, 1)	(2, 2)	2
T3 – D	(3, -1)	(1, 0)	-2
T3 – D	(3, $-\frac{1}{2}$)	(1, $\frac{1}{2}$)	-1
T3 – D	(3, 0)	(1, 1)	0
T3 – D	(3, $\frac{1}{2}$)	(1, $\frac{3}{2}$)	1
T3 – D	(3, 1)	(1, 2)	2
T3 – E	(3, -1)	(3, 0)	-2
T3 – E	(3, $-\frac{1}{2}$)	(3, $\frac{1}{2}$)	-1
T3 – E	(3, 0)	(3, 1)	0
T3 – E	(3, $\frac{1}{2}$)	(3, $\frac{3}{2}$)	1
T3 – E	(3, 1)	(3, 2)	2

$\beta_{m_{S_1}^2}$

Run block 1: T3-A–T3-A

$\mathcal{S}$	T3 – A ($\alpha = -2$)	T3 – A ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – A ($\alpha = 1$)	T3 – A ($\alpha = 2$)
$\lambda_{S_1} m_{S_1}^2$	4	4	4	4	4
$g_2^2 m_{S_1}^2$	0	0	0	0	0
$g_Y^2 m_{S_1}^2$	-6	$-\frac{3}{2}$	0	$-\frac{3}{2}$	-6
$\lambda_{12} m_{S_2}^2$	6	6	6	6	6
$\lambda_{S_1}^{\text{adj}} m_{S_1}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_2}^2$	0	0	0	0	0

Run block 2: T3-B–T3-B

$\mathcal{S}$	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
$\lambda_{S_1} m_{S_1}^2$	6	6	6	6	6

$g_2^2 m_{S_1}^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 m_{S_1}^2$	-6	$-\frac{3}{2}$	0	$-\frac{3}{2}$	-6
$\lambda_{12} m_{S_2}^2$	4	4	4	4	4
$\lambda_{S_1}^{\text{adj}} m_{S_1}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_2}^2$	0	0	0	0	0

Run block 3: T3-C-T3-C

S	T3 – C ($\alpha = -2$)	T3 – C ($\alpha = -1$)	T3 – C ($\alpha = 0$)	T3 – C ($\alpha = 1$)	T3 – C ($\alpha = 2$)
$\lambda_{S_1} m_{S_1}^2$	6	6	6	6	6
$g_2^2 m_{S_1}^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 m_{S_1}^2$	-6	$-\frac{3}{2}$	0	$-\frac{3}{2}$	-6
$\lambda_{12} m_{S_2}^2$	4	4	4	4	4
$\lambda_{S_1}^{\text{adj}} m_{S_1}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_2}^2$	0	0	0	0	0

Run block 4: T3-D-T3-D

S	T3 – D ($\alpha = -2$)	T3 – D ($\alpha = -1$)	T3 – D ($\alpha = 0$)	T3 – D ($\alpha = 1$)	T3 – D ($\alpha = 2$)
$\lambda_{S_1} m_{S_1}^2$	8	8	8	8	8
$g_2^2 m_{S_1}^2$	-12	-12	-12	-12	-12
$g_Y^2 m_{S_1}^2$	-6	$-\frac{3}{2}$	0	$-\frac{3}{2}$	-6
$\lambda_{12} m_{S_2}^2$	2	2	2	2	2
$\lambda_{S_1}^{\text{adj}} m_{S_1}^2$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} m_{S_2}^2$	0	0	0	0	0

Run block 5: T3-E-T3-E

S	T3 – E ($\alpha = -2$)	T3 – E ($\alpha = -1$)	T3 – E ($\alpha = 0$)	T3 – E ($\alpha = 1$)	T3 – E ($\alpha = 2$)
$\lambda_{S_1} m_{S_1}^2$	8	8	8	8	8
$g_2^2 m_{S_1}^2$	-12	-12	-12	-12	-12
$g_Y^2 m_{S_1}^2$	-6	$-\frac{3}{2}$	0	$-\frac{3}{2}$	-6
$\lambda_{12} m_{S_2}^2$	6	6	6	6	6
$\lambda_{S_1}^{\text{adj}} m_{S_1}^2$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} m_{S_2}^2$	4	4	4	4	4

$\beta_{m_{S_2}^2}$

Run block 1: T3-A-T3-A

S	T3 – A ($\alpha = -2$)	T3 – A ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – A ($\alpha = 1$)	T3 – A ($\alpha = 2$)
$\lambda_{S_2} m_{S_2}^2$	8	8	8	8	8
$g_2^2 m_{S_2}^2$	-12	-12	-12	-12	-12
$g_Y^2 m_{S_2}^2$	0	$-\frac{3}{2}$	-6	$-\frac{27}{2}$	-24
$\lambda_{12} m_{S_1}^2$	2	2	2	2	2
$\lambda_{S_2}^{\text{adj}} m_{S_2}^2$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} m_{S_1}^2$	0	0	0	0	0

Run block 2: T3-B-T3-B

S	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
$\lambda_{S_2} m_{S_2}^2$	6	6	6	6	6

$g_2^2 m_{S_2}^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 m_{S_2}^2$	0	$-\frac{3}{2}$	-6	$-\frac{27}{2}$	-24
$\lambda_{12} m_{S_1}^2$	4	4	4	4	4
$\lambda_{S_2}^{\text{adj}} m_{S_2}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_1}^2$	0	0	0	0	0

Run block 3: T3-C-T3-C

S	T3 - C ($\alpha = -2$)	T3 - C ($\alpha = -1$)	T3 - C ($\alpha = 0$)	T3 - C ($\alpha = 1$)	T3 - C ($\alpha = 2$)
$\lambda_{S_2} m_{S_2}^2$	6	6	6	6	6
$g_2^2 m_{S_2}^2$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 m_{S_2}^2$	0	$-\frac{3}{2}$	-6	$-\frac{27}{2}$	-24
$\lambda_{12} m_{S_1}^2$	4	4	4	4	4
$\lambda_{S_2}^{\text{adj}} m_{S_2}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_1}^2$	0	0	0	0	0

Run block 4: T3-D-T3-D

S	T3 - D ($\alpha = -2$)	T3 - D ($\alpha = -1$)	T3 - D ($\alpha = 0$)	T3 - D ($\alpha = 1$)	T3 - D ($\alpha = 2$)
$\lambda_{S_2} m_{S_2}^2$	4	4	4	4	4
$g_2^2 m_{S_2}^2$	0	0	0	0	0
$g_Y^2 m_{S_2}^2$	0	$-\frac{3}{2}$	-6	$-\frac{27}{2}$	-24
$\lambda_{12} m_{S_1}^2$	6	6	6	6	6
$\lambda_{S_2}^{\text{adj}} m_{S_2}^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} m_{S_1}^2$	0	0	0	0	0

Run block 5: T3-E-T3-E

S	T3 - E ($\alpha = -2$)	T3 - E ($\alpha = -1$)	T3 - E ($\alpha = 0$)	T3 - E ($\alpha = 1$)	T3 - E ($\alpha = 2$)
$\lambda_{S_2} m_{S_2}^2$	8	8	8	8	8
$g_2^2 m_{S_2}^2$	-12	-12	-12	-12	-12
$g_Y^2 m_{S_2}^2$	0	$-\frac{3}{2}$	-6	$-\frac{27}{2}$	-24
$\lambda_{12} m_{S_1}^2$	6	6	6	6	6
$\lambda_{S_2}^{\text{adj}} m_{S_2}^2$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} m_{S_1}^2$	4	4	4	4	4

$\beta_{\lambda_{H1}}$

Run block 1: T3-A-T3-A

S	T3 - A ($\alpha = -2$)	T3 - A ($\alpha = -1$)	T3 - A ($\alpha = 0$)	T3 - A ($\alpha = 1$)	T3 - A ($\alpha = 2$)
$\lambda_{H1} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H1} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H1} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	12	12	12	12	12
$g_2^2 \lambda_{H1}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 \lambda_{H1}$	$-\frac{15}{2}$	-3	$-\frac{3}{2}$	-3	$-\frac{15}{2}$
$\lambda_H \lambda_{H1}$	6	6	6	6	6
$(\lambda_{H1})^2$	4	4	4	4	4
$\lambda_{H1} \lambda_{S1}$	4	4	4	4	4
$\lambda_{12} \lambda_{H2}$	6	6	6	6	6
g_2^4	0	0	0	0	0
g_Y^4	3	$\frac{3}{4}$	0	$\frac{3}{4}$	3

$\left(\lambda_{H1}^{\text{adj}}\right)^2$	0	0	0	0	0
$\lambda_{H1} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H2} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 2: T3-B-T3-B

$\mathcal{S}$	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
$\lambda_{H1} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H1} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H1} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	6	6	6	6	6
$g_2^2 \lambda_{H1}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{H1}$	$-\frac{15}{2}$	-3	$-\frac{3}{2}$	-3	$-\frac{15}{2}$
$\lambda_H \lambda_{H1}$	6	6	6	6	6
$(\lambda_{H1})^2$	4	4	4	4	4
$\lambda_{H1} \lambda_{S1}$	6	6	6	6	6
$\lambda_{12} \lambda_{H2}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	3	$\frac{3}{4}$	0	$\frac{3}{4}$	3
$\left(\lambda_{H1}^{\text{adj}}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\lambda_{H1} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H2} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 3: T3-C-T3-C

$\mathcal{S}$	T3 – C ($\alpha = -2$)	T3 – C ($\alpha = -1$)	T3 – C ($\alpha = 0$)	T3 – C ($\alpha = 1$)	T3 – C ($\alpha = 2$)
$\lambda_{H1} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H1} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H1} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	6	6	6	6	6
$g_2^2 \lambda_{H1}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{H1}$	$-\frac{15}{2}$	-3	$-\frac{3}{2}$	-3	$-\frac{15}{2}$
$\lambda_H \lambda_{H1}$	6	6	6	6	6
$(\lambda_{H1})^2$	4	4	4	4	4
$\lambda_{H1} \lambda_{S1}$	6	6	6	6	6
$\lambda_{12} \lambda_{H2}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	3	$\frac{3}{4}$	0	$\frac{3}{4}$	3
$\left(\lambda_{H1}^{\text{adj}}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\lambda_{H1} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H2} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 4: T3-D-T3-D

$\mathcal{S}$	T3 – D ($\alpha = -2$)	T3 – D ($\alpha = -1$)	T3 – D ($\alpha = 0$)	T3 – D ($\alpha = 1$)	T3 – D ($\alpha = 2$)
$\lambda_{H1} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H1} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H1} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{H1}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_Y^2 \lambda_{H1}$	$-\frac{15}{2}$	-3	$-\frac{3}{2}$	-3	$-\frac{15}{2}$
$\lambda_H \lambda_{H1}$	6	6	6	6	6

$(\lambda_{H1})^2$	4	4	4	4	4
$\lambda_{H1} \lambda_{S1}$	8	8	8	8	8
$\lambda_{12} \lambda_{H2}$	2	2	2	2	2
g_2^4	6	6	6	6	6
g_Y^4	3	$\frac{3}{4}$	0	$\frac{3}{4}$	3
$\left(\lambda_{H1}^{\text{adj}}\right)^2$	2	2	2	2	2
$\lambda_{H1} \lambda_{S1}^{\text{adj}}$	4	4	4	4	4
$\lambda_{H2} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 5: T3-E-T3-E

$\mathcal{S}$	T3 – E ($\alpha = -2$)	T3 – E ($\alpha = -1$)	T3 – E ($\alpha = 0$)	T3 – E ($\alpha = 1$)	T3 – E ($\alpha = 2$)
$\lambda_{H1} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H1} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H1} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{H1}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_Y^2 \lambda_{H1}$	$-\frac{15}{2}$	-3	$-\frac{3}{2}$	-3	$-\frac{15}{2}$
$\lambda_H \lambda_{H1}$	6	6	6	6	6
$(\lambda_{H1})^2$	4	4	4	4	4
$\lambda_{H1} \lambda_{S1}$	8	8	8	8	8
$\lambda_{12} \lambda_{H2}$	6	6	6	6	6
g_2^4	6	6	6	6	6
g_Y^4	3	$\frac{3}{4}$	0	$\frac{3}{4}$	3
$\left(\lambda_{H1}^{\text{adj}}\right)^2$	2	2	2	2	2
$\lambda_{H1} \lambda_{S1}^{\text{adj}}$	4	4	4	4	4
$\lambda_{H2} \lambda_{12}^{\text{cross}}$	4	4	4	4	4

$\beta_{\lambda_{H2}}$

Run block 1: T3-A-T3-A

$\mathcal{S}$	T3 – A ($\alpha = -2$)	T3 – A ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – A ($\alpha = 1$)	T3 – A ($\alpha = 2$)
$\lambda_{H2} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H2} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H2} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{H2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_Y^2 \lambda_{H2}$	$-\frac{3}{2}$	-3	$-\frac{15}{2}$	-15	$-\frac{51}{2}$
$\lambda_H \lambda_{H2}$	6	6	6	6	6
$(\lambda_{H2})^2$	4	4	4	4	4
$\lambda_{H2} \lambda_{S2}$	8	8	8	8	8
$\lambda_{12} \lambda_{H1}$	2	2	2	2	2
g_2^4	6	6	6	6	6
g_Y^4	0	$\frac{3}{4}$	3	$\frac{27}{4}$	12
$\left(\lambda_{H2}^{\text{adj}}\right)^2$	2	2	2	2	2
$\lambda_{H2} \lambda_{S2}^{\text{adj}}$	4	4	4	4	4
$\lambda_{H1} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 2: T3-B-T3-B

$\mathcal{S}$	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
$\lambda_{H2} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6

$\lambda_{H2} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H2} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	6	6	6	6	6
$g_2^2 \lambda_{H2}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{H2}$	$-\frac{3}{2}$	-3	$-\frac{15}{2}$	-15	$-\frac{51}{2}$
$\lambda_H \lambda_{H2}$	6	6	6	6	6
$(\lambda_{H2})^2$	4	4	4	4	4
$\lambda_{H2} \lambda_{S2}$	6	6	6	6	6
$\lambda_{12} \lambda_{H1}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	0	$\frac{3}{4}$	3	$\frac{27}{4}$	12
$\left(\lambda_{H2}^{\text{adj}}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\lambda_{H2} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H1} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 3: T3-C-T3-C

$\mathcal{S}$	T3 - C ($\alpha = -2$)	T3 - C ($\alpha = -1$)	T3 - C ($\alpha = 0$)	T3 - C ($\alpha = 1$)	T3 - C ($\alpha = 2$)
$\lambda_{H2} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H2} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H2} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	6	6	6	6	6
$g_2^2 \lambda_{H2}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{H2}$	$-\frac{3}{2}$	-3	$-\frac{15}{2}$	-15	$-\frac{51}{2}$
$\lambda_H \lambda_{H2}$	6	6	6	6	6
$(\lambda_{H2})^2$	4	4	4	4	4
$\lambda_{H2} \lambda_{S2}$	6	6	6	6	6
$\lambda_{12} \lambda_{H1}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	0	$\frac{3}{4}$	3	$\frac{27}{4}$	12
$\left(\lambda_{H2}^{\text{adj}}\right)^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\lambda_{H2} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H1} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 4: T3-D-T3-D

$\mathcal{S}$	T3 - D ($\alpha = -2$)	T3 - D ($\alpha = -1$)	T3 - D ($\alpha = 0$)	T3 - D ($\alpha = 1$)	T3 - D ($\alpha = 2$)
$\lambda_{H2} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H2} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H2} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	12	12	12	12	12
$g_2^2 \lambda_{H2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$g_Y^2 \lambda_{H2}$	$-\frac{3}{2}$	-3	$-\frac{15}{2}$	-15	$-\frac{51}{2}$
$\lambda_H \lambda_{H2}$	6	6	6	6	6
$(\lambda_{H2})^2$	4	4	4	4	4
$\lambda_{H2} \lambda_{S2}$	4	4	4	4	4
$\lambda_{12} \lambda_{H1}$	6	6	6	6	6
g_2^4	0	0	0	0	0
g_Y^4	0	$\frac{3}{4}$	3	$\frac{27}{4}$	12
$\left(\lambda_{H2}^{\text{adj}}\right)^2$	0	0	0	0	0
$\lambda_{H2} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$\lambda_{H1} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 5: T3-E-T3-E

$\mathcal{S}$	T3 – E ($\alpha = -2$)	T3 – E ($\alpha = -1$)	T3 – E ($\alpha = 0$)	T3 – E ($\alpha = 1$)	T3 – E ($\alpha = 2$)
$\lambda_{H2} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{H2} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{H2} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{H2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_Y^2 \lambda_{H2}$	$-\frac{3}{2}$	-3	$-\frac{15}{2}$	-15	$-\frac{51}{2}$
$\lambda_H \lambda_{H2}$	6	6	6	6	6
$(\lambda_{H2})^2$	4	4	4	4	4
$\lambda_{H2} \lambda_{S2}$	8	8	8	8	8
$\lambda_{12} \lambda_{H1}$	6	6	6	6	6
g_2^4	6	6	6	6	6
g_Y^4	0	$\frac{3}{4}$	3	$\frac{27}{4}$	12
$(\lambda_{H2}^{\text{adj}})^2$	2	2	2	2	2
$\lambda_{H2} \lambda_{S2}^{\text{adj}}$	4	4	4	4	4
$\lambda_{H1} \lambda_{12}^{\text{cross}}$	4	4	4	4	4

$\beta_{\lambda_{12}}$

Run block 1: T3-A-T3-A

$\mathcal{S}$	T3 – A ($\alpha = -2$)	T3 – A ($\alpha = -1$)	T3 – A ($\alpha = 0$)	T3 – A ($\alpha = 1$)	T3 – A ($\alpha = 2$)
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{12}$	-12	-12	-12	-12	-12
$g_Y^2 \lambda_{12}$	-6	-3	-6	-15	-30
$(\lambda_{12})^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}$	4	4	4	4	4
$\lambda_{12} \lambda_{S2}$	8	8	8	8	8
$\lambda_{H1} \lambda_{H2}$	4	4	4	4	4
g_2^4	0	0	0	0	0
g_Y^4	0	$\frac{3}{4}$	0	$\frac{27}{4}$	48
$\lambda_{12} \lambda_{S2}^{\text{adj}}$	4	4	4	4	4
$(\lambda_{12}^{\text{adj}})^2$	0	0	0	0	0
$\lambda_{12} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{cross}})^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0

Run block 2: T3-B-T3-B

$\mathcal{S}$	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
$ \lambda_{T3} ^2$	3	3	3	3	3
$g_2^2 \lambda_{12}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{12}$	-6	-3	-6	-15	-30
$(\lambda_{12})^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}$	6	6	6	6	6
$\lambda_{12} \lambda_{S2}$	6	6	6	6	6
$\lambda_{H1} \lambda_{H2}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	0	$\frac{3}{4}$	0	$\frac{27}{4}$	48
$\lambda_{12} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{adj}})^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$

$\lambda_{12} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{cross}})^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0

Run block 3: T3-C-T3-C

$\mathcal{S}$	T3 – C ($\alpha = -2$)	T3 – C ($\alpha = -1$)	T3 – C ($\alpha = 0$)	T3 – C ($\alpha = 1$)	T3 – C ($\alpha = 2$)
$ \lambda_{T3} ^2$	3	3	3	3	3
$g_2^2 \lambda_{12}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{12}$	-6	-3	-6	-15	-30
$(\lambda_{12})^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}$	6	6	6	6	6
$\lambda_{12} \lambda_{S2}$	6	6	6	6	6
$\lambda_{H1} \lambda_{H2}$	4	4	4	4	4
g_2^4	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$	$\frac{9}{4}$
g_Y^4	0	$\frac{3}{4}$	0	$\frac{27}{4}$	48
$\lambda_{12} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{adj}})^2$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$
$\lambda_{12} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{cross}})^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0

Run block 4: T3-D-T3-D

$\mathcal{S}$	T3 – D ($\alpha = -2$)	T3 – D ($\alpha = -1$)	T3 – D ($\alpha = 0$)	T3 – D ($\alpha = 1$)	T3 – D ($\alpha = 2$)
$ \lambda_{T3} ^2$	4	4	4	4	4
$g_2^2 \lambda_{12}$	-12	-12	-12	-12	-12
$g_Y^2 \lambda_{12}$	-6	-3	-6	-15	-30
$(\lambda_{12})^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}$	8	8	8	8	8
$\lambda_{12} \lambda_{S2}$	4	4	4	4	4
$\lambda_{H1} \lambda_{H2}$	4	4	4	4	4
g_2^4	0	0	0	0	0
g_Y^4	0	$\frac{3}{4}$	0	$\frac{27}{4}$	48
$\lambda_{12} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0
$(\lambda_{12}^{\text{adj}})^2$	0	0	0	0	0
$\lambda_{12} \lambda_{S1}^{\text{adj}}$	4	4	4	4	4
$(\lambda_{12}^{\text{cross}})^2$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{12}^{\text{cross}} \lambda_{S2}^{\text{adj}}$	0	0	0	0	0

Run block 5: T3-E-T3-E

$\mathcal{S}$	T3 – E ($\alpha = -2$)	T3 – E ($\alpha = -1$)	T3 – E ($\alpha = 0$)	T3 – E ($\alpha = 1$)	T3 – E ($\alpha = 2$)
$ \lambda_{T3} ^2$	$\frac{4}{3}$	$\frac{4}{3}$	$\frac{4}{3}$	$\frac{4}{3}$	$\frac{4}{3}$
$g_2^2 \lambda_{12}$	-24	-24	-24	-24	-24
$g_Y^2 \lambda_{12}$	-6	-3	-6	-15	-30
$(\lambda_{12})^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}$	8	8	8	8	8
$\lambda_{12} \lambda_{S2}$	8	8	8	8	8
$\lambda_{H1} \lambda_{H2}$	4	4	4	4	4

g_2^4	12	12	12	12	12
g_Y^4	0	$\frac{3}{4}$	0	$\frac{27}{4}$	48
$\lambda_{12} \lambda_{S2}^{\text{adj}}$	4	4	4	4	4
$\left(\lambda_{12}^{\text{adj}}\right)^2$	4	4	4	4	4
$\lambda_{12} \lambda_{S1}^{\text{adj}}$	4	4	4	4	4
$\left(\lambda_{12}^{\text{cross}}\right)^2$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} \lambda_{S1}^{\text{adj}}$	4	4	4	4	4
$\lambda_{12}^{\text{cross}} \lambda_{S2}^{\text{adj}}$	4	4	4	4	4

$\beta_{\lambda_{T3}}$

Run block 1: T3-A-T3-A

S	T3 - A ($\alpha = -2$)	T3 - A ($\alpha = -1$)	T3 - A ($\alpha = 0$)	T3 - A ($\alpha = 1$)	T3 - A ($\alpha = 2$)
$\lambda_{T3} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{T3} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{T3} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$\lambda_{T3} \lambda_H$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}$	4	4	4	4	4
$\lambda_{T3} \lambda_{H2}$	4	4	4	4	4
$\lambda_{T3} \lambda_{12}$	2	2	2	2	2
$g_2^2 \lambda_{T3}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$
$g_Y^2 \lambda_{T3}$	$-\frac{9}{2}$	-3	$-\frac{9}{2}$	-9	$-\frac{33}{2}$
$\lambda_{T3} \lambda_{H2}^{\text{adj}}$	4	4	4	4	4
$\lambda_{T3} \lambda_{H1}^{\text{adj}}$	0	0	0	0	0
$\lambda_{T3} \lambda_{12}^{\text{adj}}$	0	0	0	0	0
$\lambda_{T3} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 2: T3-B-T3-B

S	T3 - B ($\alpha = -2$)	T3 - B ($\alpha = -1$)	T3 - B ($\alpha = 0$)	T3 - B ($\alpha = 1$)	T3 - B ($\alpha = 2$)
$\lambda_{T3} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{T3} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{T3} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$\lambda_{T3} \lambda_H$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}$	4	4	4	4	4
$\lambda_{T3} \lambda_{H2}$	4	4	4	4	4
$\lambda_{T3} \lambda_{12}$	2	2	2	2	2
$g_2^2 \lambda_{T3}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{T3}$	$-\frac{9}{2}$	-3	$-\frac{9}{2}$	-9	$-\frac{33}{2}$
$\lambda_{T3} \lambda_{H2}^{\text{adj}}$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}^{\text{adj}}$	-2	-2	-2	-2	-2
$\lambda_{T3} \lambda_{12}^{\text{adj}}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$
$\lambda_{T3} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 3: T3-C-T3-C

S	T3 - C ($\alpha = -2$)	T3 - C ($\alpha = -1$)	T3 - C ($\alpha = 0$)	T3 - C ($\alpha = 1$)	T3 - C ($\alpha = 2$)
$\lambda_{T3} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{T3} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{T3} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$\lambda_{T3} \lambda_H$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}$	4	4	4	4	4

$\lambda_{T3} \lambda_{H2}$	4	4	4	4	4
$\lambda_{T3} \lambda_{12}$	2	2	2	2	2
$g_2^2 \lambda_{T3}$	-9	-9	-9	-9	-9
$g_Y^2 \lambda_{T3}$	$-\frac{9}{2}$	-3	$-\frac{9}{2}$	-9	$-\frac{33}{2}$
$\lambda_{T3} \lambda_{H2}^{\text{adj}}$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}^{\text{adj}}$	-2	-2	-2	-2	-2
$\lambda_{T3} \lambda_{12}^{\text{adj}}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$	$-\frac{1}{2}$
$\lambda_{T3} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 4: T3-D-T3-D

$\mathcal{S}$	T3 - D ($\alpha = -2$)	T3 - D ($\alpha = -1$)	T3 - D ($\alpha = 0$)	T3 - D ($\alpha = 1$)	T3 - D ($\alpha = 2$)
$\lambda_{T3} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{T3} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{T3} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$\lambda_{T3} \lambda_H$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}$	4	4	4	4	4
$\lambda_{T3} \lambda_{H2}$	4	4	4	4	4
$\lambda_{T3} \lambda_{12}$	2	2	2	2	2
$g_2^2 \lambda_{T3}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$	$-\frac{21}{2}$
$g_Y^2 \lambda_{T3}$	$-\frac{9}{2}$	-3	$-\frac{9}{2}$	-9	$-\frac{33}{2}$
$\lambda_{T3} \lambda_{H2}^{\text{adj}}$	0	0	0	0	0
$\lambda_{T3} \lambda_{H1}^{\text{adj}}$	-4	-4	-4	-4	-4
$\lambda_{T3} \lambda_{12}^{\text{adj}}$	0	0	0	0	0
$\lambda_{T3} \lambda_{12}^{\text{cross}}$	0	0	0	0	0

Run block 5: T3-E-T3-E

$\mathcal{S}$	T3 - E ($\alpha = -2$)	T3 - E ($\alpha = -1$)	T3 - E ($\alpha = 0$)	T3 - E ($\alpha = 1$)	T3 - E ($\alpha = 2$)
$\lambda_{T3} \text{Tr}(Y_d^\dagger Y_d)$	6	6	6	6	6
$\lambda_{T3} \text{Tr}(Y_e^\dagger Y_e)$	2	2	2	2	2
$\lambda_{T3} \text{Tr}(Y_u^\dagger Y_u)$	6	6	6	6	6
$\lambda_{T3} \lambda_H$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}$	4	4	4	4	4
$\lambda_{T3} \lambda_{H2}$	4	4	4	4	4
$\lambda_{T3} \lambda_{12}$	2	2	2	2	2
$g_2^2 \lambda_{T3}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_Y^2 \lambda_{T3}$	$-\frac{9}{2}$	-3	$-\frac{9}{2}$	-9	$-\frac{33}{2}$
$\lambda_{T3} \lambda_{H2}^{\text{adj}}$	2	2	2	2	2
$\lambda_{T3} \lambda_{H1}^{\text{adj}}$	-2	-2	-2	-2	-2
$\lambda_{T3} \lambda_{12}^{\text{adj}}$	2	2	2	2	2
$\lambda_{T3} \lambda_{12}^{\text{cross}}$	-2	-2	-2	-2	-2

Direct Weinberg mixing

The active EFT1 scalar interaction produces

$$16\pi^2 \beta_{C_5} \supset R_W \lambda_{T3} C_{LLS_1 S_2}.$$

$\mathcal{G}$	T3 - A ($\alpha = -2$)	T3 - A ($\alpha = -1$)	T3 - A ($\alpha = 0$)	T3 - A ($\alpha = 1$)	T3 - A ($\alpha = 2$)
R_W	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$

$\mathcal{G}$	T3 – B ($\alpha = -2$)	T3 – B ($\alpha = -1$)	T3 – B ($\alpha = 0$)	T3 – B ($\alpha = 1$)	T3 – B ($\alpha = 2$)
R_W	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$

$\mathcal{G}$	T3 – C ($\alpha = -2$)	T3 – C ($\alpha = -1$)	T3 – C ($\alpha = 0$)	T3 – C ($\alpha = 1$)	T3 – C ($\alpha = 2$)
R_W	$-\frac{4}{3}$	$-\frac{4}{3}$	$-\frac{4}{3}$	$-\frac{4}{3}$	$-\frac{4}{3}$

$\mathcal{G}$	T3 – D ($\alpha = -2$)	T3 – D ($\alpha = -1$)	T3 – D ($\alpha = 0$)	T3 – D ($\alpha = 1$)	T3 – D ($\alpha = 2$)
R_W	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$

$\mathcal{G}$	T3 – E ($\alpha = -2$)	T3 – E ($\alpha = -1$)	T3 – E ($\alpha = 0$)	T3 – E ($\alpha = 1$)	T3 – E ($\alpha = 2$)
R_W	$-\frac{4\sqrt{6}}{3}$	$-\frac{4\sqrt{6}}{3}$	$-\frac{4\sqrt{6}}{3}$	$-\frac{4\sqrt{6}}{3}$	$-\frac{4\sqrt{6}}{3}$

The displayed R_W values use the project's validated Wigner-6j reduction and inherited tensor convention. The overall tensor-level normalization/phase has not yet been independently derived from first principles.

F-threshold matching tensor samples

The component bases have representation-dependent dimensions, so the raw tensor entries are not placed in the cross-run beta-function tables.

T3 – A ($\alpha = -2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1157}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{1158}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{11511}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{11512}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{1167}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{1168}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{11611}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{11612}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{1175}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{1176}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$

T3 – A ($\alpha = -1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1157}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$
C_{1158}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{11511}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12MF}$
C_{11512}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12MF}$

C_{1167}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1168}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11611}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1175}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1176}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – A ($\alpha = 0$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1157}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1158}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11511}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11512}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1167}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1168}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11611}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1175}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1176}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – A ($\alpha = 1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1157}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1158}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11511}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11512}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1167}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1168}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11611}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{1175}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1176}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – A ($\alpha = 2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1157}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{1158}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11511}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

C_{11512}	$-\frac{3^{\frac{3}{4}}\overline{y_1 y_2}}{12MF}$
C_{1167}	$-\frac{3^{\frac{3}{4}}i\overline{y_1 y_2}}{12MF}$
C_{1168}	$\frac{3^{\frac{3}{4}}\overline{y_1 y_2}}{12MF}$
C_{11611}	$\frac{3^{\frac{3}{4}}\overline{y_1 y_2}}{12MF}$
C_{11612}	$\frac{3^{\frac{3}{4}}i\overline{y_1 y_2}}{12MF}$
C_{1175}	$\frac{3^{\frac{3}{4}}\overline{y_1 y_2}}{12MF}$
C_{1176}	$-\frac{3^{\frac{3}{4}}i\overline{y_1 y_2}}{12MF}$

T3 – B ($\alpha = -2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11512}	$\frac{i\overline{y_1 y_2}}{4MF}$
C_{11611}	$-\frac{i\overline{y_1 y_2}}{4MF}$
C_{11612}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11115}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11116}	$-\frac{i\overline{y_1 y_2}}{4MF}$
C_{11125}	$\frac{i\overline{y_1 y_2}}{4MF}$
C_{11126}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{1259}	$-\frac{\overline{y_1 y_2}}{8MF}$
C_{12510}	$-\frac{i\overline{y_1 y_2}}{8MF}$

T3 – B ($\alpha = -1$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1155}	$\frac{\overline{y_1}^2}{4MF}$
C_{1156}	$-\frac{i\overline{y_1}^2}{4MF}$
C_{11511}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11512}	$\frac{i\overline{y_1 y_2}}{4MF}$
C_{1165}	$-\frac{i\overline{y_1}^2}{4MF}$
C_{1166}	$-\frac{\overline{y_1}^2}{4MF}$
C_{11611}	$-\frac{i\overline{y_1 y_2}}{4MF}$
C_{11612}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11115}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11116}	$-\frac{i\overline{y_1 y_2}}{4MF}$

T3 – B ($\alpha = 0$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11512}	$\frac{i\overline{y_1 y_2}}{4MF}$
C_{11611}	$-\frac{i\overline{y_1 y_2}}{4MF}$
C_{11612}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11115}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11116}	$-\frac{i\overline{y_1 y_2}}{4MF}$
C_{11125}	$\frac{i\overline{y_1 y_2}}{4MF}$

C_{11126}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{1259}	$-\frac{y_1 y_2}{8MF}$
C_{12510}	$-\frac{i y_1 y_2}{8MF}$

T3 – B ($\alpha = 1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11512}	$\frac{i y_1 y_2}{4MF}$
C_{11611}	$-\frac{i y_1 y_2}{4MF}$
C_{11612}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11115}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11116}	$-\frac{i y_1 y_2}{4MF}$
C_{11125}	$\frac{i y_1 y_2}{4MF}$
C_{11126}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{1259}	$-\frac{y_1 y_2}{8MF}$
C_{12510}	$-\frac{i y_1 y_2}{8MF}$

T3 – B ($\alpha = 2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11512}	$\frac{i y_1 y_2}{4MF}$
C_{11611}	$-\frac{i y_1 y_2}{4MF}$
C_{11612}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11115}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{11116}	$-\frac{i y_1 y_2}{4MF}$
C_{11125}	$\frac{i y_1 y_2}{4MF}$
C_{11126}	$\frac{\overline{y_1 y_2}}{4MF}$
C_{1259}	$-\frac{y_1 y_2}{8MF}$
C_{12510}	$-\frac{i y_1 y_2}{8MF}$

T3 – C ($\alpha = -2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$-\frac{\sqrt{3} \overline{y_1 y_2}}{12MF}$
C_{11512}	$-\frac{\sqrt{3} i y_1 y_2}{12MF}$
C_{11611}	$\frac{\sqrt{3} i y_1 y_2}{12MF}$
C_{11612}	$-\frac{\sqrt{3} \overline{y_1 y_2}}{12MF}$
C_{11115}	$-\frac{\sqrt{3} \overline{y_1 y_2}}{12MF}$
C_{11116}	$\frac{\sqrt{3} i y_1 y_2}{12MF}$
C_{11125}	$-\frac{\sqrt{3} i y_1 y_2}{12MF}$
C_{11126}	$-\frac{\sqrt{3} \overline{y_1 y_2}}{12MF}$
C_{1259}	$\frac{\sqrt{3} \overline{y_1 y_2}}{24MF}$
C_{12510}	$\frac{\sqrt{3} i y_1 y_2}{24MF}$

T3 – C ($\alpha = -1$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{1155}	$\frac{\sqrt{3}y_1^2}{12MF}$
C_{1156}	$-\frac{\sqrt{3}iy_1^2}{12MF}$
C_{11511}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11512}	$-\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{1165}	$-\frac{\sqrt{3}iy_1^2}{12MF}$
C_{1166}	$-\frac{\sqrt{3}y_1^2}{12MF}$
C_{11611}	$\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11612}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11115}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11116}	$\frac{\sqrt{3}iy_1y_2}{12MF}$

T3 – C ($\alpha = 0$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11512}	$-\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11611}	$\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11612}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11115}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11116}	$\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11125}	$-\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11126}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{1259}	$\frac{\sqrt{3}y_1y_2}{24MF}$
C_{12510}	$\frac{\sqrt{3}iy_1y_2}{24MF}$

T3 – C ($\alpha = 1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11512}	$-\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11611}	$\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11612}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11115}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{11116}	$\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11125}	$-\frac{\sqrt{3}iy_1y_2}{12MF}$
C_{11126}	$-\frac{\sqrt{3}y_1y_2}{12MF}$
C_{1259}	$\frac{\sqrt{3}y_1y_2}{24MF}$
C_{12510}	$\frac{\sqrt{3}iy_1y_2}{24MF}$

T3 – C ($\alpha = 2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11512}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11611}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11612}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11115}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11116}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11125}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11126}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{1259}	$\frac{\sqrt{3y_1y_2}}{24MF}$
C_{12510}	$\frac{\sqrt{3iy_1y_2}}{24MF}$

T3 – D ($\alpha = -2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11512}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11611}	$-\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11612}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11911}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11912}	$-\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{111011}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{111012}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11115}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11116}	$-\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$

T3 – D ($\alpha = -1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11512}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11611}	$-\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11612}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11911}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11912}	$-\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{111011}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{111012}	$\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$
C_{11115}	$\frac{3^{\frac{3}{4}}\overline{y_1y_2}}{12MF}$
C_{11116}	$-\frac{3^{\frac{3}{4}}i\overline{y_1y_2}}{12MF}$

T3 – D ($\alpha = 0$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11512}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11611}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11911}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11912}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111011}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111012}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11115}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11116}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – D ($\alpha = 1$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11512}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11611}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11911}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11912}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111011}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111012}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11115}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11116}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – D ($\alpha = 2$)

48 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11511}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11512}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11611}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11612}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11911}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11912}	$-\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111011}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{111012}	$\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$
C_{11115}	$\frac{3^{\frac{3}{4}} \overline{y_1 y_2}}{12 M F}$
C_{11116}	$-\frac{3^{\frac{3}{4}} i \overline{y_1 y_2}}{12 M F}$

T3 – E ($\alpha = -2$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11513}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11514}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11613}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11614}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11711}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11712}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11715}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11716}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11811}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11812}	$-\frac{\sqrt{3y_1y_2}}{12MF}$

T3 – E ($\alpha = -1$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11513}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11514}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11613}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11614}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11711}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11712}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11715}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11716}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11811}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11812}	$-\frac{\sqrt{3y_1y_2}}{12MF}$

T3 – E ($\alpha = 0$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11513}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11514}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11613}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11614}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11711}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11712}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11715}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11716}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11811}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11812}	$-\frac{\sqrt{3y_1y_2}}{12MF}$

T3 – E ($\alpha = 1$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11513}	$\frac{\sqrt{3y_1y_2}}{12MF}$

C_{11514}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11613}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11614}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11711}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11712}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11715}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11716}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11811}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11812}	$-\frac{\sqrt{3y_1y_2}}{12MF}$

T3 – E ($\alpha = 2$)

96 non-zero real-basis tensor components reconstructed; showing the first 10.

C_{ijab}	matched coefficient
C_{11513}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11514}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11613}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11614}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11711}	$-\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11712}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11715}	$-\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11716}	$\frac{\sqrt{3y_1y_2}}{12MF}$
C_{11811}	$\frac{\sqrt{3iy_1y_2}}{12MF}$
C_{11812}	$-\frac{\sqrt{3y_1y_2}}{12MF}$

Next threshold

At the next threshold, S_1 and S_2 are integrated out. Their representation dependence is then absorbed into the matching value of C_5 ; below that threshold the SMEFT Weinberg-operator anomalous dimension is universal.