

T3 matched EFT Lagrangian terms: EFT_1_after_F

EFT order: 5; loop order: 1. Rows are model configurations and columns are field configurations. This stage integrates out F. Remaining active T3 fields: S1, S2.

Field combinations 1 of 6

[illegible]

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	$B_{\mu\nu}$	D	F	H
T3-A	0	1	0	3	1	2	$\frac{1}{2}$	$-\frac{\hbar B_{\mu_1\mu_2}^2}{2\epsilon}$	$+D_{\mu_1}\left(S_{2,j_1}\right)^\dagger D_{\mu_1}\left(S_{2,j_1}\right)$	$\begin{aligned} & +\frac{2}{3}\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)\frac{\omega^2}{g_{2,\tau_1,\tau_1}g_{2,\tau_2,\tau_2}S_{2,j_2}g_{2,\tau_1,\tau_2}g_{2,\tau_2,\tau_1}}\left(S_{2,j_1}^\dagger\right)^2 \\ & -\frac{2C\text{N e w S c a l a r }22\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{2,\tau_1,\tau_1}^2g_{2,\tau_2,\tau_2}}{g_{2,\tau_1,\tau_1}S_{2,j_1}g_{2,\tau_2,\tau_2}}S_{2,j_1}^\dagger S_{2,j_2}^\dagger \\ & -\frac{2\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{2,\tau_1,\tau_1}^2g_{2,\tau_2,\tau_2}}{g_{2,\tau_1,\tau_1}S_{2,j_1}g_{2,\tau_2,\tau_2}}S_{2,j_1}^\dagger S_{2,j_2}^\dagger \\ & -\frac{2\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{2,\tau_1,\tau_1}^2g_{2,\tau_2,\tau_2}}{g_{2,\tau_1,\tau_1}S_{2,j_1}g_{2,\tau_2,\tau_2}}S_{2,j_1}^\dagger S_{2,j_2}^\dagger \end{aligned}$	$\begin{aligned} & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2}{\sqrt{6}M_F}C\cdot P_{\tau_1}L_{\tau_2,j_1}H_{\tau_1}H_{\tau_2}\lambda_{\tau_1}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2}{\sqrt{6}M_F}C\cdot P_{\tau_1}L_{\tau_2,j_1}H_{\tau_1}H_{\tau_2}\lambda_{\tau_1}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}L_{\tau_2,j_1}C\cdot P_{\tau_1}L_{\tau_2,\tau_2}g_{1,\tau_1,\tau_1}g_{2,\tau_2,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_1,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_2,\tau_2}H_{\tau_1}^\dagger H_{\tau_2}^\dagger}{\sqrt{6}M_F} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}L_{\tau_2,j_1}C\cdot P_{\tau_1}L_{\tau_2,\tau_2}g_{1,\tau_1,\tau_1}g_{2,\tau_2,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_1,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_2,\tau_2}H_{\tau_1}^\dagger H_{\tau_2}^\dagger}{\sqrt{6}M_F} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2H_{\tau_1}S_{2,j_1}g_{2,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{2,j_1}^\dagger}{\sqrt{3}} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2H_{\tau_1}S_{2,j_1}g_{2,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{2,j_1}^\dagger}{\sqrt{3}} \\ & +\frac{2i\sqrt{\frac{2}{3}}\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{2,j_2}g_{2,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{2,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)}{\sqrt{3}} \\ & +2i\sqrt{\frac{2}{3}}\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{2,j_2}g_{2,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{2,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right) \\ & +H_{\tau_2}S_{2,j_2}H_{\tau_1}^\dagger S_{2,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2 \\ & -\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{2,j_2}g_{2,\tau_2,\tau_2}H_{\tau_1}^\dagger S_{2,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2}{\sqrt{3}} \\ & -\frac{4\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{2,j_2}g_{2,\tau_2,\tau_2}H_{\tau_1}^\dagger S_{2,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2}{\sqrt{3}} \end{aligned}$
T3-D	-2	3	-1	1	0	2	$-\frac{1}{2}$	$-\frac{\hbar B_{\mu_1\mu_2}^2}{2\epsilon}$	$+D_{\mu_1}\left(S_{1,j_1}\right)^\dagger D_{\mu_1}\left(S_{1,j_1}\right)$	$\begin{aligned} & +\frac{2}{3}\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)\frac{\omega^2}{g_{1,\tau_1,\tau_1}g_{1,\tau_2,\tau_2}S_{1,j_2}g_{1,\tau_1,\tau_2}g_{1,\tau_2,\tau_1}}\left(S_{1,j_1}^\dagger\right)^2 \\ & -\frac{2C\text{N e w S c a l a r }12\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{1,\tau_1,\tau_1}^2g_{1,\tau_2,\tau_2}}{g_{1,\tau_1,\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}}S_{1,j_1}^\dagger S_{1,j_2}^\dagger \\ & -\frac{4}{3}\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)\frac{g_{1,\tau_1,\tau_1}^2g_{1,\tau_2,\tau_2}}{g_{1,\tau_1,\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}}S_{1,j_1}^\dagger S_{1,j_2}^\dagger \\ & -\frac{2\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{1,\tau_1,\tau_1}^2g_{1,\tau_2,\tau_2}}{g_{1,\tau_1,\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}}S_{1,j_1}^\dagger S_{1,j_2}^\dagger \\ & -\frac{2\hbar\log\left(\frac{\mu\hbar\alpha r^2}{M_F^2}\right)}{\sqrt{3}}\frac{g_{1,\tau_1,\tau_1}^2g_{1,\tau_2,\tau_2}}{g_{1,\tau_1,\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}}S_{1,j_1}^\dagger S_{1,j_2}^\dagger \end{aligned}$	$\begin{aligned} & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2}{\sqrt{6}M_F}C\cdot P_{\tau_1}L_{\tau_2,j_1}H_{\tau_1}H_{\tau_2}\lambda_{\tau_1}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2}{\sqrt{6}M_F}C\cdot P_{\tau_1}L_{\tau_2,j_1}H_{\tau_1}H_{\tau_2}\lambda_{\tau_1}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2}\text{Bar}\left(\exp\left(S\cdot U\cdot L\right)\right)_{\tau_1,\tau_2} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}L_{\tau_2,j_1}C\cdot P_{\tau_1}L_{\tau_2,\tau_2}g_{1,\tau_1,\tau_1}g_{2,\tau_2,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_1,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_2,\tau_2}H_{\tau_1}^\dagger H_{\tau_2}^\dagger}{\sqrt{6}M_F} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}L_{\tau_2,j_1}C\cdot P_{\tau_1}L_{\tau_2,\tau_2}g_{1,\tau_1,\tau_1}g_{2,\tau_2,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_1,\tau_2}\text{exp}\left(S\cdot U\cdot L\right)_{\tau_2,\tau_2}H_{\tau_1}^\dagger H_{\tau_2}^\dagger}{\sqrt{6}M_F} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2H_{\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{1,j_1}^\dagger}{\sqrt{3}} \\ & +\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2L_{\tau_1,\tau_2}^2H_{\tau_1}S_{1,j_1}g_{1,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{1,j_1}^\dagger}{\sqrt{3}} \\ & +\frac{2i\sqrt{\frac{2}{3}}\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{1,j_2}g_{1,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{1,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)}{\sqrt{3}} \\ & +2i\sqrt{\frac{2}{3}}\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{1,j_2}g_{1,\tau_2,\tau_2}Y_{\tau_1,\tau_1}H_{\tau_1}^\dagger S_{1,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right) \\ & +H_{\tau_2}S_{1,j_2}H_{\tau_1}^\dagger S_{1,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2 \\ & -\frac{2\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{1,j_2}g_{1,\tau_2,\tau_2}H_{\tau_1}^\dagger S_{1,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2}{\sqrt{3}} \\ & -\frac{4\mathcal{M}_{\tau_1,\tau_1}g_{1,\tau_2,\tau_2}^2H_{\tau_2}S_{1,j_2}g_{1,\tau_2,\tau_2}H_{\tau_1}^\dagger S_{1,j_1}^\dagger\text{Im}\left(\tau_{\tau_1,\tau_2,\tau_2,\tau_1}\right)^2\lambda_{\text{Im}}^2}{\sqrt{3}} \end{aligned}$

[illegible]

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	$B_{\mu\nu}$	D	F	H
-------	----------	-----------	-----------	-----------	-----------	-------	-------	--------------	-----	-----	-----

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	S_1	S_2	$W_{\mu\nu}$	constant
-------	----------	-----------	-----------	-----------	-----------	-------	-------	-------	-------	--------------	----------

Field combinations 3 of 6

[illegible]

[illegible]

Field combinations 4 of 6

[illegible]

Field combinations 5 of 6

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	$S_2 F$	$S_2 H$	$F H e$	$S_1 F H$
T3-B	-1	2	$-\frac{1}{2}$	2	$\frac{1}{2}$	1	0			$+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{1,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{2,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{1,i3,r1}H_{a_1}^\dagger$ $+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{2,i3,r1}H_{a_1}^\dagger$	
T3-C	-1	2	$-\frac{1}{2}$	2	$\frac{1}{2}$	3	0			$+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{1,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{2,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{1,i3,r1}H_{a_1}^\dagger$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{2,i3,r1}H_{a_1}^\dagger$	
T3-A	0	1	0	3	1	2	$\frac{1}{2}$			$+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{1,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{2,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{1,i3,r1}H_{a_1}^\dagger$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{2,i3,r1}H_{a_1}^\dagger$	$-2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i2,i3}H_{a_1}S_1y_{1,i2,r1}Y_{e,i1,i3}H_{a_1}^\dagger S_1^\dagger}$ $-h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}\lambda_{T3}S_{2,j1}y_{1,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}H_{a_1}^\dagger H_{a_2}^\dagger S_1^\dagger}$ $-h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}\lambda_{T3}S_{2,j1}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}H_{a_1}^\dagger H_{a_2}^\dagger S_1^\dagger}$ $-\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}H_{a_1}H_{a_2}S_1y_{1,i1,r1}\overline{\pi_{2,a1,a2,j1}}\lambda_{T3}S_{2,j1}^\dagger}}{\sqrt{3}}$ $-\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}H_{a_1}H_{a_2}S_1y_{2,i1,r1}\overline{\pi_{2,a1,a2,j1}}\lambda_{T3}S_{2,j1}^\dagger}}{\sqrt{3}}$ $-2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}H_{a_2}S_1y_{1,i1,r1}H_{a_1}^\dagger S_1^\dagger\overline{\pi_{2,a1,a2,j1}}\lambda_{H1}^\dagger}$
T3-D	-2	3	-1	1	0	2	$-\frac{1}{2}$		$-2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{2,i2,r1}e_{i2}^2}y_{2,i1,r1}y_{2,i2,r1}\left(S_{i1}^\dagger\right)^2$ $-2C^*N_1N_1\text{color}22h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}S_{2,j1}^\dagger}S_1^\dagger$ $\frac{\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i2,r1}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i2,r1}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i2,r1}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{\sqrt{3}M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i1,r2}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{M_F}$ $\frac{\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i1,r2}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i1,r2}y_{2,i3,r2}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_1^\dagger}}{4M_F}$ $\frac{\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{1,i3,r2}y_{2,i2,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{4M_F}$ $\frac{\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{1,i3,r2}y_{2,i2,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{\sqrt{3}M_F}$ $\frac{\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{1,i3,r2}y_{2,i2,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}y_{2,i3,r2}y_{2,i1,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}y_{2,i3,r2}y_{2,i1,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{4M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}y_{2,i3,r2}y_{2,i1,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{M_F}$ $\frac{4h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{1,i3,r2}y_{2,i2,r1}S_{2,j1}y_{1,i1,r1}y_{2,i1,r1}S_{i1}^\dagger S_{2,j1}^\dagger}}{\sqrt{3}}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{L_{a_1,i1}C^*P_R\overline{L_{a_2,i2}^\dagger}S_{i1}y_{1,i1,r1}y_{2,i2,r1}y_{2,i1,r1}\text{Bar}(\text{T3MixCG})_{a_1,a2,j1}S_{i2}^\dagger}}{M_F}$ $\frac{h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}y_{1,i3,r2}y_{2,i2,r1}L_{a_2,i2}^\dagger C^*P_R\overline{L_{a_1,i1}S_{2,j1}y_{1,i2,r1}\overline{\pi_{2,a1,a2,j1}}S_{i1}^\dagger}}}{M_F}$ $\frac{2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}S_{i2}S_{1,i2}y_{1,i1,r1}S_{i1}^\dagger\overline{\pi_{2,i2,i1}}\lambda_{i2}^\dagger}}{\sqrt{3}}$ $-2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}S_{i2}S_{1,i2}y_{2,i1,r1}S_{i1}^\dagger\overline{\pi_{2,i2,i1}}\lambda_{i2}^\dagger}$ $-2h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}S_{i2}y_{1,i1,r1}\left(S_{i1}^\dagger\right)^2\lambda_{i2}^\dagger}$	$+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{1,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{2,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{1,i3,r1}H_{a_1}^\dagger$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{2,i3,r1}H_{a_1}^\dagger$	
T3-E	0	3	0	3	1	2	$\frac{1}{2}$			$+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{1,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i3,r1}L_{a_1,i2}}PR\,e_{i1}H_{a_1}y_{2,i2,r1}Y_{e,i3,i1}$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{1,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{1,i3,r1}H_{a_1}^\dagger$ $+\frac{1}{4}\sqrt{3}h\log\left(\frac{\mu\text{bar}2}{M_F^2}\right)\overline{y_{2,i1,r1}Y_{e,i3,i2}\overline{e_{i2}}}P_L\,L_{a_1,i1}y_{2,i3,r1}H_{a_1}^\dagger$	

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	S_2	F	H
T3-B	-1	2	$-\frac{1}{2}$	2	$\frac{1}{2}$	1	0			
T3-C	-1	2	$-\frac{1}{2}$	2	$\frac{1}{2}$	3	0			
T3-A	0	1	0	3	1	2	$\frac{1}{2}$			
T3-D	-2	3	-1	1	0	2	$-\frac{1}{2}$	$-\frac{h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{1,i_1,\tau_1}} H_{a_1} H_{a_2} S_{1,j_1} y_{1,i_1,\tau_1} \overline{x_{\tau_3,a_1,a_2,j_1}} \lambda_{\tau_3} S_2^\dagger}{\sqrt{3}}$		
								$-h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{2,i_1,\tau_1}} H_{a_1} H_{a_2} S_{1,j_1} y_{2,i_1,\tau_1} \overline{x_{\tau_3,a_1,a_2,j_1}} \lambda_{\tau_3} S_2^\dagger$		
								$-2h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{2,i_1,\tau_1}} \overline{y_{e,i_2,i_2}} H_{a_1} S_2 y_{2,i_2,\tau_1} Y_{e,i_1,i_3} H_{a_1}^\dagger S_2^\dagger$		
								$-\frac{h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{1,i_2,\tau_1}} \overline{x_{\tau_3}} S_2 y_{1,i_1,\tau_1} \text{Bn r(T3 Mix CG)}_{a_1,a_2,j_1} H_{a_1}^\dagger H_{a_2}^\dagger S_{1,j_1}^\dagger}{\sqrt{3}}$		
T3-E	0	3	0	3	1	2	$\frac{1}{2}$	$-h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{2,i_1,\tau_1}} \overline{x_{\tau_3}} S_2 y_{2,i_1,\tau_1} \text{Bn r(T3 Mix CG)}_{a_1,a_2,j_1} H_{a_1}^\dagger H_{a_2}^\dagger S_{1,j_1}^\dagger$		
								$-2h \log \left(\frac{\mu b m_2^2}{M_F^2} \right) \overline{y_{2,i_1,\tau_1}} H_{a_2} S_2 y_{2,i_1,\tau_1} H_{a_1}^\dagger S_2^\dagger \overline{x_{\text{H2},a_1,a_2}^1} \lambda_{\text{H2}^1}$		