

T3 matched EFT Lagrangian terms: EFT_2_after_S1_S2

EFT order: 5; loop order: 1. Rows are model configurations and columns are field configurations. This stage integrates out S1, S2. Remaining active T3 fields: none.

Field combinations 1 of 2

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	H	ℓ	e	F	H	ℓ
T3-A	0	1	0	3	1	2	$\frac{1}{2}$						
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$			
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
cont.													
cont.													
T3-B	0	2	0	2	1	1	$\frac{1}{2}$						
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$			
								$+\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
								$+\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$	$+\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{\sqrt{3}M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
cont.													
cont.													
T3-C	0	2	0	2	1	3	$\frac{1}{2}$						
								$-\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3\epsilon M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$\frac{\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$-\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$			
								$-\frac{2h\bar{y}_{1,i_1,r_1}\bar{y}_{2,i_2,r_1}\bar{L}_{a_4,i_2}}{3M_F}{}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda T_3 \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}$	$+\frac{3}{8}\sqrt{3}h\bar{y}_{1,i_3,r_1}\bar{L}_{a_1,i_2} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$	$-\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
								$-\frac{2h\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3\epsilon M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$	$+\frac{\sqrt{3}h\bar{y}_{2,i_3,r_1}\bar{L}_{a_1,i_2}}{4\epsilon} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$	$-\frac{2h\log\left(\frac{\mu^2}{M_F^2}\right)\lambda_{T3} \bar{L}_{a_3,i_1} C P_R \bar{L}_{a_4,i_2}}{3M_F}{}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}{}^\dagger H_{a_2}{}^\dagger$			
cont.													
cont.													

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	$H \ell$	$H \ell e$	$F H \ell$
T3-D	0	3	0	1	1	2	$\frac{1}{2}$	$\begin{aligned} & + \frac{2\hbar y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}}{\sqrt{3}\epsilon M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4} \\ & + \frac{2\hbar y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}}{\sqrt{3}M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4} \\ & + \frac{2\hbar \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{\sqrt{3}\epsilon M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$	$\begin{aligned} & \frac{\sqrt{3}\hbar y_{1,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}}{4\epsilon} \\ & + \frac{3\sqrt{3}\hbar y_{1,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}}{8} \\ & + \frac{\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}}{4\epsilon} \\ & + \frac{3}{8} \frac{\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}}{\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}} \\ & + \frac{2\hbar \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{\sqrt{3}M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$	$\begin{aligned} & + \frac{2\hbar \log\left(\frac{\hat{\mu}^2}{M_F^2}\right) \overline{y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}}{\sqrt{3}M_F} \\ & + \frac{2\hbar \log\left(\frac{\hat{\mu}^2}{M_F^2}\right) \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{\sqrt{3}M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$
cont.								$\begin{aligned} & + \frac{2\hbar \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{\sqrt{3}M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$	$\begin{aligned} & + \frac{\sqrt{3}\hbar y_{1,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger}{4\epsilon} \\ & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{1,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger}{\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger} \\ & + \frac{\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger}{4\epsilon} \end{aligned}$	
cont.									$\begin{aligned} & + \frac{3}{8} \frac{\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger}{\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger} \end{aligned}$	
T3-E	0	3	0	3	1	2	$\frac{1}{2}$	$\begin{aligned} & - \frac{2\sqrt{\frac{8}{3}}\hbar y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}}{\epsilon M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4} \\ & - \frac{2\sqrt{\frac{8}{3}}\hbar y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}}{M_F} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4} \\ & - \frac{2\sqrt{\frac{2}{3}}\hbar \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{\epsilon M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$	$\begin{aligned} & \frac{\sqrt{3}\hbar y_{1,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}}{4\epsilon} \\ & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{1,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}}{\sqrt{3}\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}} \\ & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}}{\sqrt{3}\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}} \\ & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}}{\sqrt{3}\hbar y_{2,i_3,r_1} \overline{L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}} \end{aligned}$	$\begin{aligned} & - \frac{2\sqrt{\frac{8}{3}}\hbar \log\left(\frac{\hat{\mu}^2}{M_F^2}\right) \overline{y_{1,i_1,r_1} y_{2,i_2,r_1} L_{a_4,i_2}} {}^T C P_L L_{a_2,i_1} H_{a_1} H_{a_3} \lambda_{T3} \epsilon_{a_1,a_2} \epsilon_{a_3,a_4}}{M_F} \\ & - \frac{2\sqrt{\frac{8}{3}}\hbar \log\left(\frac{\hat{\mu}^2}{M_F^2}\right) \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$
cont.								$\begin{aligned} & - \frac{2\sqrt{\frac{2}{3}}\hbar \lambda_{T3} L_{a_3,i_1} C P_R L_{a_4,i_2}}{M_F} {}^T y_{1,i_1,r_1} y_{2,i_2,r_1} \epsilon_{a_1,a_3} \epsilon_{a_2,a_4} H_{a_1}^\dagger H_{a_2}^\dagger \end{aligned}$	$\begin{aligned} & + \frac{\sqrt{3}\hbar y_{1,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger}{4\epsilon} \\ & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{1,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger}{\sqrt{3}\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger} \\ & + \frac{\sqrt{3}\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger}{4\epsilon} \end{aligned}$	
cont.									$\begin{aligned} & + \frac{3}{8} \frac{\sqrt{3}\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger}{\sqrt{3}\hbar y_{2,i_1,r_1} \overline{Y_{e,i_3,i_2}} \overline{e_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger} \end{aligned}$	

Field combinations 2 of 2

Model	α	d_{S_1}	Y_{S_1}	d_{S_2}	Y_{S_2}	d_F	Y_F	F	H	ℓ	e
T3-A	0	1	0	3	1	2	$\frac{1}{2}$	$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-B	0	2	0	2	1	1	$\frac{1}{2}$	$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-C	0	2	0	2	1	3	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-D	0	3	0	1	1	2	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											
T3-E	0	3	0	3	1	2	$\frac{1}{2}$	$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{1,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_3,r_1} L_{a_1,i_2}} P_R e_{i_1} H_{a_1} y_{2,i_2,r_1} Y_{e,i_3,i_1}$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{1,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{1,i_3,r_1} H_{a_1}^\dagger$			
								$+\frac{1}{4}\sqrt{3}h \log \left(\frac{\bar{\mu}^2}{M_F^2} \right) \overline{y_{2,i_1,r_1} Y_{e,i_3,i_2} \bar{e}_{i_2}} P_L L_{a_1,i_1} y_{2,i_3,r_1} H_{a_1}^\dagger$			
<i>cont.</i>											