T3 group factors: EFT_1_after_F

Active theory: SM + S_1 + S_2 + $C_{LLS_1S_2}$. The fermion F is absent, so y_1, y_2 and M_F are not running EFT couplings.

$$j = \frac{d-1}{2}, \qquad C_2(d) = \frac{d^2-1}{4}, \qquad T(d) = \frac{d(d^2-1)}{12}.$$

In every comparison table, $\mathcal{S}$ denotes the RGE structure multiplying the displayed group factor in $16\pi^2\beta$.

Notation key

symbol	interaction / definition
g_1, g_2, g_3	SM gauge interactions
Y_u, Y_d, Y_e	SM Yukawa interactions
y_1	LFS_1 + h.c.
y_2	LFS_2 + h.c.
M_F	$-\bar{F}M_F F$
T	$\mathrm{Tr}(Y_e^\dagger Y_e + 3Y_u^\dagger Y_u + 3Y_d^\dagger Y_d)$
$T_\nu^{(1)}$	$\mathrm{Tr}(y_1^\dagger y_1)$
$T_\nu^{(2)}$	$\mathrm{Tr}(y_2^\dagger y_2)$
T_ν	$T_\nu^{(1)} + T_\nu^{(2)}$
m_1^2, m_2^2	$m_1^2 S_1^\dagger S_1,\ m_2^2 S_2^\dagger S_2$
λ_1	$\frac{1}{2}\lambda_1 (H^\dagger H)^2$
$\lambda_{S_i}^{(1)}$	$\frac{1}{2}\lambda_{S_i}^{(1)} (S_i^\dagger S_i)^2$
$\lambda_{HS_i}^{(1)}$	$(H^\dagger H)(S_i^\dagger S_i)$
$\lambda_{HS_i}^{(A)}$	$(H^\dagger T^A H)(S_i^\dagger T^A S_i)$
λ_5	$HHS_1S_2^\dagger$ + h.c.
$\lambda_{12}^{(1)}$	$(S_1^\dagger S_1)(S_2^\dagger S_2)$
$\lambda_{12}^{(A)}$	$(S_1^\dagger T^A S_1)(S_2^\dagger T^A S_2)$
$\lambda_{12}^{(\times)}$	$(S_1^\dagger S_2)(S_2^\dagger S_1)$

Stage field content

run	S_1	S_2	F	integrated at this stage	active after matching
T3-A	$(1,0)$	$(3,1)$	$(2,\frac{1}{2})$	F	S1, S2
T3-B	$(2,0)$	$(2,1)$	$(1,\frac{1}{2})$	F	S1, S2
T3-C	$(2,0)$	$(2,1)$	$(3,\frac{1}{2})$	F	S1, S2
T3-D	$(3,0)$	$(1,1)$	$(2,\frac{1}{2})$	F	S1, S2
T3-E	$(3,0)$	$(3,1)$	$(2,\frac{1}{2})$	F	S1, S2

Field representations

run	S_1	S_2	α
T3 − A	$(1,0)$	$(3,1)$	0
T3 − B	$(2,0)$	$(2,1)$	0
T3 − C	$(2,0)$	$(2,1)$	0
T3 − D	$(3,0)$	$(1,1)$	0
T3 − E	$(3,0)$	$(3,1)$	0

Gauge and Yukawa beta functions in this EFT

$\beta^{(1)}_{g_1}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
g_1^3	$\frac{47}{6}$	$\frac{15}{2}$	$\frac{15}{2}$	$\frac{43}{6}$	$\frac{47}{6}$

$\beta^{(1)}_{g_2}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
g_2^3	$-\frac{5}{2}$	$-\frac{17}{6}$	$-\frac{17}{6}$	$-\frac{5}{2}$	$-\frac{11}{6}$

$\beta^{(1)}_{g_3}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
g_3^3	-7	-7	-7	-7	-7

$\beta^{(1)}_{Y_u}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
$(Y_d(Y_d)^\dagger Y_u)_{ij}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$
$(Y_u(Y_u)^\dagger Y_u)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$g_2^2(Y_u)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_3^2(Y_u)_{ij}$	-8	-8	-8	-8	-8
$g_1^2(Y_u)_{ij}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$	$-\frac{17}{12}$
$T(Y_u)_{ij}$	1	1	1	1	1

$\beta^{(1)}_{Y_d}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
$(Y_d(Y_d)^\dagger Y_d)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$(Y_u(Y_u)^\dagger Y_d)_{ij}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$
$g_2^2(Y_d)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_3^2(Y_d)_{ij}$	-8	-8	-8	-8	-8
$g_1^2(Y_d)_{ij}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$	$-\frac{5}{12}$
$T(Y_d)_{ij}$	1	1	1	1	1

$\beta^{(1)}_{Y_e}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha =$
$(Y_e(Y_e)^\dagger Y_e)_{ij}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$	$\frac{3}{2}$
$g_2^2(Y_e)_{ij}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$	$-\frac{9}{4}$
$g_1^2(Y_e)_{ij}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$	$-\frac{15}{4}$
$T(Y_e)_{ij}$	1	1	1	1	1

$\beta_{m_1^2}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lambda_{S_1}^{(1)}\, m_1^2$	4	6	6	8	8
$g_2^2\, m_1^2$	0	$-\frac{9}{2}$	$-\frac{9}{2}$	-12	-12
$g_1^2\, m_1^2$	0	0	0	0	0
$\lambda_{12}^{(1)}\, m_2^2$	6	4	4	2	6
$\lambda_{S_1}^{(A)}\, m_1^2$	0	0	0	4	4
$\lambda_{12}^{(\times)}\, m_2^2$	0	0	0	0	4

$\beta_{m_2^2}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lambda_{S_2}^{(1)}\, m_2^2$	8	6	6	4	8
$g_2^2\, m_2^2$	-12	$-\frac{9}{2}$	$-\frac{9}{2}$	0	-12
$g_1^2\, m_2^2$	-6	-6	-6	-6	-6
$\lambda_{12}^{(1)}\, m_1^2$	2	4	4	6	6
$\lambda_{S_2}^{(A)}\, m_2^2$	4	0	0	0	4
$\lambda_{12}^{(\times)}\, m_1^2$	0	0	0	0	4

$\beta_{\lambda_{HS_1}^{(1)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lvert\lambda_5\rvert^2$	12	6	6	4	4
$g_2^2\, \lambda_{HS_1}^{(1)}$	$-\frac{9}{2}$	-9	-9	$-\frac{33}{2}$	$-\frac{33}{2}$
$g_1^2\, \lambda_{HS_1}^{(1)}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$	$-\frac{3}{2}$
$\lambda_1\, \lambda_{HS_1}^{(1)}$	6	6	6	6	6
$\left(\lambda_{HS_1}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{HS_1}^{(1)}\, \lambda_{S_1}^{(1)}$	4	6	6	8	8
$\lambda_{12}^{(1)}\, \lambda_{HS_2}^{(1)}$	6	4	4	2	6
g_2^4	0	$\frac{9}{4}$	$\frac{9}{4}$	6	6
g_1^4	0	0	0	0	0
$\lambda_{HS_1}^{(1)}\, T$	2	2	2	2	2
$\left(\lambda_{HS_1}^{(A)}\right)^2$	0	$\frac{3}{4}$	$\frac{3}{4}$	2	2
$\lambda_{HS_1}^{(1)}\, \lambda_{S_1}^{(A)}$	0	0	0	4	4
$\lambda_{HS_2}^{(1)}\, \lambda_{12}^{(\times)}$	0	0	0	0	4

$\beta_{\lambda_{HS_2}^{(1)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lvert\lambda_5\rvert^2$	4	6	6	12	4
$g_2^2\, \lambda_{HS_2}^{(1)}$	$-\frac{33}{2}$	-9	-9	$-\frac{9}{2}$	$-\frac{33}{2}$
$g_1^2\, \lambda_{HS_2}^{(1)}$	$-\frac{15}{2}$	$-\frac{15}{2}$	$-\frac{15}{2}$	$-\frac{15}{2}$	$-\frac{15}{2}$
$\lambda_1\, \lambda_{HS_2}^{(1)}$	6	6	6	6	6
$\left(\lambda_{HS_2}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{HS_2}^{(1)}\, \lambda_{S_2}^{(1)}$	8	6	6	4	8
$\lambda_{12}^{(1)}\, \lambda_{HS_1}^{(1)}$	2	4	4	6	6

g_2^4	6	$\frac{9}{4}$	$\frac{9}{4}$	0	6
g_1^4	3	3	3	3	3
$\left(\lambda_{HS_2}^{(A)}\right)^2$	2	$\frac{3}{4}$	$\frac{3}{4}$	0	2
$\lambda_{HS_2}^{(1)}\,\lambda_{S_2}^{(A)}$	4	0	0	0	4
$\lambda_{HS_2}^{(1)}\,T$	2	2	2	2	2
$\lambda_{HS_1}^{(1)}\,\lambda_{12}^{(\times)}$	0	0	0	0	4

$\beta_{\lambda_{12}^{(1)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lvert\lambda_5\rvert^2$	4	3	3	4	$\frac{4}{3}$
$g_2^2\,\lambda_{12}^{(1)}$	−12	−9	−9	−12	−24
$g_1^2\,\lambda_{12}^{(1)}$	−6	−6	−6	−6	−6
$\left(\lambda_{12}^{(1)}\right)^2$	4	4	4	4	4
$\lambda_{12}^{(1)}\,\lambda_{S_1}^{(1)}$	4	6	6	8	8
$\lambda_{12}^{(1)}\,\lambda_{S_2}^{(1)}$	8	6	6	4	8
$\lambda_{HS_1}^{(1)}\,\lambda_{HS_2}^{(1)}$	4	4	4	4	4
g_2^4	0	$\frac{9}{4}$	$\frac{9}{4}$	0	12
g_1^4	0	0	0	0	0
$\lambda_{12}^{(1)}\,\lambda_{S_2}^{(A)}$	4	0	0	0	4
$\left(\lambda_{12}^{(A)}\right)^2$	0	$\frac{3}{4}$	$\frac{3}{4}$	0	4
$\lambda_{12}^{(1)}\,\lambda_{S_1}^{(A)}$	0	0	0	4	4
$\left(\lambda_{12}^{(\times)}\right)^2$	0	0	0	0	4
$\lambda_{12}^{(\times)}\,\lambda_{S_1}^{(A)}$	0	0	0	0	4
$\lambda_{12}^{(\times)}\,\lambda_{S_2}^{(A)}$	0	0	0	0	4

β_{λ_5}

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$\lambda_5\,\lambda_1$	2	2	2	2	2
$\lambda_5\,\lambda_{HS_1}^{(1)}$	4	4	4	4	4
$\lambda_5\,\lambda_{HS_2}^{(1)}$	4	4	4	4	4
$\lambda_5\,\lambda_{12}^{(1)}$	2	2	2	2	2
$g_2^2\,\lambda_5$	$-\frac{21}{2}$	−9	−9	$-\frac{21}{2}$	$-\frac{33}{2}$
$g_1^2\,\lambda_5$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$	$-\frac{9}{2}$
$\lambda_5\,\lambda_{HS_2}^{(A)}$	4	2	2	0	2
$\lambda_5\,T$	2	2	2	2	2
$\lambda_5\,\lambda_{HS_1}^{(A)}$	0	−2	−2	−4	−2
$\lambda_5\,\lambda_{12}^{(A)}$	0	$-\frac{1}{2}$	$-\frac{1}{2}$	0	2
$\lambda_5\,\lambda_{12}^{(\times)}$	0	0	0	0	−2

Additional scalar-coupling beta functions

$\beta_{\lambda_{HS_1}^{(A)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$g_1^2 g_2^2$	0	0	0	0	0

$\beta_{\lambda_{HS_2}^{(A)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$g_1^2 g_2^2$	12	12	12	0	12

$\beta_{\lambda_{12}^{(A)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
$g_1^2 g_2^2$	0	0	0	0	0

$\beta_{\lambda_{12}^{(\times)}}$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
g_2^4	0	0	0	0	6
$\left(\lambda_{12}^{(A)}\right)^2$	0	0	0	0	2
$\lambda_{12}^{(1)}\,\lambda_{12}^{(\times)}$	0	0	0	0	8
$\left(\lambda_{12}^{(\times)}\right)^2$	0	0	0	0	10
$\lambda_{12}^{(\times)}\,\lambda_{S_1}^{(A)}$	0	0	0	0	−2
$\lambda_{12}^{(\times)}\,\lambda_{S_2}^{(A)}$	0	0	0	0	−2

Full Weinberg-coefficient RGE in EFT1

Writing the canonical mixed LLSS coefficient as C_{12}, the coupled one-loop Weinberg equation used in the F-first EFT is

$$16\pi^2 \frac{dC_5}{d\ln\mu} = (2\lambda_1 - 3g_2^2 + 2T)C_5 \tag{1}$$

$$- \frac{3}{2}\left[(Y_e^\dagger Y_e)^T C_5 + C_5 (Y_e^\dagger Y_e)\right] \tag{2}$$

$$+ R_W\,\lambda_5\,C_{12}. \tag{3}$$

Note: $\frac{7}{2}$ thing isnt there if we integrate out our fermion F so its not here

Direct $C_{12} \to C_5$ recoupling factor

For each representation the source term is

$$16\pi^2\,\beta_{C_5} \supset R_W\,\lambda_5\,C_{12}.$$

$\mathcal{S}$	T3 − A ($\alpha = 0$)	T3 − B ($\alpha = 0$)	T3 − C ($\alpha = 0$)	T3 − D ($\alpha = 0$)	T3 − E ($\alpha = 0$)
R_W	$\frac{4\sqrt{3}}{3}$	$\frac{4\sqrt{3}}{3}$	$-\frac{4}{3}$	$\frac{4\sqrt{3}}{3}$	$-\frac{4\sqrt{6}}{3}$

.

T3 − A ($\alpha = 0$)

1 independent complex matched structure displayed.

complex matched operator	matched prefactor	$SU(2)_L$ invariant
$(L_i^T C L_j)\,S_1^\dagger\,S_2 + \text{h.c.}$	$\frac{\overline{y_1 y_2}}{M_F}$	$\mathcal{I}_{LLS_1S_2}$

T3 − B ($\alpha = 0$)

1 independent complex matched structure displayed.

complex matched operator	matched prefactor	$SU(2)_L$ invariant
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$\frac{\overline{y_1 y_2}}{M_F}$	$\mathcal{C}_{LS_1F}\,\mathcal{C}_{LS_2F}$

T3 − C ($\alpha = 0$)

2 independent complex matched structures displayed.

complex matched operator	matched prefactor	$SU(2)_L$ invariant
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$-\frac{\sqrt{3}\overline{y_1 y_2}}{2M_F}$	ϵ
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$-\frac{\overline{y_1 y_2}}{2M_F}$	$\mathcal{I}_{LLS_1S_2}$

T3 − D ($\alpha = 0$)

1 independent complex matched structure displayed.

complex matched operator	matched prefactor	$SU(2)_L$ invariant
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$\frac{\overline{y_1 y_2}}{M_F}$	$\mathcal{I}_{LLS_1S_2}$

T3 − E ($\alpha = 0$)

2 independent complex matched structures displayed.

complex matched operator	matched prefactor	$SU(2)_L$ invariant
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$\frac{\sqrt{3}\overline{y_1 y_2}}{3M_F}$	ϵ
$(L_i^T C L_j)\, S_1^\dagger\, S_2 + \text{h.c.}$	$\frac{\sqrt{6}\overline{y_1 y_2}}{3M_F}$	$\mathcal{I}_{LLS_1S_2}$

Next threshold

Further matching depends on the next field or fields selected by the threshold plan. Once all T3 fields are removed, their representation dependence is carried by the matched C_5 boundary condition and the subsequent SMEFT running is universal.