ZAP by Checkmarx Scanning Report

Site: https://dfit-enigma-z8rf.onrender.com

Generated on Tue, 13 Oct 2026 17:44:02

ZAP Version: 2.17.0

ZAP by Checkmarx

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	3
Low	5

Insights

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP warnings logged - see the zap.log file for details	37
Info	Informational		Percentage of network failures	1 %
Info	Informational	https://api.msn.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://api.msn.com	Percentage of endpoints with content type text/plain	100 %
Info	Informational	https://api.msn.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://api.msn.com	Count of total endpoints	1
Info	Informational	https://api.msn.com	Percentage of slow responses	100 %
Info	Informational	https://assets.msn.com	Percentage of responses with status code 2xx	99 %

Info	Informational	https://assets.msn.com	Percentage of responses with status code 4xx	1 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type application/javascript	50 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type application/json	3 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type image/jpeg	1 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type image/png	1 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type image/svg+xml	44 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with content type image/x-icon	1 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with method GET	99 %
Info	Informational	https://assets.msn.com	Percentage of endpoints with method HEAD	1 %
Info	Informational	https://assets.msn.com	Count of total endpoints	209
Info	Informational	https://assets.msn.com	Percentage of slow responses	59 %
Info	Informational	https://browser.events.data.msn.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://browser.events.data.msn.com	Percentage of endpoints with method POST	100 %
Info	Informational	https://browser.events.data.msn.com	Count of total endpoints	4

Info	Informational	https://browser.events.data.msn.com	Percentage of slow responses	100 %
Info	Informational	https://c.bing.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://c.bing.com	Percentage of endpoints with content type image/gif	100 %
Info	Informational	https://c.bing.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://c.bing.com	Count of total endpoints	1
Info	Informational	https://c.bing.com	Percentage of slow responses	100 %
Info	Informational	https://c.msn.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://c.msn.com	Percentage of endpoints with content type image/gif	100 %
Info	Informational	https://c.msn.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://c.msn.com	Count of total endpoints	1
Info	Informational	https://c.msn.com	Percentage of slow responses	100 %
Info	Informational	https://cdnjs.cloudflare.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://cdnjs.cloudflare.com	Percentage of endpoints with content type application/javascript	100 %
Info	Informational	https://cdnjs.cloudflare.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://cdnjs.cloudflare.com	Count of total endpoints	1
Info	Informational	https://cdnjs.cloudflare.com	Percentage of slow responses	100 %

Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of responses with status code 2xx	50 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of responses with status code 3xx	26 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of responses with status code 4xx	9 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of responses with status code 5xx	13 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type application /json	1 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type image /png	1 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type image/x-icon	1 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type text/css	2 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type text/html	65 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with content type text /javascript	2 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with method GET	47 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with method HEAD	1 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of endpoints with method POST	51 %
Info	Informational	https://dfit-enigma-z8rf.onrender.com	Count of total endpoints	86

Info	Informational	https://dfit-enigma-z8rf.onrender.com	Percentage of slow responses	100 %
Info	Informational	https://ecn.dev.virtualearth.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://ecn.dev.virtualearth.net	Percentage of endpoints with content type image/png	100 %
Info	Informational	https://ecn.dev.virtualearth.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://ecn.dev.virtualearth.net	Count of total endpoints	1
Info	Informational	https://ecn.dev.virtualearth.net	Percentage of slow responses	100 %
Info	Informational	https://enduser.adsrvr.org	Percentage of responses with status code 2xx	100 %
Info	Informational	https://enduser.adsrvr.org	Percentage of endpoints with content type image/gif	100 %
Info	Informational	https://enduser.adsrvr.org	Percentage of endpoints with method GET	100 %
Info	Informational	https://enduser.adsrvr.org	Count of total endpoints	1
Info	Informational	https://enduser.adsrvr.org	Percentage of slow responses	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of endpoints with content type text/css	100 %
Info	Informational	https://fonts.googleapis.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://fonts.googleapis.com	Count of total endpoints	1
Info	Informational	https://fonts.googleapis.com	Percentage of slow responses	100 %
Info	Informational	https://fonts.gstatic.com	Percentage of responses with status code 2xx	100 %

Info	Informational	https://fonts.gstatic.com	Percentage of endpoints with content type font /woff2	100 %
Info	Informational	https://fonts.gstatic.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://fonts.gstatic.com	Count of total endpoints	2
Info	Informational	https://fonts.gstatic.com	Percentage of slow responses	16 %
Info	Informational	https://googleads.g.doubleclick.net	Percentage of responses with status code 2xx	50 %
Info	Informational	https://googleads.g.doubleclick.net	Percentage of responses with status code 3xx	50 %
Info	Informational	https://googleads.g.doubleclick.net	Percentage of endpoints with content type application /json	50 %
Info	Informational	https://googleads.g.doubleclick.net	Percentage of endpoints with content type text/html	50 %
Info	Informational	https://googleads.g.doubleclick.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://googleads.g.doubleclick.net	Count of total endpoints	2
Info	Informational	https://googleads.g.doubleclick.net	Percentage of slow responses	41 %
Info	Informational	https://i.ytimg.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://i.ytimg.com	Percentage of endpoints with content type image /jpeg	33 %
Info	Informational	https://i.ytimg.com	Percentage of endpoints with content type image /webp	66 %
Info	Informational	https://i.ytimg.com	Percentage of endpoints with method GET	100 %

Info	Informational	https://i.ytimg.com	Count of total endpoints	3
Info	Informational	https://i.ytimg.com	Percentage of slow responses	33 %
Info	Informational	https://ib.adnxs.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://ib.adnxs.com	Percentage of endpoints with content type image/gif	100 %
Info	Informational	https://ib.adnxs.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://ib.adnxs.com	Count of total endpoints	1
Info	Informational	https://ib.adnxs.com	Percentage of slow responses	100 %
Info	Informational	https://img-s-msn-com.akamaized.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://img-s-msn-com.akamaized.net	Percentage of endpoints with content type image /jpeg	34 %
Info	Informational	https://img-s-msn-com.akamaized.net	Percentage of endpoints with content type image /png	65 %
Info	Informational	https://img-s-msn-com.akamaized.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://img-s-msn-com.akamaized.net	Count of total endpoints	43
Info	Informational	https://img-s-msn-com.akamaized.net	Percentage of slow responses	17 %
Info	Informational	https://impressions.onelink.me	Percentage of responses with status code 2xx	100 %
Info	Informational	https://impressions.onelink.me	Percentage of endpoints with content type text/plain	100 %
Info	Informational	https://impressions.onelink.me	Percentage of endpoints with method GET	100 %
Info	Informational	https://impressions.onelink.me	Count of total endpoints	1

Info	Informational	https://impressions.onelink.me	Percentage of slow responses	100 %
Info	Informational	https://jnn-pa.googleapis.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://jnn-pa.googleapis.com	Percentage of endpoints with content type application /json+protobuf	50 %
Info	Informational	https://jnn-pa.googleapis.com	Percentage of endpoints with content type text/html	50 %
Info	Informational	https://jnn-pa.googleapis.com	Percentage of endpoints with method OPTIONS	50 %
Info	Informational	https://jnn-pa.googleapis.com	Percentage of endpoints with method POST	50 %
Info	Informational	https://jnn-pa.googleapis.com	Count of total endpoints	2
Info	Informational	https://jnn-pa.googleapis.com	Percentage of slow responses	33 %
Info	Informational	https://m.adnxs.com	Percentage of responses with status code 3xx	100 %
Info	Informational	https://m.adnxs.com	Percentage of endpoints with content type text/html	100 %
Info	Informational	https://m.adnxs.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://m.adnxs.com	Count of total endpoints	3
Info	Informational	https://m.adnxs.com	Percentage of slow responses	100 %
Info	Informational	https://msft-ssp-useast.adnxs.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://msft-ssp-useast.adnxs.com	Percentage of endpoints with content type text/html	100 %
Info	Informational	https://msft-ssp-useast.adnxs.com	Percentage of endpoints with method GET	100 %

Info	Informational	https://msft-ssp-useast.adnxs.com	Count of total endpoints	2
Info	Informational	https://msft-ssp-useast.adnxs.com	Percentage of slow responses	50 %
Info	Informational	https://ntp.msn.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://ntp.msn.com	Percentage of endpoints with content type application /javascript	50 %
Info	Informational	https://ntp.msn.com	Percentage of endpoints with content type text/html	50 %
Info	Informational	https://ntp.msn.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://ntp.msn.com	Count of total endpoints	6
Info	Informational	https://ntp.msn.com	Percentage of slow responses	77 %
Info	Informational	https://px.ads.linkedin.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://px.ads.linkedin.com	Percentage of endpoints with content type image /png	100 %
Info	Informational	https://px.ads.linkedin.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://px.ads.linkedin.com	Count of total endpoints	1
Info	Informational	https://px.ads.linkedin.com	Percentage of slow responses	100 %
Info	Informational	https://sb.scorecardresearch.com	Percentage of responses with status code 2xx	50 %
Info	Informational	https://sb.scorecardresearch.com	Percentage of responses with status code 3xx	50 %
Info	Informational	https://sb.scorecardresearch.com	Percentage of endpoints with method GET	100 %

Info	Informational	https://sb.scorecardresearch.com	Count of total endpoints	2
Info	Informational	https://sb.scorecardresearch.com	Percentage of slow responses	100 %
Info	Informational	https://shftr.adnxs.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://shftr.adnxs.net	Percentage of endpoints with content type image /jpeg	100 %
Info	Informational	https://shftr.adnxs.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://shftr.adnxs.net	Count of total endpoints	1
Info	Informational	https://shftr.adnxs.net	Percentage of slow responses	100 %
Info	Informational	https://srtb.msn.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://srtb.msn.com	Percentage of endpoints with content type application /json	50 %
Info	Informational	https://srtb.msn.com	Percentage of endpoints with method OPTIONS	50 %
Info	Informational	https://srtb.msn.com	Percentage of endpoints with method POST	50 %
Info	Informational	https://srtb.msn.com	Count of total endpoints	2
Info	Informational	https://srtb.msn.com	Percentage of slow responses	100 %
Info	Informational	https://static.doubleclick.net	Percentage of endpoints with content type text/plain	100 %
Info	Informational	https://static.doubleclick.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://static.doubleclick.net	Count of total endpoints	1
			Percentage of responses	

Info	Informational	https://th.bing.com	with status code 2xx	100 %
Info	Informational	https://th.bing.com	Percentage of endpoints with content type image /jpeg	100 %
Info	Informational	https://th.bing.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://th.bing.com	Count of total endpoints	1
Info	Informational	https://th.bing.com	Percentage of slow responses	27 %
Info	Informational	https://www.bing.com	Percentage of responses with status code 2xx	90 %
Info	Informational	https://www.bing.com	Percentage of responses with status code 3xx	10 %
Info	Informational	https://www.bing.com	Percentage of endpoints with content type application /json	18 %
Info	Informational	https://www.bing.com	Percentage of endpoints with content type image /jpeg	27 %
Info	Informational	https://www.bing.com	Percentage of endpoints with content type image /png	27 %
Info	Informational	https://www.bing.com	Percentage of endpoints with content type text/html	9 %
Info	Informational	https://www.bing.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://www.bing.com	Count of total endpoints	11
Info	Informational	https://www.bing.com	Percentage of slow responses	43 %
Info	Informational	https://www.google.com	Percentage of responses with status code 2xx	100 %
Info	Informational		Percentage of endpoints with content	100 %

		https://www.google.com	type text /javascript	
Info	Informational	https://www.google.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://www.google.com	Count of total endpoints	1
Info	Informational	https://www.google.com	Percentage of slow responses	16 %
Info	Informational	https://www.gstatic.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://www.gstatic.com	Percentage of endpoints with content type image /svg+xml	100 %
Info	Informational	https://www.gstatic.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://www.gstatic.com	Count of total endpoints	1
Info	Informational	https://www.gstatic.com	Percentage of slow responses	50 %
Info	Informational	https://www.youtube.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with content type application /json	18 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with content type text/css	18 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with content type text/html	13 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with content type text /javascript	36 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with method GET	81 %
Info	Informational	https://www.youtube.com	Percentage of endpoints with method POST	18 %

Info	Informational	https://www.youtube.com	Count of total endpoints	22
Info	Informational	https://www.youtube.com	Percentage of slow responses	58 %
Info	Informational	https://xpaywalletcdn-prod.azureedge.net	Percentage of responses with status code 2xx	100 %
Info	Informational	https://xpaywalletcdn-prod.azureedge.net	Percentage of endpoints with content type text/plain	100 %
Info	Informational	https://xpaywalletcdn-prod.azureedge.net	Percentage of endpoints with method GET	100 %
Info	Informational	https://xpaywalletcdn-prod.azureedge.net	Count of total endpoints	1
Info	Informational	https://xpaywalletcdn-prod.azureedge.net	Percentage of slow responses	50 %
Info	Informational	https://yt3.ggpht.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://yt3.ggpht.com	Percentage of endpoints with content type image /jpeg	100 %
Info	Informational	https://yt3.ggpht.com	Percentage of endpoints with method GET	100 %
Info	Informational	https://yt3.ggpht.com	Count of total endpoints	1
Info	Informational	https://yt3.ggpht.com	Percentage of slow responses	100 %

Alerts

Name	Risk Level	Number of Instances
Content Security Policy (CSP) Header Not Set	Medium	Systemic
Missing Anti-clickjacking Header	Medium	Systemic
Sub Resource Integrity Attribute Missing	Medium	Systemic
Application Error Disclosure	Low	21
Cookie Without Secure Flag	Low	Systemic
Cross-Domain JavaScript Source File Inclusion	Low	Systemic
Strict-Transport-Security Header Not Set	Low	Systemic
X-Content-Type-Options Header Missing	Low	Systemic

Alert Detail

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ReporteFinanciero
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ReporteFinanciero
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	HEAD
Attack	

Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	**Missing Anti-clickjacking Header**
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ReporteFinanciero
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ReporteFinanciero
Method	GET

Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Rutinas
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Rutinas
Method	GET
Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Medium	**Sub Resource Integrity Attribute Missing**
Description	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Method	GET
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/qrcodejs/1.0.0/qrcode.min.js"></script>
Other Info	The following hash was calculated (using base64 encoding of the output of the hash algorithm: SHA-384) for the script in question sha384-3zSEDfvllQohrq0PHL1fOXJuC/jSOO34H46t6UQfobFOmxE5BpjjaIJY5F2/bMnU
Instances	Systemic
Solution	Provide a valid integrity attribute to the tag.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/Defenses/Subresource_Integrity
CWE Id	345
WASC Id	15
Plugin Id	90003

Low	**Application Error Disclosure**
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.

URL	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/ZOmDLW34p5DqXF4IU9A7
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/ZOmDLW34p5DqXF4IU9A7 () (CupoMaximo,DiaSemana,HoraFin,HoraInicio,Id,Instructor,NombreClase,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/e9mYAAMkdarN9hH5WCme
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/e9mYAAMkdarN9hH5WCme () (CupoMaximo,DiaSemana,HoraFin,HoraInicio,Id,Instructor,NombreClase,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/yCgHKGnpfNubM2u8oNsu
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditHorario/yCgHKGnpfNubM2u8oNsu () (CupoMaximo,DiaSemana,HoraFin,HoraInicio,Id,Instructor,NombreClase,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/2LOfSxg0dNXqD8QvH77K
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/2LOfSxg0dNXqD8QvH77K () (Activa,Descripcion,DuracionDias,Id,Nombre,Precio,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/5ntKn6GT1NSOxO7tV55r
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/5ntKn6GT1NSOxO7tV55r () (Activa,Descripcion,DuracionDias,Id,Nombre,Precio,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/hrTQxVQI73MyVjfl0D0P
Node	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/hrTQxVQI73MyVjfl0D0P ()

Name	(Activa,Descripcion,DuracionDias,Id,Nombre,Precio,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/jUm3udP0rEb6n5CHUNDs
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/jUm3udP0rEb6n5CHUNDs () (Activa,Descripcion,DuracionDias,Id,Nombre,Precio,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/ydorsfzXeebchRQ4g3UM
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditMembresia/ydorsfzXeebchRQ4g3UM () (Activa,Descripcion,DuracionDias,Id,Nombre,Precio,__Invariant, __RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/3eHq8uNgXDhbah3UHhzc
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/3eHq8uNgXDhbah3UHhzc ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/GZKEHZh1H3DWS29zAHfa
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/GZKEHZh1H3DWS29zAHfa ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/IS7kHa6FhdR8dk6s6ytq
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/IS7kHa6FhdR8dk6s6ytq ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	

Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/dId9r3C6GWuXyRyG4RWp
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/dId9r3C6GWuXyRyG4RWp ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/iQ0iR7N6ClEuPbXIGOo7
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/iQ0iR7N6ClEuPbXIGOo7 ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/iiLoNqlCpo7tFVXq3Mte
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/iiLoNqlCpo7tFVXq3Mte ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/nyJkirFwfM4YNN7jjouT
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/EditUser/nyJkirFwfM4YNN7jjouT ()(Activo, Apellidos,Celular,Correo,DNI,Id,Nombres,Rol,__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/3eHq8uNgXDhbah3UHhzc
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/3eHq8uNgXDhbah3UHhzc ()(__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/GZKEHZh1H3DWS29zAHfa
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus /GZKEHZh1H3DWS29zAHfa ()(__RequestVerificationToken)

Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/dId9r3C6GWuXyRyG4RWp
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus /dId9r3C6GWuXyRyG4RWp ()(__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/iQ0iR7N6ClEuPbXIGOo7
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/iQ0iR7N6ClEuPbXIGOo7 () (__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/iiLoNqlCpo7tFVXq3Mte
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/iiLoNqlCpo7tFVXq3Mte () (__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/nyJkirFwfM4YNN7jjouT
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/ToggleUserStatus/nyJkirFwfM4YNN7jjouT () (__RequestVerificationToken)
Method	POST
Attack	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
Instances	21
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	550
WASC Id	13
Plugin Id	90022

Low	Cookie Without Secure Flag
Description	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	GET
Attack	
Evidence	Set-Cookie: .AspNetCore.Antiforgery.VyLW6ORzMgk
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	HEAD
Attack	
Evidence	Set-Cookie: .AspNetCore.Antiforgery.VyLW6ORzMgk
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/Home/RegistrarAsistencia
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/RegistrarAsistencia () (__RequestVerificationToken,usuarioId)
Method	POST
Attack	
Evidence	Set-Cookie: .AspNetCore.Mvc.CookieTempDataProvider
Other Info	
Instances	Systemic
Solution	Whenever a cookie contains sensitive information or is a session token, then it should always be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such sensitive information.
Reference	https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html
CWE Id	614
WASC Id	13
Plugin Id	10011

Low	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Asistencia
Method	GET
Attack	
Evidence	<script src="https://cdnjs.cloudflare.com/ajax/libs/qrcodejs/1.0.0/qrcode.min.js"></script>
Other	

Info	
Instances	Systemic
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Low	**Strict-Transport-Security Header Not Set**
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/css/site.css?v=-maEjVfyPsRdeXq1e0UxohYu0l8HGGn7-AjucVhtRU8
Node Name	https://dfit-enigma-z8rf.onrender.com/css/site.css (v)
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/css/bootstrap.min.css
Node Name	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/css/bootstrap.min.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/js/bootstrap.bundle.min.js
Node Name	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	
Other Info	

URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	HEAD
Attack	
Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security_Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	**X-Content-Type-Options Header Missing**
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Dashboard
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Node Name	https://dfit-enigma-z8rf.onrender.com/Home/Membresias
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://dfit-enigma-z8rf.onrender.com/css/site.css?v=-maEjVfyPsRdeXq1e0UxohYu0l8HGGn7-AjucVhtRU8

Node Name	https://dfit-enigma-z8rf.onrender.com/css/site.css (v)
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/css/bootstrap.min.css
Node Name	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/css/bootstrap.min.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/js/bootstrap.bundle.min.js
Node Name	https://dfit-enigma-z8rf.onrender.com/lib/bootstrap/dist/js/bootstrap.bundle.min.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	Systemic
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021