FRANMARINE UNDERWATER SERVICES PTY LTD

OIL OR FUEL SPILL

Emergency Procedure

MV INTEGRITY III | UVI: 414562

Marine Order 504 (2024) — Schedule 1 Compliance

Document Number:	FUS-SMS-INT3-06J
Revision:	01
Date:	7 July 2026
Author:	Matthew Hilder
Reviewed By:	Belinda Brooks
Approved By:	Kirby Hamilton
Vessel:	MV Integrity III (UVI 414562)

DOCUMENT CONTROL

Revision History

Rev	Date	Author	Description	Approved
01	7 July 2026	M. Hilder	Initial issue	K. Hamilton

Approval

Role	Name	Date
Author	Matthew Hilder	7 July 2026
Reviewed	Belinda Brooks	7 July 2026
Approved	Kirby Hamilton	7 July 2026

Review Frequency

This document shall be reviewed at least every 12 months, or sooner following a significant incident, change of operations, vessel modification, or change in applicable legislation.

Controlled Distribution

This document is a controlled distribution issued from the Franmarine document management system (DMS), which holds the master record, revision history, and approval log. The controlled digital copy is located in the vessel's SharePoint folder. Printed or downloaded copies are uncontrolled; refer to the SMS Document Register for the current revision status.

TABLE OF CONTENTS

1. PURPOSE

This procedure establishes the actions to be taken in the event of an oil or fuel spill from MV Integrity III.

1.1 Regulatory Reference

Marine Order 504 (2024), Schedule 1, Clause 12. Protection of the Environment Operations Act 1997 (NSW).

2. IMMEDIATE ACTIONS

- Stop the source of the spill if safe to do so (close fuel valves, tighten connections, contain the leak).
- Eliminate all ignition sources. No smoking, no electrical switching.
- Deploy absorbent pads or booms to contain the spill.
- Do not use detergent or dispersant in waterways.

3. NOTIFICATION

The following notifications shall be made as soon as practicable:

- East Coast Operations Superintendent — 0452 123 732.
- NSW EPA Environment Line — 131 555.
- Port Authority of NSW (if in port waters) — VHF Ch 13 or 02 9296 4999.
- AMSA — if the spill meets the threshold for notification under MARPOL Annex I.

4. CLEAN-UP

- Recover as much spilled product as possible using absorbent materials.
- Used absorbent materials are classified as contaminated waste and shall be disposed of at an approved facility.
- Do not discharge bilge water that may be contaminated with fuel or oil.

5. SPILL KIT CONTENTS

- Absorbent pads (oil-only type).
- Absorbent boom or socks.
- Disposal bags.
- Nitrile gloves.

6. POST-INCIDENT

- Record all details in the vessel logbook including estimated quantity, type of product, location, and actions taken.
- Complete an incident report.
- Replenish the spill kit before the vessel returns to service.

7. REFERENCES

- FUS-SMS-INT3-06 Emergency Plan
- FUS-SMS-INT3-05G Bunkering and Refuelling
- Protection of the Environment Operations Act 1997 (NSW)
- MARPOL Annex I
- Marine Order 504 (2024), Schedule 1, Clause 12