FRANMARINE UNDERWATER SERVICES PTY LTD

CREWING

Appropriate Crewing and Qualifications

MV ROHANI | UVI: 457394

Marine Order 504 (2024) — Schedule 1 Compliance

Document Number:	FUS-SMS-ROH-03
Revision:	01
Date:	7 July 2026
Author:	Matthew Hilder
Reviewed By:	Belinda Brooks
Approved By:	Kirby Hamilton
Vessel:	MV Rohani (UVI 457394)

DOCUMENT CONTROL

Revision History

Rev	Date	Author	Description	Approved
01	7 July 2026	M. Hilder	Initial issue	K. Hamilton

Approval

Role	Name	Date
Author	Matthew Hilder	7 July 2026
Reviewed	Belinda Brooks	7 July 2026
Approved	Kirby Hamilton	7 July 2026

Review Frequency

This document shall be reviewed at least every 12 months, or sooner following a significant incident, change of operations, vessel modification, or change in applicable legislation.

Controlled Distribution

This document is a controlled distribution issued from the Franmarine document management system (DMS), which holds the master record, revision history, and approval log. The controlled digital copy is located in the vessel's SharePoint folder. Printed or downloaded copies are uncontrolled; refer to the SMS Document Register for the current revision status.

TABLE OF CONTENTS

1. CREWING EVALUATION

Determined by the owner in consultation with the master per Marine Order 504 (2024), Schedule 1, Clause 6(4). The evaluation against each factor required by Clause 6(4) is recorded below.

1.1 Kind of Operation and Key Vessel Operations — Clause 6(4)(a)

MV Rohani is a Class 2C diving support vessel. Operations include commercial diving (SSBA), ROV inspection, marine construction support, and vessel transit. Diving operations require a minimum three-person dive team per AS/NZS 2299.1:2015. Non-diving transit and positioning tasks may be conducted by the master alone in enclosed waters.

1.2 Tasks and Demands — Clause 6(4)(b)

In addition to safe navigation, the master manages dive operations supervision, VHF communications with port authorities, vessel positioning alongside structures, winch operations, and equipment deployment and recovery. These concurrent demands require at least one additional crew member during open-water operations and at least two additional crew during diving operations.

1.3 Fatigue Risk — Clause 6(4)(c)

MV Rohani is a day vessel with no berthed accommodation. Normal working day limit is 12 hours with a minimum 10 hours rest in each 24-hour period. Fatigue risk is managed under FUS-SMS-ROH-10 and the Franmarine Fatigue Management Plan (HSE-PLA-005). Crew rotation is provided for multi-day campaigns.

1.4 Number of Persons Carried — Clause 6(4)(d)

Maximum 4 persons onboard (1 crew plus 3 special personnel). The master can ascertain the number of persons onboard at all times by visual observation given the vessel's compact open layout and small complement. A verbal roll call is conducted before departure and at the assembly station during emergencies.

1.5 Design Characteristics — Clause 6(4)(e)

10.80 m aluminium hull, open deck layout, twin Detroit Diesel 6V-92T diesel inboard engines, Unic UB-V504J crane (3.5 t), two spud legs, moonpool (blanked off), SSBA dive spread, 6 t bollard pull. The engine room is an enclosed space (entry controlled under FUS-SMS-ROH-05N). No complex machinery requiring a dedicated engineer: the propulsion power of 335 kW sits within the Coxswain Grade 1 Near Coastal inboard limit (<500 kW), permitting the master to combine the master and engineering functions.

1.6 Qualifications and Competencies — Clause 6(4)(f)

The master holds a Coxswain certificate appropriate to the operational area (Grade 1, 2, or 3 Near Coastal) and combines the engineering role. All diving personnel hold current ADAS qualifications per AS/NZS 2299.1:2015. At least one person onboard holds HLTAID011. The master or a crew member holds a Marine VHF Radio Operator's Certificate. Refer to Sections 3 and 4 of this document for full details.

1.7 Technological Aids — Clause 6(4)(g)

The vessel is fitted with chart plotter, echo sounder, GNSS, fixed-mount and handheld VHF radio, and EPIRB. These are standard navigation and communication aids operated by the master. No additional specialist competency is required beyond the master's certificate of competency.

1.8 Area of Operation and Expected Conditions — Clause 6(4)(h)

Port Jackson, Botany Bay, and the NSW coastline within Class 2C limits, subject to the Certificate of Survey conditions. Temperate climate with water temperatures ranging from approximately 16°C in winter to 24°C in summer. Operations are subject to the weather parameters defined in FUS-SMS-ROH-06K, including: sustained wind ≥25 knots do not depart; gusts ≥35 knots cease operations (gust planning rule: forecast wind × 1.4 = expected gust ceiling); significant wave height ≥2.5 m do not depart; BOM Gale or Storm Warnings prohibit departure. The area includes commercial shipping traffic managed by Sydney VTS (VHF Ch 13) and Botany Bay VTS (12).

1.9 Duration of Voyage — Clause 6(4)(i)

Day operations only. Typical voyage duration is 4 to 10 hours. No overnight or multi-day voyages. The vessel returns to berth at the end of each working day.

1.10 Emergency Preparedness — Clause 6(4)(j)

The emergency plan (FUS-SMS-ROH-06) assigns emergency roles by crew position. Evacuation from a 10.80 m vessel does not require complex muster procedures. The primary assembly station is the aft deck with a verbal roll call. Emergency drills are conducted at the frequencies specified in FUS-SMS-ROH-04B. The minimum crewing for open-water operations is 1 (the master); the task risk assessment and the dive-team minimum determine when additional crew or special personnel are carried.

1.11 Maintenance Requirements — Clause 6(4)(k)

Maintenance is managed through MaintainX (FUS-SMS-ROH-07). Twin Detroit Diesel 6V-92T diesel inboard engines are serviced per the manufacturer's maintenance schedule. No onboard engineering watchkeeping is required. Pre-departure checks are completed by the master before each voyage. All maintenance is performed ashore or at berth, not underway.

1.12 External Support — Clause 6(4)(l)

The vessel operates within VHF range of Marine Rescue NSW, Sydney VTS (VHF Ch 13) and Botany Bay VTS (12). The East Coast Operations Superintendent and designated person are contactable at all times during operations. Triple Zero (000) and the AMSA JRCC are available for distress. The operational area is within helicopter rescue range of metropolitan medical facilities. Franmarine maintains additional vessels and shore-based personnel in the region that can provide support if required.

2. MINIMUM CREWING

Operation	Min Crew	Min POB	Notes
Transit — sheltered / enclosed waters	1	1	Master only
Transit — open water (to 15 NM)	2	2	Master + 1 crew (risk assessed)
General workboat — enclosed	1	1+	Master + special personnel as required
General workboat — open water	2	2+	Master + 1 crew minimum
Winch operations	2	2+	Master + 1 crew (winch tender) minimum
Diving operations	3	3	Diving Supervisor + Diver + Standby Diver (AS/NZS 2299.1)

Master and engineering functions may be combined (inboard propulsion 335 kW, within the master's certificate scope). Dive team minimum of 3 per AS/NZS 2299.1:2015. Master typically acts as diving supervisor.

3. MASTER QUALIFICATIONS

The minimum Certificate of Competency required to command MV Rohani depends on the operational area of the specific task. MV Rohani is a vessel less than 12 metres in length powered by twin diesel inboard engines with a recorded propulsion power of 335 kW (MO505 inboard propulsion power basis). The inboard power limits therefore apply: Coxswain Grade 1 Near Coastal covers inboard propulsion up to 500 kW, so it is the minimum certificate for Rohani's 335 kW; Coxswain Grade 2 and Grade 3 (limited to 100 kW) are not sufficient. The distance from shore at which the task will be conducted then determines whether a higher certificate is required.

3.1 Coxswain Grade 3 and Grade 2 Near Coastal — Not Acceptable

Coxswain Grade 3 NC and Grade 2 NC are limited to inboard engines under 100 kW. MV Rohani has 335 kW inboard propulsion — neither certificate is sufficient for this vessel.

3.2 Coxswain Grade 1 Near Coastal — Minimum Acceptable Qualification

Inboard engine power limit: less than 500 kW. MV Rohani has 335 kW inboard propulsion — this certificate covers this vessel. A Grade 1 Near Coastal coxswain may operate MV Rohani only within Limited Coast Station (LCS) areas of coverage, up to a maximum of 15 NM from the coast.

This is the minimum acceptable qualification for commanding MV Rohani. Required for all operations.

3.3 Summary

Coxswain Grade	Max Distance from Shore	Typical Operations
Grade 3 NC	Not Acceptable	Not acceptable — inboard power exceeds the 100 kW Grade 3 limit
Grade 2 NC	Not Acceptable	Not acceptable — inboard power exceeds the 100 kW Grade 2 limit
Grade 1 NC	15 nm (inshore waters)	LCS area of coverage up to 15 nm (minimum certificate)
Master <24m NC	20 nm (within LCS coverage)	Class maximum

Coxswain Grade 1 Near Coastal is the minimum acceptable qualification for MV Rohani. Higher certificates including Master <24m Near Coastal and Master <35m Near Coastal are also acceptable. The East Coast Operations Superintendent shall verify that the master assigned to each task holds a certificate appropriate to the operational area.

4. OTHER QUALIFICATIONS

4.1 Diving Personnel

- All divers shall hold current ADAS qualifications per AS/NZS 2299.1:2015.
- Diving personnel shall hold current diving medical certificates.

4.2 First Aid

- At least one person onboard shall hold HLTAID011 (Provide First Aid) or equivalent at all times (Schedule 1, Clause 10).
- Diving personnel shall additionally hold CPR and oxygen administration competencies per AS/NZS 2299.1:2015.

4.3 Radio

- The master or a crew member shall hold a Marine VHF Radio Operator's Certificate (Short Range Operator Certificate of Proficiency, ACMA, or equivalent) (Schedule 1, Clause 10).

4.4 Qualifications Management

Crew qualifications are stored in StemsOne. All crew should have physical original certifications on their person while on duty. The East Coast Operations Superintendent ensures qualifications are current and renewed before lapse.

5. CREW LIST

Marine Order 504 (2024), Schedule 1, Clause 15(9) requires that an up to date crew list is kept on board the vessel and is readily accessible. Clause 15(10) requires that the crew list includes the following information:

(a) Name of the vessel.

(b) Identification number of the vessel.

(c) Name, address, phone number and email address (if any) of the owner of the vessel.

(d) Name, address, phone number and email address (if any) of the employer of the crew.

(e) Name, home address, phone number and email address (if any) of each crew member.

(f) Name, address and phone number of each crew member's next of kin.

(g) Capacity in which each crew member is employed.

(h) Certificates held by each crew member, including certificates of competency required under the national law and other relevant certificates or qualifications.

(i) Date each crew member joined the vessel.

(j) Date each crew member left the vessel.

The current crew list for MV Rohani is maintained in the following locations:

- Physical vessel logbook (onboard).
- QR code pre-start form (digital, completed before each departure).
- Task-specific daily paperwork (for each job).

These records satisfy the requirements of Schedule 1, Clause 15(9) and (10). The crew list is updated before every departure.

6. REFERENCES

- Marine Order 504 (2024), Schedule 1, Clauses 6, 8, 9, 10, 15
- Marine Order 505 (Certificates of competency — national law)
- AMSA — Coxswain Grade 1, 2, and 3 Near Coastal qualification requirements
- AS/NZS 2299.1:2015 Occupational Diving Operations
- Marine Order 503 (Certificates of survey - national law) 2018; Certificate of Survey COS-94585-003 (operational conditions)
- StemsOne (crew qualifications management system)
- FUS-SMS-ROH-05J Radio Watch