


# Vector Rotate Node



The *Vector Rotate Node* provides the ability to rotate a vector around a pivot point (*Center*).

## Inputs

### Vector

Vector to be rotated.

### Center

Point to rotate around.

### Axis

Axis to rotate around.

### Angle

Angle to rotate the input vector by.

### Rotation

When *Type* is set to *Euler*, rotate the input vector by these angles around the X, Y, then Z axes in that order.

## Properties

### Type

The type of angle input.

#### X/Y/Z Axis:

Rotates the vector around the defined axis and the amount of rotation is defined by the *Angle* input.

#### Axis Angle:

Rotates the vector around an arbitrary axis defined by the *Axis* input vector. The amount of rotation is defined by the *Angle* input.

#### Euler:

Rotates the vector about a center point defined by the *Center* input vector. The amount of rotation on each axis is defined by the *Rotation* input vector.

**Invert**

Inverts the rotation angle.


**Outputs**

**Vector**

The rotated vector.

**Examples**

[Copyright](#) © : This page is licensed under a CC-BY-SA 4.0 Int. License  
Made with [Furo](#)  
Last updated on 2025-05-10  
[View Source](#)  
[View Translation](#)  
[Report issue on this page](#)



Vector Rotate node example.

[Previous](#)  
[Vector Displacement Node](#)

[Next](#)  
[Vector Transform Node](#)