## Skip to content ThemeInfo(bpy\_struct)

```
base class — bpy_struct
class bpy.types.ThemeInfo(bpy_struct)
    Theme settings for Info
     info debug
         Background color of Debug icon
         TYPE:
               float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     info\_debug\_text
         Foreground color of Debug icon
         TYPE:
               mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     info_error
         Background color of Error icon
         TYPE:
               float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     info\_error\_text
         Foreground color of Error icon
         TYPE:
               mathutils. Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     info info
         Background color of Info icon
         TYPE:
               float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     info_info_text
         Foreground color of Info icon
         TYPE:
               mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     info operator
         Background color of Operator icon
         TYPE:
               float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     info_operator_text
         Foreground color of Operator icon
         TYPE:
               mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
```

info\_property

```
Background color of Property icon
    TYPE:
         float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
info_property_text
    Foreground color of Property icon
    TYPE:
         mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
info selected
    Background color of selected line
    TYPE:
         mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
info selected text
    Text color of selected line
    TYPE:
         mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
info_warning
    Background color of Warning icon
    TYPE:
         float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
info_warning_text
    Foreground color of Warning icon
    TYPE:
         mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
space
    Settings for space
    TYPE:
         ThemeSpaceGeneric, (readonly, never None)
classmethod bl_rna_get_subclass(id, default=None)
    PARAMETERS:
         id (str) – The RNA type identifier.
    RETURNS:
         The RNA type or default when not found.
    RETURN TYPE:
         bpy.types.Struct subclass
classmethod bl_rna_get_subclass_py(id, default=None)
    PARAMETERS:
         id (str) – The RNA type identifier.
    RETURNS:
         The class or default when not found.
    RETURN TYPE:
```

## **Inherited Properties**

• bpy struct.id data

## **Inherited Functions**

- bpy\_struct.as\_pointer
- bpy\_struct.driver\_add
- bpy struct.driver remove
- bpy\_struct.get
- bpy struct.id properties clear
- bpy\_struct.id\_properties\_ensure
- bpy\_struct.id\_properties\_ui
- bpy struct.is property hidden
- bpy\_struct.is\_property\_overridable\_library bpy\_struct.property\_unset
- bpy\_struct.is\_property\_readonly
- bpy struct.is property set

- bpy struct.items
- bpy\_struct.keyframe\_delete
- bpy struct.keyframe insert
- bpy\_struct.keys
- bpy struct.path from id
- bpy\_struct.path\_resolve
- bpy\_struct.pop
- bpy\_struct.property\_overridable\_library\_set
- bpy\_struct.type\_recast
- bpy struct.values

## References

• Theme.info

Previous ThemeImageEditor(bpy\_struct) Report issue on this page

Copyright © Blender Authors Made with Furo

ThemeNLAEditor(bpy stru