

[Skip to content](#)

ForeachGeometryElementZoneViewerPathElem(ViewerPathElem)

base classes — [bpy_struct](#), [ViewerPathElem](#)

class `bpy.types.ForeachGeometryElementZoneViewerPathElem(ViewerPathElem)`

zone_output_node_id

TYPE:

int in [-inf, inf], default 0

classmethod `bl_rna_get_subclass(id, default=None)`

PARAMETERS:

id (*str*) – The RNA type identifier.

RETURNS:

The RNA type or default when not found.

RETURN TYPE:

[bpy.types.Struct](#) subclass

classmethod `bl_rna_get_subclass_py(id, default=None)`

PARAMETERS:

id (*str*) – The RNA type identifier.

RETURNS:

The class or default when not found.

RETURN TYPE:

type

Inherited Properties

- [bpy_struct.id_data](#)
- [ViewerPathElem.type](#)
- [ViewerPathElem.ui_name](#)

Inherited Functions

- | | |
|---|--|
| <ul style="list-style-type: none">bpy_struct.as_pointerbpy_struct.driver_addbpy_struct.driver_removebpy_struct.getbpy_struct.id_properties_clearbpy_struct.id_properties_ensurebpy_struct.id_properties_uibpy_struct.is_property_hiddenbpy_struct.is_property_overridable_librarybpy_struct.is_property_readonlybpy_struct.is_property_setbpy_struct.items | <ul style="list-style-type: none">bpy_struct.keyframe_deletebpy_struct.keyframe_insertbpy_struct.keysbpy_struct.path_from_idbpy_struct.path_resolvebpy_struct.popbpy_struct.property_overridable_library_setbpy_struct.property_unsetbpy_struct.type_recastbpy_struct.valuesViewerPathElem.bl_rna_get_subclassViewerPathElem.bl_rna_get_subclass_py |
|---|--|

[Previous](#)
[ForeachGeometryElementMainItem\(bpy_struct\)](#)
[Report issue on this page](#)

Copyright © Blender Authors
Made with [Furo](#)

[Next](#)
[FreestyleLineSet\(bpy_struct\)](#)