Skip to content ThemeSpaceGeneric(bpy_struct)

```
base class — bpy_struct
class bpy.types.ThemeSpaceGeneric(bpy_struct)
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     button
         TYPE:
              float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     button text
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     button_text_hi
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     button_title
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     execution_buts
         TYPE:
              float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     header
         TYPE:
              float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     header text
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     header text hi
         TYPE:
              mathutils.Color of 3 items in [0, 1], default (0.0, 0.0, 0.0)
     navigation_bar
         TYPE:
              float array of 4 items in [0, 1], default (0.0, 0.0, 0.0, 0.0)
     panelcolors
         TYPE:
              ThemePanelColors, (readonly, never None)
     tab_active
         TYPE:
```

mathetila Calar of 3 itams in [0 1] datailt (00 00 00)

id(str) – The RNA type identifier.

RETURNS:

The class or default when not found.

RETURN TYPE:

type

Inherited Properties

• bpy_struct.id_data

Inherited Functions

```
• bpy_struct.as_pointer
```

• bpy struct.driver add

- bpy struct.items
- bpy struct.keyframe delete

• bpy struct.driver remove

• bpy_struct.get

• bpy_struct.id_properties clear

• bpy struct.id properties ensure

• bpy struct.id properties ui

• bpy_struct.is_property_hidden

• bpy struct.is property overridable library • bpy struct.property unset

• bpy struct.is property readonly

• bpy struct.is property set

• bpy struct.keyframe insert

• bpy_struct.keys

• bpy struct.path from id

• bpy struct.path resolve

• bpy struct.pop

• bpy_struct.property_overridable_library_set

• bpy_struct.type_recast

• bpy struct.values

References

• ThemeClipEditor.space

• ThemeConsole.space

• ThemeDopeSheet.space

• ThemeFileBrowser.space

• ThemeGraphEditor.space

• ThemeImageEditor.space

• ThemeInfo.space

• ThemeNLAEditor.space

• ThemeNodeEditor.space

• ThemeOutliner.space

• ThemePreferences.space

• ThemeProperties.space

ThemeSequenceEditor.space

• ThemeSpreadsheet.space

• ThemeStatusBar.space

• ThemeTextEditor.space

• ThemeTopBar.space

Previous ThemeSequenceEditor(bpy_struct) Report issue on this page

Copyright © Blender Authors Made with Furo

ThemeSpaceGradient(bpy_stru