Skip to content

GeometryNodeMeshBoolean(GeometryNode)

base classes — bpy_struct, Node, NodeInternal, GeometryNode

class bpy.types.GeometryNodeMeshBoolean(GeometryNode)

Cut, subtract, or join multiple mesh inputs

operation

- INTERSECT Intersect Keep the part of the mesh that is common between all operands.
- UNION Union Combine meshes in an additive way.
- DIFFERENCE Difference Combine meshes in a subtractive way.

TYPE:

enum in ['INTERSECT', 'UNION', 'DIFFERENCE'], default 'INTERSECT'

solver

- EXACT Exact Exact solver for the best results.
- FLOAT Float Simple solver for the best performance, without support for overlapping geometry.

TYPE:

enum in ['EXACT', 'FLOAT'], default 'FLOAT'

classmethod is_registered_node_type()

True if a registered node type

RETURNS:

Result

RETURN TYPE:

boolean

classmethod input_template(index)

Input socket template

PARAMETERS:

index (int in [0, inf]) – Index

RETURNS:

result

RETURN TYPE:

NodeInternalSocketTemplate

classmethod output_template(index)

Output socket template

PARAMETERS:

index (int in [0, inf]) – Index

RETURNS:

result

RETURN TYPE:

NodeInternalSocketTemplate

classmethod bl_rna_get_subclass(id, default=None)

PARAMETERS:

```
id(str) – The RNA type identifier.
RETURNS:
    The RNA type or default when not found.
```

RETURN TYPE:

bpy.types.Struct subclass

classmethod bl rna get subclass py(id, default=None)

PARAMETERS:

id(str) – The RNA type identifier.

RETURNS:

The class or default when not found.

RETURN TYPE:

type

Inherited Properties

• bpy_struct.id_data • Node.select

• Node.type

• Node.location

• Node.location absolute • Node.hide

Node.width

• Node.height

• Node.dimensions

• Node.name

• Node.label

• Node.inputs

• Node.outputs

• Node.parent

• Node.warning propagation • Node.bl width max

• Node.color

• Node.color_tag

• Node.show options

Node.show_preview

Node.mute

Node.show texture

• Node.bl idname

• Node.bl label

Node.bl_description

• Node.bl icon

• Node.bl static type

• Node.internal_links • Node.bl_width_default

• Node.bl width min

• Node.use_custom_color • Node.bl_height_default

• Node.bl height min

• Node.bl height max

Inherited Functions

- bpy_struct.as_pointer
- bpy struct.driver add
- bpy struct.driver remove
- bpy_struct.get
- bpy struct.id properties clear
- bpy struct.id properties ensure
- bpy_struct.id_properties_ui
- bpy struct.is property hidden
- bpy_struct.is_property_overridable_library
- bpy struct.is property readonly
- bpy struct.is property set

- Node.poll instance
- Node.update
- Node.insert link
- Node.init
- Node.copy
- Node.free
- Node.draw buttons
- Node.draw_buttons_ext
- Node.draw label
- Node.debug zone body lazy function graph

- bpy_struct.items
- bpy_struct.keyframe_delete
- bpy_struct.keyframe_insert
- bpy_struct.keys
- bpy_struct.path_from_id
- bpy_struct.path_resolve
- bpy struct.pop
- bpy_struct.property_overridable_library_set
- bpy_struct.property_unset
- bpy_struct.type_recast
- bpy struct.values
- Node.socket_value_update
- Node.is_registered_node_type
- Node.poll

- Node.debug_zone_lazy_function_graph
- Node.poll
- Node.bl_rna_get_subclass
- Node.bl_rna_get_subclass_py
- NodeInternal.poll
- NodeInternal.poll instance
- NodeInternal.update
- NodeInternal.draw_buttons
- NodeInternal.draw_buttons_ext
- NodeInternal.bl_rna_get_subclass
- NodeInternal.bl rna get subclass py
- GeometryNode.poll
- GeometryNode.bl_rna_get_subclass
- GeometryNode.bl_rna_get_subclass_py

Previous GeometryNodeMergeLayers(GeometryNode) Report issue on this page Copyright © Blender Authors Made with Furo GeometryNodeMeshCircle(GeometryNodeMeshCircle)