Skip to content GaussianBlurStrip(EffectStrip)

```
base classes — bpy_struct, Strip, EffectStrip
class bpy.types.GaussianBlurStrip(EffectStrip)
    Sequence strip creating a gaussian blur
     input 1
         First input for the effect strip
         TYPE:
              Strip, (never None)
     input_count
         TYPE:
              int in [0, inf], default 0, (readonly)
     size x
         Size of the blur along X axis
         TYPE:
              float in [0, inf], default 0.0
     size_y
         Size of the blur along Y axis
         TYPE:
              float in [0, inf], default 0.0
     classmethod bl_rna_get_subclass(id, default=None)
         PARAMETERS:
              id (str) – The RNA type identifier.
         RETURNS:
              The RNA type or default when not found.
         RETURN TYPE:
              bpy.types.Struct subclass
     classmethod bl rna get subclass py(id, default=None)
         PARAMETERS:
              id (str) – The RNA type identifier.
         RETURNS:
              The class or default when not found.
         RETURN TYPE:
              type
```

Inherited Properties

bpy_struct.id_data
 Strip.name
 Strip.modifiers
 Strip.type
 Strip.use_cache_raw
 Strip.select
 Strip.use cache preprocessed

• Strip.select left handle • Strip.use cache composite • Strip.select_right_handle • Strip.override_cache_settings • Strip.mute • Strip.show retiming keys • Strip.lock • EffectStrip.use deinterlace • Strip.frame final duration • EffectStrip.alpha mode • Strip.frame duration • EffectStrip.use flip x • Strip.frame start • EffectStrip.use flip y • Strip.frame final start • EffectStrip.use float • Strip.frame final end • EffectStrip.use_reverse_frames • Strip.frame_offset_start • EffectStrip.color_multiply • Strip.frame offset end • EffectStrip.multiply alpha • EffectStrip.color saturation • Strip.channel • Strip.use_linear_modifiers • EffectStrip.strobe • Strip.blend type • EffectStrip.transform • Strip.blend alpha • EffectStrip.crop • Strip.effect fader EffectStrip.use proxy

• EffectStrip.proxy

Inherited Functions

•	pba7	struct	.as_	_pointer

- bpy struct.driver add
- bpy struct.driver remove

• Strip.use default fade

- bpy struct.get
- bpy struct.id properties clear
- bpy struct.id properties ensure
- bpy struct.id properties ui
- bpy_struct.is_property_hidden
- bpy struct.is property overridable library Strip.move to meta
- bpy_struct.is_property_readonly
- bpy_struct.is_property_set
- bpy struct.items
- bpy_struct.keyframe_delete
- bpy struct.keyframe insert
- bpy struct.keys
- bpy struct.path from id

- bpy struct.path resolve
- bpy struct.pop
- bpy struct.property overridable library set
- bpy struct.property unset
- bpy struct.type recast
- bpy struct.values
- Strip.strip elem from frame
- Strip.swap
- Strip.parent meta
- Strip.invalidate cache
- Strip.split
- Strip.bl_rna_get_subclass
- Strip.bl_rna_get_subclass_py
- EffectStrip.bl_rna_get_subclass
- EffectStrip.bl rna get subclass py

Previous GammaCrossStrip(EffectStrip)

Report issue on this page

Copyright © Blender Authors Made with Furo

GeometryNode(NodeIntern