Skip to content UIPopover(bpy_struct)

```
base class — bpy_struct
class bpy.types.UIPopover(bpy struct)
    lavout
        TYPE:
             UILayout, (readonly)
    classmethod bl_rna_get_subclass(id, default=None)
        PARAMETERS:
             id (str) – The RNA type identifier.
        RETURNS:
             The RNA type or default when not found.
        RETURN TYPE:
             bpy.types.Struct subclass
    classmethod bl_rna_get_subclass_py(id, default=None)
        PARAMETERS:
             id (str) – The RNA type identifier.
        RETURNS:
             The class or default when not found.
        RETURN TYPE:
             type
```

Inherited Properties

• bpy struct.id data

Inherited Functions

```
• bpy_struct.as_pointer
                                            • bpy struct.items
• bpy struct.driver add
                                            • bpy struct.keyframe delete
• bpy struct.driver remove
                                            • bpy struct.keyframe insert
• bpy struct.get
                                            • bpy struct.keys
• bpy_struct.id_properties_clear
                                            • bpy_struct.path_from_id
• bpy struct.id properties ensure
                                            • bpy struct.path resolve
• bpy_struct.id_properties_ui
                                            • bpy struct.pop
• bpy struct.is property hidden
                                            • bpy struct.property overridable library set
• bpy_struct.is_property_overridable_library • bpy_struct.property_unset
bpy_struct.is_property_readonly
                                            • bpy_struct.type_recast
• bpy_struct.is_property_set
                                            • bpy struct.values
```

References

e minaliasining na nanana banin b

• windowmanager.popover_pegin__internal • windowmanager.popover_end__internal

Previous
UIPieMenu(bpy_struct)
Report issue on this page

Copyright © Blender Authors Made with Furo No UIPopupMenu(bpy_stru