## Skip to content AddStrip(EffectStrip)

```
base classes — bpy_struct, Strip, EffectStrip
class bpy.types.AddStrip(EffectStrip)
    Add Strip
     input 1
        First input for the effect strip
        TYPE:
              Strip, (never None)
     input 2
        Second input for the effect strip
        TYPE:
              Strip, (never None)
     input_count
        TYPE:
             int in [0, inf], default 0, (readonly)
     classmethod bl_rna_get_subclass(id, default=None)
        PARAMETERS:
             id (str) - The RNA type identifier.
         RETURNS:
             The RNA type or default when not found.
        RETURN TYPE:
              bpy.types.Struct subclass
     classmethod bl rna get subclass py(id, default=None)
         PARAMETERS:
             id (str) - The RNA type identifier.
        RETURNS:
             The class or default when not found.
         RETURN TYPE:
             type
```

## **Inherited Properties**

```
bpy_struct.id_data
Strip.name
Strip.modifiers
Strip.type
Strip.use_cache_raw
Strip.select
Strip.use_cache_preprocessed
Strip.select_left_handle
Strip.use_cache_composite
Strip.select_right_handle
Strip.override_cache_settings
Strip.mute
Strip.show_retiming_keys
Strip.lock
EffectStrip.use_deinterlace
Strip.frame final duration
EffectStrip.alpha mode
```

• Strip.frame duration • EffectStrip.use flip x • EffectStrip.use\_flip\_y • Strip.frame\_start • Strip.frame final start • EffectStrip.use float • Strip.frame final end • EffectStrip.use reverse frames • Strip.frame offset start • EffectStrip.color multiply • Strip.frame offset end EffectStrip.multiply alpha • EffectStrip.color\_saturation • Strip.channel • Strip.use linear modifiers • EffectStrip.strobe • Strip.blend type • EffectStrip.transform • Strip.blend alpha • EffectStrip.crop • Strip.effect fader • EffectStrip.use proxy • Strip.use default fade • EffectStrip.proxy

## **Inherited Functions**

• bpy\_struct.as\_pointer • bpy struct.driver add • bpy struct.driver remove

• bpy struct.get

• bpy\_struct.id\_properties\_clear • bpy struct.id properties ensure • bpy struct.id properties ui

• bpy struct.is property hidden

• bpy struct.is property overridable library • Strip.move to meta • bpy struct.is property readonly

• bpy struct.is property set

• bpy struct.items

• bpy\_struct.keyframe\_delete • bpy struct.keyframe insert

• bpy struct.keys

• bpy struct.path from id

• bpy struct.path resolve

• bpy struct.pop

• bpy struct.property overridable library set

• bpy struct.property unset

• bpy\_struct.type\_recast

• bpy struct.values

• Strip.strip elem from frame

• Strip.swap

• Strip.parent meta

• Strip.invalidate cache

• Strip.split

• Strip.bl\_rna\_get\_subclass

• Strip.bl rna get subclass py

• EffectStrip.bl\_rna\_get\_subclass

• EffectStrip.bl rna get subclass py

**Previous** ActionStrips(bpy\_struct) Report issue on this page

Copyright © Blender Authors Made with Furo

Addon(bpy stru