Skip to content SoundStrip(Strip)

```
base classes — bpy_struct, Strip
class bpy.types.SoundStrip(Strip)
    Sequence strip defining a sound to be played over a period of time
     animation offset end
         Animation end offset (trim end)
         TYPE:
              int in [0, inf], default 0
     animation\_offset\_start
         Animation start offset (trim start)
         TYPE:
              int in [0, inf], default 0
     pan
         Playback panning of the sound (only for Mono sources)
         TYPE:
              float in [-inf, inf], default 0.0
     retiming_keys
         TYPE:
               RetimingKeys bpy_prop_collection of RetimingKey, (readonly)
     show_waveform
         Display the audio waveform inside the strip
         TYPE:
              boolean, default False
     sound
         Sound data-block used by this sequence
         TYPE:
               Sound
     sound\_offset
         Offset of the sound from the beginning of the strip, expressed in seconds
         TYPE:
              float in [-inf, inf], default 0.0
     volume
         Playback volume of the sound
         TYPE:
              float in [0, 100], default 1.0
     classmethod bl_rna_get_subclass(id, default=None)
         PARAMETERS:
              id (ctr) The RNA time identifier
```

```
\mathbf{n}(su) – the man type identifier.
```

RETURNS:

The RNA type or default when not found.

RETURN TYPE:

bpy.types.Struct subclass

classmethod bl_rna_get_subclass_py(id, default=None)

PARAMETERS:

id(str) – The RNA type identifier.

RETURNS:

The class or default when not found.

RETURN TYPE:

type

Inherited Properties

• bpy struct.id data

• Strip.frame offset end

• Strip.name

• Strip.channel

• Strip.type

• Strip.use_linear_modifiers

• Strip.select

• Strip.blend type

• Strip.select left handle • Strip.blend alpha

• Strip.select right handle • Strip.effect fader

• Strip.mute

• Strip.use default fade

• Strip.lock

• Strip.color tag

• Strip.frame final duration • Strip.modifiers

• Strip.frame duration • Strip.use cache raw

• Strip.frame start

• Strip.use_cache_preprocessed

• Strip.frame final start • Strip.use cache composite

• Strip.frame final end • Strip.override cache settings

• Strip.frame offset start • Strip.show_retiming_keys

Inherited Functions

• bpy_struct.as_pointer

• bpy struct.driver add

• bpy struct.driver remove

• bpy struct.get

• bpy struct.id properties clear

• bpy_struct.id_properties_ensure

• bpy struct.id properties ui

• bpy struct.is property hidden

• bpy_struct.is_property_overridable_library • Strip.swap

• bpy struct.is property readonly

• bpy_struct.is_property_set

• bpy struct.items

• bpy struct.keyframe delete

• bpy_struct.keyframe_insert

• bpy_struct.path_from_id

• bpy struct.path resolve

• bpy struct.pop

• bpy_struct.property_overridable_library_set

• bpy struct.property unset

• bpy_struct.type_recast

• bpy struct.values

• Strip.strip elem from frame

• Strip.move_to_meta

• Strip.parent meta

• Strip.invalidate cache

• Strip.split

• Strip.bl_rna_get_subclass

• bpy_struct.keys

• Strip.bl_rna_get_subclass_py

Previous SoundEqualizerModifier(StripModifier) Report issue on this page Copyright © Blender Authors Made with Furo No Space(bpy_stru